



PEOPLE IDENTIFICATION SOLUTIONS

800.528.8005
www.BradyPeopleID.com

 **BRADY** | PEOPLE ID
Manufacturer of ID Security Solutions

SINGLE SOURCE FOR IDENTIFICATION PRODUCTS

Our product offering makes us a true one-stop shop for all things to help identify people.

These products can be used in a variety of industries, including **healthcare, education, government, marketing, manufacturing, and more.**

We offer unrivaled custom capabilities and the most on-hand inventory in the industry, meaning we get our quality goods out to our customers quickly.



PAGE
37

B•Reels

A twist-free reel featuring a clear vinyl strap for easy attachment to any ID badge.




Lanyards	4-24
Wristwear	25
Components	26-30
Neckwear	31
Strap Clips.....	32-33
Badge Reels	34-42
Badge Holders	43-67
Event Badges.....	68-70
Badge Buddies	71
Event Wallets	72-73
Luggage Tags	74-75
Cards & Credentials.....	76-79
Laminating	80-81
Slot Punches & Backdrops	82
Printers	83
Software	84-85
Visitor Management	86-95
PMS Colors	96-97
Specs & Ordering Information	98

PAGES
86-95

TEMPbadge®

We offer the widest assortment of Visitor Management solutions in the industry.



YOUR EASY ORDERING GUIDE

1. Select Your Material

Standard Material Types

- 
Flat Tubular: Sturdy polyester for a simple, professional look and feel.
- 
Optiweave: Made of polyester, this lanyard is great for silk screen imprinting.
- 
Microweave: Excellent print quality at a great price.
- 
Ultraweave: This satin-like material offers a superior base for imprinting.
- 
Econoweave: Thin, ribbon-like polyester material. Most economical choice.
- 
Woven: A polyester material in which the design is woven into the fabric.

Specialty Material Types

- 
Bamboo: Comprised of rayon fibers that are made from bamboo. Very soft to the touch.
- 
Organic Cotton: Made with 100% organic cotton which is grown without the use of harmful chemicals or pesticides.
- 
Anti-Microbial: Polyester material which contains nanoparticles that prevent the growth of germs. Perfect for healthcare and food service.
- 
Recycled P.E.T: Made from 100% post-consumer waste.

2. Select Your Imprint Method

Standard Imprinting Methods

- 
Silk Screen: The most economical imprinting method. You can silk screen on almost every material with the exception of Woven. Allows up to a 3 color imprint.
- 
Dye-Sublimation: Color is dyed into the white fabric. Ideal for intricate designs due to endless color options and fine detail. For best results, choose Smooth Polyester fabric.
- 
Woven: The classic lanyard look! Each design is woven into the fabric, while the tight weave allows for a crisp, clean imprint. Choose up to 12 thread colors shown on page 8.

Note: products are not shown to scale.



3. Select Your Width

Width Options

There are several different width options, depending on which material you chose. The most popular width is 5/8".

1/4"	3/8"	1/2"	5/8"	3/4"	1"
------	------	------	------	------	----

Materials & Available Widths:

- Flat Tubular: 5/8"
- Optiweave: 5/8"
- Microweave: 3/8", 1/2", 5/8", 3/4" & 1"
- Ultraweave: 3/8", 1/2", 5/8", 3/4" & 1"
- Econoweave: 3/8", 5/8", 3/4" & 1"
- Woven: 5/8", 3/4" & 1"
- Flat Woven: 3/8"
- Round Woven: 1/4"
- Bamboo: 3/8", 5/8", 3/4" & 1"
- Organic Cotton: 5/8", 3/4" & 1"
- Anti-Microbial: 3/8" & 5/8"
- Recycled: 3/8", 5/8", 3/4" & 1"

4. Select Your Attachment



Attachment Options: An attachment is the component at the end of a lanyard that holds an ID card, keys or other items. Examples of our attachments can be seen to the left.

Breakaway: A breakaway is meant to release under certain pressure.* See other styles shown on page 9.

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Econoweave Lanyards

These economical lanyards are perfect for large events and tight budgets. Made from thin, ribbon-like polyester material. Available in limited material colors and attachments. Printing limitations may apply. **MOQ: 100.**




PERFECT FOR EVENTS


ATTACHMENT SECURED WITH SEWN ON FINISHING OPTION.

ECONOWEAVE LANYARDS

MATERIAL COLORS



IMPRINT COLORS



PMS Color Match

ATTACHMENT OPTIONS



Split Ring



NPS Swivel Hook



NPS Swivel Bulldog Clip

BREAKAWAY* AVAILABLE

1-color, 1- or 2-sided imprint. Continuous printing only. Note: White material can only be 1-sided.

Econoweave Lanyard Specifications

Width	Dimensions
3/8"	3/8" (10mm) wide x 36" (914mm) long (total length)
5/8"	5/8" (16mm) wide x 36" (914mm) long (total length)

Available 10 business days after proof approval. PMS color match is not exact. Colors may vary. Shipping Weight: 2 lb. per 100 pieces (3/8") / 3 lb. per 100 pieces (5/8").



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Adjustable Lanyard Rack

Sturdy metal rack is ideal for smaller meetings and trade shows. Holds over 100 lanyards. Has an area on top to add a custom sign or message. **MOQ: 1.**

Adjustable Lanyard Rack Specifications

Item #	Dimensions
9000-1000	Total Height: 26.77" (680mm) Round Base: 9.84" (250mm) edge-to-edge, 0.12" (3mm) thick Round Tube Pole: 5/8" (15mm) width x 24" (610mm) height Spindle: 0.16" (4mm) diameter wire hooks, 14" (350mm) wide Sign: 0.034" (1mm) thick channel, 0.31" (8mm) inside dimension, 5.91" (150mm) long x 3" (75mm) high

Shipping Weight: 0.50 lb. per 1 stand



9000-1000

HEIGHT IS ADJUSTABLE TO ACCOMMODATE DIFFERENT LANYARD LENGTHS

Note: products are not shown to scale.

CUSTOM LANYARDS • SILK SCREEN



- 3/8" Lanyard with Narrow Plastic Hook
- 5/8" Glitter Ink Lanyard with NPS Swivel Hook
- 5/8" Lanyard with SlimReel System
- 3/4" Reflective Lanyard with DTACH Buckle and Bulldog Clip
- 5/8" 2Tone Lanyard with NPS Split Ring
- 5/8" Lanyard with RBLU/WHIT Material Color and NPS Swivel Hook
- 3/4" Lanyard with Badge Reel Combo
- 3/4" Glitter Tape Lanyard with NPS Split Ring and Clear Vinyl Strap Clip
- 5/8" Event Lanyard with Two NPS Swivel Hooks
- 1" Lanyard with DTACH Buckle and Lanyard Extension

REFLECTS AND GLOWS!

2TONE EACH SIDE OF THE LANYARD IS A DIFFERENT COLOR

SILK SCREEN YOUR IMPRINT ONTO OUR GLITTER LANYARD!

Limited material colors available.

Custom Silk Screen Lanyards

Silk screen lanyards offer quality, no-frills customization. Print a line of text, a name or a basic logo for a professional result. Lanyards have a total length of 36". **MOQ: 100.**

Silk Screen Lanyard Specifications

Width	Imprint Area	Shipping Weight
3/8"	1/4" x continuous	2 lb. per 100 pieces
5/8"	1/2" x continuous	3 lb. per 100 pieces
3/4"	5/8" x continuous	4 lb. per 100 pieces
1"	7/8" x continuous	5 lb. per 100 pieces

Silk Screen Printing Specifications

Flat Tubular, Optiweave, Microweave, Ultraweave	
Width	Maximum CONTINUOUS Print Area
3/8"	18 1/2" x 1/4" (470 x 6mm)
5/8"	18 1/2" x 1/2" (470 x 13mm)
3/4"	18 1/2" x 1/4" (470 x 6mm)
1"	18 1/2" x 11/16" (470 x 17mm)
Width	Maximum POSITIONAL Print Area
3/8"	13" x 1/4" (330 x 6mm)
5/8"	13" x 1/2" (330 x 13mm)
3/4"	13" x 5/8" (330 x 16mm)
1"	13" x 11/16" (330 x 17mm)
Production time is 10 business days after proof approval. PMS color match is not exact. Colors may vary.	
<p>WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov</p>	

Silk Screen Lanyard Available Sizes

Available Material	3/8"	5/8"	3/4"	1"
2Tone Lanyard	X	X	X	X
Anti-Microbial Breakaway Lanyard	X	X	X	X
Bamboo Lanyard	X	X	X	
Event Open-Ended Lanyard	X	X	X	X
Flat Microweave Lanyard with Badge Reel Combo	X	X	X	X
Glitter Ink Lanyard	X	X	X	X
Glitter Tape Lanyard			X	
Lanyard with NPS Swivel Hook and Clear Plastic Bead	X			
Lanyard with DTACH Option	X	X	X	X
Organic Cotton Lanyard		X	X	
Recycled P.E.T. Lanyard	X	X	X	
Reflective Lanyard		X	X	
White Border Lanyard	X	X	X	X

MATERIAL & IMPRINT COLORS

BLACK C	WHITE	COOL GRAY 7C	REFLEX BLUE C
115C	151C	186C	187C
195C	200C	211C	268C
282C	289C	292C	294C
316C	321C	348C	375C
801C	802C	814C	1235C
5535C	SILVER GLITTER	PMS BLACK C AND WHITE	PMS 186 AND WHITE
PMS Color Match	PMS REFLEX BLUE & WHITE	PMS 115 AND WHITE	PMS 268 AND WHITE

Note: products are not shown to scale.

SEE PAGE 9 FOR ATTACHMENT AND FINISHING OPTIONS.



3/8" Lanyard with Black Ox Swivel Bulldog Clip

5/8" Lanyard with NPS Trigger Snap Hook

3/4" Lanyard with Badge Reel Combo

3/4" Lanyard with Wide Plastic Hook

3/4" Lanyard with NPS Swivel Hook

3/4" Event Lanyard with Two NPS Swivel Hooks


1" Lanyard with NPS Split Ring

5/8" SlimReel System Shown with Label on Reel

5/8" Lanyard with Printable Attachment with Bulldog Clip

Custom Dye-Sublimated Lanyards

Dye-Sublimated lanyards are printed using PANTONE® color match. This process ensures that the artwork provided will match the printed lanyard, meet branding guidelines and keep color consistency with repeat orders. Please provide PMS colors for artwork when placing an order. A full-color, digital proof will be provided. **MOQ: 100.**

Dye-Sub Printing Specifications	
<i>Ultraweave lanyards garner the best results.</i>	
Width	Maximum CONTINUOUS Print Area (CMYK printing. Pantone color match available.)
3/8"	17" x 1/4" (432 x 6mm)
5/8"	17" x 1/2" (432 x 13mm)
3/4"	17" x 5/8" (432 x 16mm)
1"	17" x 11/16" (432 x 17mm)
Width	Maximum POSITIONAL Print Area (CMYK printing. Pantone color match available.)
3/8"	13" x 1/4" (330 x 6mm)
5/8"	13" x 1/2" (330 x 13mm)
3/4"	13" x 5/8" (330 x 16mm)
1"	13" x 11/16" (330 x 17mm)
Production time is 10 business days after proof approval. PMS color match is not exact. Colors may vary.	
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov	

Note: products are not shown to scale.

Neon and metallic colors are not available on dye-sublimated lanyards.

Dye-Sub Lanyard Specifications					
Width	Imprint Area	Dimensions (W x L)	Shipping Weight	Available Widths	
				Flat Ultraweave Lanyard	Event Lanyard
3/8"	Continuous Edge-to-Edge	3/8" x 36" (total length)	2 lb. per 100 pieces	X	X
5/8"	Continuous Edge-to-Edge	5/8" x 36" (total length)	3 lb. per 100 pieces	X	X
3/4"	Continuous Edge-to-Edge	3/4" x 36" (total length)	4 lb. per 100 pieces	X	X
1"	Continuous Edge-to-Edge	1" x 36" (total length)	5 lb. per 100 pieces	X	X

MATERIAL & IMPRINT COLORS



PMS Color Match
PMS color match is not exact. Colors may vary.

**Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.*

SEE PAGE 9 FOR ATTACHMENT AND FINISHING OPTIONS.

CUSTOM LANYARDS • WOVEN



2TONE LANYARDS
 FEATURE TWO DIFFERENT FABRIC COLORS JOINED BY A BREAKAWAY

- 1/4" Round Lanyard with NPS Swivel Clip
- 3/8" Lanyard with NPS Swivel Bulldog Clip
- 5/8" Lanyard with NPS Lobster Claw Swivel Hook
- 5/8" SlimReel System Shown with Label on Reel
- 3/4" Lanyard with NPS Trigger Snap Hook
- 3/4" Lanyard with NPS Split Ring
- 1" Lanyard with Narrow Plastic Hook
- 1" Lanyard with NPS Swivel Hook
- 5/8" 2Tone Lanyard with NPS Lobster Claw Swivel Hook

Note: products are not shown to scale.

Custom Woven Lanyards

Great quality with that classic lanyard look! Imprints are woven into the fabric rather than embroidered to prevent wearing or fading. Long-lasting and perfect for text-only imprints. **MOQ: 100.**

Woven Lanyard Specifications			
Lanyard Width	Imprint Area	Dimensions (W x L)	Shipping Weight
1/4"	1/4" x continuous	1/4" x 36" (total length)	2 lb. per 100 pieces
3/8"	1/4" x continuous	3/8" x 36" (total length)	2 lb. per 100 pieces
5/8"	1/2" x continuous	5/8" x 36" (total length)	3 lb. per 100 pieces
3/4"	5/8" x continuous	3/4" x 36" (total length)	4 lb. per 100 pieces
1"	7/8" x continuous	1" x 36" (total length)	5 lb. per 100 pieces

Production time is 10 business days after proof approval.
 PMS color match is not exact. Colors may vary. 3/8" width is text only.

⚠️ WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



CLOSE-UP OF A ROUND WOVEN LANYARD



TUBULAR LANYARD WITH SOLID COLOR BACK



REVERSE WEAVE ON BACK

MATERIAL & IMPRINT COLORS

BLACK C	WHITE	YELLOW 115C	ORANGE 151C	MAROON 195C	RED 200C
PURPLE 268C	NAVY 289C	ROYAL 294C	TEAL 316C	GREEN 348C	FOREST 5535C

PMS Color Match

SEE PAGE 9 FOR ATTACHMENT AND FINISHING OPTIONS.

CUSTOM LANYARDS • ATTACHMENT & FINISHING OPTIONS

- NPS Swivel Hook †
- NPS Swivel Bulldog Clip †
- NPS Split Ring †
- NPS Bulldog Clip with Small Ring †
- Black Ox Swivel Hook †
- Black Ox Swivel Bulldog Clip †
- Black Ox Split Ring †
- NPS Bulldog Clip with Large Opening † (5/8", 3/4" & 1" only)
- NPS Large Non-Swivel J-Hook † (5/8", 3/4" & 1" only)
- Narrow Plastic Hook (Also available in white)
- Wide Plastic Hook (Also available in white)
- NPS Trigger Snap Swivel Hook †
- NPS Lobster Claw †
- NPS Bottle Opener † (3/4" & 1" only)
- Card Clamp™ †
- Matching "No-Flip" Plastic Hook (More colors available, 3/8" flat or 1/4" round Silk Screen and Woven Lanyards only)
- "No-Flip" Plastic Hook (3/8" flat or 1/4" round Dye-Sub Lanyards only)
- NPS Split Ring with J-Hook †
- NPS Split Ring with Swivel Bulldog Clip †
- NPS Split Ring with Swivel Hook †
- NPS Split Ring with Clear Vinyl Strap Clip †

- Black-Coated Swivel Hook (5/8" & 3/4" lanyards only)
- Black-Coated Swivel Bulldog Clip (5/8" & 3/4" lanyards only)
- Black-Coated Trigger Hook (5/8" & 3/4" lanyards only)
- Black-Coated Split Ring (5/8" & 3/4" lanyards only)
- Black Clip with Hook † (3/8" lanyards only)
- DTACH Clip with Strap † (3/8" lanyards only)
- DTACH Buckle with Lanyard Extension
- Black/Chrome DTACH Buckle with Lanyard Extension (Engraving available on buckle)
- DTACH Buckle † (Call for more options)
- Black Secure Slider
- White Secure Slider
- Cord Lock
- NPS Lanyard Tag † (Add engraving or custom label)
- Standard Breakaway*
- Optional Sewn-On Breakaway*
- Hook and Loop Breakaway*

- Printable Attachment with Swivel Hook †
- Printable Attachment with Bulldog Clip †
- Printable Attachment with Split Ring †
- Printable Attachment with Plastic Swivel Hook
- Badge Reel with Strap † (3/8" lanyards only)
- Non-Magnetic Badge Reel with Plastic Clip

NON-MAGNETIC BADGE REEL COLOR OPTIONS

BLK	RBLU	RED	WHITE
-----	------	-----	-------

- Lanyard Badge Reel † (Customization on badge reel is available)
- SlimReel™ System (3/8" & 5/8" lanyards only, customization on badge reel is available)

BADGE REEL AND SlimReel™ COLOR OPTIONS

BLK	RBLU PMS 294	NBLU PMS 289	RED PMS 200	MAR PMS 195
WHT	ORG PMS 151	GRN PMS 348	YLW PMS 115	

BEAD, CRIMP, OR SEWN FINISHING OPTIONS

NPS CRIMP †	BLACK OX CRIMP †	BLACK COATED CRIMP [§]	5/8" & 3/4" lanyards only
SEWN	PLASTIC SILVER BEAD**	PLASTIC CLEAR BEAD**	**3/8" lanyards only

⚠ † WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

**Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.*

Note: products are not shown to scale.

SEE PAGES 6-8 FOR LANYARD MATERIAL & IMPRINT OPTIONS.


SlimReel™ System

The SlimReel System is a unique combination of a lanyard and a badge reel with an added bonus- the two components can be separated for individual use.

Think of it as a three-in-one solution: use it as a lanyard, as a badge reel, or as both at once! The SlimReel's innovative plastic clip makes it easy to attach an ID card or badge holder, while the clip's design helps ensure that the attachment faces front at all times. **MOQ: 100.**



LANYARD AND BADGE REEL ATTACHED TO CARD



LANYARD DETACHED FROM BADGE REEL



BACK OF BADGE REEL

CLIP ON LANYARD IS AVAILABLE IN 3/8" & 5/8" WIDTHS



2138-8001 3/8" stock lanyard shown without a label on reel. Reel cord is shown extended and attached to an ID card.

TWIST-FREE!



2138-8106 5/8" stock lanyard shown with a custom label on reel. Shown without reel cord extended.

SlimReel - STOCK

MATERIAL COLORS



REEL CAN BE REMOVED AND USED WITHOUT A LANYARD.

Note: products are not shown to scale.

SlimReel System - Stock Lanyard Specifications

Stock lanyards with color-matched clip-on SlimReel & breakaway.*							
Item #	Color	Reel Cord Length	Reel Size (W x H)	Label on Reel	Label Size (W x H)	Lanyard Dimensions	Shipping Weight
3/8" Lanyards							
2138-8001	Black	28"	1 1/4" x 1 11/16"	Multi-color flat or dome label	13/16" x 1"	3/8"W x 36"L	4.4 lb. per 100 pieces
2138-8002	Royal Blue (PMS 294)						
2138-8006	Red (PMS 200C)						
2138-8008	White						
5/8" Lanyards							
2138-8101	Black	28"	1 1/4" x 1 11/16"	Multi-color flat or dome label	13/16" x 1"	5/8"W x 36"L	6 lb. per 100 pieces
2138-8102	Royal Blue (PMS 294)						
2138-8106	Red (PMS 200C)						
2138-8108	White						

WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

SEE PAGE 11 FOR LANYARD CUSTOMIZATION

BOTH THE LANYARD AND BADGE REEL CAN BE CUSTOMIZED!

EVENT HOLDERS SEE PAGE 58



5/8" custom dye-sub lanyard shown with label on reel. Reel cord is shown extended and attached to an ID badge and event holder.

Custom SlimReel™ System

Add a logo or text to a silkscreen, dye-sub, or woven lanyard, and add graphics to the reel with either a dome or flat label. **MOQ: 100.**



3/8" custom woven lanyard shown with label on reel. Shown without reel cord extended.



3/8" custom silk screen lanyard shown with label and dome on reel. Shown without reel cord extended.


SLIMREEL SYSTEM AND BREAKAWAY CAN BE COLOR MATCHED

SlimReel System - Custom Lanyard Specifications						
Custom lanyards with color-matched clip-on SlimReel & breakaway.*						
Color	Reel Cord Length	Reel Size (W x H)	Label on Reel	Lanyard Dimensions	Lanyard Imprint Area	Shipping Weight
3/8" Lanyards						
Black	28"	1 1/4" x 1 11/16"	Multi-color flat or dome label Label size: 13/16" x 1"	3/8"W x 36"L	Silk Screen: 1/4" x continuous Dye-Sub: Continuous Edge-to-Edge Woven: 1/4" x continuous	4.4 lb. per 100 pieces
Royal Blue (PMS 294)						
Red (PMS 200C)						
White						
Yellow (PMS 115)						
Orange (PMS 151)						
Maroon (PMS 195)						
Navy Blue (PMS 289)						
Green (PMS 348)						
5/8" Lanyards						
Black	28"	1 1/4" x 1 11/16"	Multi-color flat or dome label Label size: 13/16" x 1"	5/8"W x 36"L	Silk Screen: 1/2" x continuous Dye-Sub: Continuous Edge-to-Edge Woven: 1/2" x continuous	6 lb. per 100 pieces
Royal Blue (PMS 294)						
Red (PMS 200C)						
White						
Yellow (PMS 115)						
Orange (PMS 151)						
Maroon (PMS 195)						
Navy Blue (PMS 289)						
Green (PMS 348)						
WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov						


SlimReel - SILK SCREEN IMPRINT COLORS



MATERIAL COLORS



SlimReel - WOVEN MATERIAL & THREAD COLORS



SlimReel Lanyard - DYE-SUB MATERIAL & IMPRINT COLORS



*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Note: products are not shown to scale.



- Camera-ready artwork must be provided—true vector files .ai and .eps accepted.**
If artwork doesn't meet these requirements a delay in processing will incur.
- Orders must be in by 2:30pm EST and final proof approval received from customer by 5pm EST.**
- Existing customers' credit must be in good standing.**
- Production time is 4 business days.**
- Shipping time is 2-3 days based on clearing customs.**

SILK SCREEN
HIGH-QUALITY
NO FRILLS
CUSTOMIZATION



MATERIAL & IMPRINT COLORS

BLACK PMS 151	WHITE PMS 115	YELLOW PMS 115
ORANGE PMS 151	MAROON PMS 195	RED PMS 200
PURPLE PMS 268	NAVY PMS 289	ROYAL PMS 294
TEAL PMS 316	GREEN PMS 348	FOREST PMS 5535



Any PMS color match for imprint colors

Continuous imprint only.

RUSH LANYARD SERVICE


STANDARD ATTACHMENT OPTIONS

- NPS Swivel Hook
- NPS Swivel Bulldog Clip
- NPS Split Ring
- NPS Bulldog Clip with Small Ring
- NPS Bulldog Clip with Large Opening
- Black Narrow Plastic Hook
- Black Wide Plastic Hook
- NPS Trigger Snap Swivel Hook

ADDITIONAL ATTACHMENT OPTIONS

- NPS Split Ring with Clear Vinyl Strap Clip
- Black Standard Safety Breakaway

FINISHING OPTIONS



Crimp

Sewn

Note: products are not shown to scale.

DYE-SUB
DISPLAYS
SUPERB DETAIL
AND COLOR!



MATERIAL & IMPRINT COLORS



Any PMS color

DYE-SUB LANYARDS FEATURE **COLORFUL EDGE-TO-EDGE PRINTING!**




Rush Lanyard Service Specifications

Item #	3/8" Lanyards
SS-38-EX	Silk Screen Flat Ribbed Polyester
SSEVNT-38-EX	Silk Screen Event
DS-38-EX	Dye-Sub Flat Smooth Polyester
DSEVNT-38-EX	Dye-Sub Event
Item #	5/8" Lanyards
SS-58-EX	Silk Screen Flat Ribbed Polyester
SSEVNT-58-EX	Silk Screen Event
DS-58-EX	Dye-Sub Flat Smooth Polyester
DSEVNT-58-EX	Dye-Sub Event
Item #	3/4" Lanyards
SS-34-EX	Silk Screen Flat Ribbed Polyester
SSEVNT-34-EX	Silk Screen Event
DS-34-EX	Dye-Sub Flat Smooth Polyester
DSEVNT-34-EX	Dye-Sub Event
Item #	1" Lanyards
SS-1-EX	Silk Screen Flat Ribbed Polyester
SSEVNT-1-EX	Silk Screen Event
DS-1-EX	Dye-Sub Flat Smooth Polyester
DSEVNT-1-EX	Dye-Sub Event
Additional Information	
Imprint Area (Silk Screen):	3/8" - 1/4" x continuous; 5/8" - 1/2" x continuous; 3/4" - 5/8" x continuous; 1" - 7/8" x continuous
Imprint Area (Dye-Sub):	Continuous edge-to-edge
Dimensions:	3/8", 5/8", 3/4" or 1" wide x 36" long (total length)
Shipping Weight per 100 Pieces:	3/8" - 2 lb.; 5/8" - 3 lb.; 3/4" - 4 lb.; 1" - 5 lb.

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

3/8" Non-Breakaway Optiweave Lanyards

This 3/8" (10mm) Optiweave polyester lanyard is functional yet light and comfortable. **MOQ: 100.**


3/8" Non-Breakaway Optiweave Lanyard Specifications		
NPS Swivel Hook	NPS Bulldog Clip	NPS Split Ring
End Attachment & Item #		
NF-9S-____	NF-9C-____	NF-9R-____
Dimensions: 3/8" wide x 36" long (total length)		
Shipping Weight: 2.2 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		

FOR ITEM NUMBERS ENDING IN ____, SUBSTITUTE THE COLOR ABBREVIATIONS SHOWN IN THE COLOR CHART.

3/8" Breakaway Optiweave Lanyards

3/8" (10mm) Optiweave lanyard made of polyester material. Designed for comfort. Only available with breakaway. **MOQ: 100.**


MATCHING BREAKAWAY INCLUDED*

3/8" Breakaway Optiweave Lanyard Specifications						
"No-Flip" Wide Plastic Hook	NPS Swivel Hook	NPS Bulldog Clip	NPS Split Ring	Card Clamp	Badge Reel with Strap	Badge Reel with Card Clamp
End Attachment & Item #						
BL-34H-____	BL-34S-____	BL-34C-____	BL-34R-____*	BL-34K6-____*	BL-545-____*	BL-545K6-____*
Dimensions: 3/8" wide x 36" long (total length)						
*BL-34K6 is only available in navy blue and black; BL-545 and BL-545K6 are only available in royal blue and black. White is not available for BL-34R, 34K6, 545, or 545K6. Shipping Weight: 2.2 lb. per 100 pieces.						
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov						

FOR ITEM NUMBERS ENDING IN ____, SUBSTITUTE THE COLOR ABBREVIATIONS SHOWN IN THE COLOR CHART.

3/4" Flat Lanyards with Swivel Hook

Flat polyester lanyard is light and comfortable. Non-breakaway style with swivel hook attachment. **MOQ: 100.**

3/4" Flat Lanyard with Swivel Hook Specifications		
Color	Item #	Dimensions
Black	NFW-9S-BLK	3/4" wide x 36" long (total length)
Navy Blue	NFW-9S-NBLU	
Royal Blue	NFW-9S-RBLU	
Red	NFW-9S-RED	
Shipping Weight: 4 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		


*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.



HIGH THREAD COUNT PROVIDES A TIGHTER WEAVE AND SOFTER TEXTURE!

NON-BREAKAWAY OPTIWEAVE LANYARDS

MATERIAL COLOR OPTIONS




ATTACHMENT OPTIONS



BREAKAWAY OPTIWEAVE LANYARDS

MATERIAL COLOR OPTIONS



ATTACHMENT OPTIONS



FLAT LANYARDS WITH SWIVEL HOOK

MATERIAL COLOR OPTIONS



ATTACHMENT OPTION



NFW-9S-BLK

DOMESTIC PRINTING AVAILABLE



Note: products are not shown to scale.

STOCK LANYARDS • 1/8" ROUND BRAIDED / TUB-O-LANYARDS


SOLID ROUND BRAIDED LANYARDS

MATERIAL COLOR OPTIONS



METALLIC ROUND BRAIDED LANYARDS

MATERIAL COLOR OPTIONS



BREAKAWAY AVAILABLE*

White, orange and yellow lanyards come with white breakaways. All others are black.



*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

TUB-O-LANYARDS

ATTACHMENTS




Bulldog Clip



Swivel Hook

COLORS



Note: products are not shown to scale.

1/8" Round Braided Lanyards

1/8" (3mm) round braided polypropylene material with crimp and choice of attachment. Solid colors are available in both breakaway and non-breakaway styles. **MOQ: 100.**

2135-302_



2135-30_

1/8" Round Braided Lanyard Specifications

	Swivel Hook	Bulldog Clip	Split Ring
Color	End Attachment & Item #		
1/8" Non-Breakaway (Solid Material Color)			
Black	2135-3001 or NL-7S-BLK	2135-3251 or NL-7C-BLK	2135-3101 or NL-7R-BLK
Royal Blue	2135-3002 or NL-7S-RBLU	2135-3252 or NL-7C-RBLU	2135-3102 or NL-7R-RBLU
Navy Blue	2135-3003 or NL-7S-NBLU	2135-3253 or NL-7C-NBLU	2135-3103 or NL-7R-NBLU
Green	2135-3004 or NL-7S-GRN	2135-3254 or NL-7C-GRN	2135-3104 or NL-7R-GRN
Orange	2135-3005	2135-3255	2135-3105
Red	2135-3006 or NL-7S-RED	2135-3256 or NL-7C-RED	2135-3106 or NL-7R-RED
White	2135-3008 or NL-7S-WHT	2135-3258 or NL-7C-WHT	2135-3108 or NL-7R-WHT
Yellow	2135-3009	2135-3259	2135-3109
Purple	2135-3013	2135-3263	2135-3113
Forest	2135-3014	2135-3264	2135-3114
Teal	2135-3016	2135-3266	2135-3116
Maroon	2135-3017	2135-3267	2135-3117
1/8" Non-Breakaway (Metallic Material Color)			
Black	2135-3021	N/A	N/A
Royal Blue	2135-3022	N/A	N/A
Navy Blue	2135-3023	N/A	N/A
Red	2135-3026	N/A	N/A
Purple	2135-3029	N/A	N/A

1/8" Round Braided Lanyard Specifications

	Swivel Hook	Bulldog Clip	Split Ring
Color	End Attachment & Item #		
1/8" Breakaway (Solid Material Color)			
Black	2137-2001	2137-2011	2137-2021
Royal Blue	2137-2002	2137-2012	2137-2022
Navy Blue	2137-2003	2137-2013	2137-2023
Green	2137-2004	2137-2014	2137-2024
Orange	2137-2005	2137-2015	2137-2025
Red	2137-2006	2137-2016	2137-2026
Maroon	2137-2007	2137-2017	2137-2027
White	2137-2008	2137-2018	2137-2028
Yellow	2137-2009	2137-2019	2137-2029
Purple	2137-2010	2137-2020	2137-2030
Dimensions:	1/8" wide x 36" long (total length)		
Orders placed before 1pm ET ship SAME DAY!			
Shipping Weight: 2 lb. per 100 pieces.			
WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov			

Tub-O-Lanyards

Tub-O-Lanyards offers 1/8" round non-breakaway lanyards with crimp and swivel hook or bulldog clip end fitting in a fun and convenient container. Receive multiple colors of the product, giving employees a wider variety of options when deciding how to wear and display their ID badge.

Tub-O-Lanyards Specifications

Item #	Each Tub Contains 50 Lanyards in the following End Fittings, Quantities and Colors:
LANS50	25 Swivel Hooks: 10 Black, 5 Royal, 5 Navy, 5 Red 25 Bulldog Clips: 10 Black, 5 Royal, 5 Navy, 5 Red
Orders placed before 1pm ET ship SAME DAY!	
WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov	



LANS50

3/8" Flat Tubular Lanyards

Flat tubular polypropylene material with choice of attachment. Breakaway or non-breakaway. **MOQ: 100.**



5/8" Microweave Lanyards

Microweave material with choice of attachment. Breakaway or non-breakaway. **MOQ: 100.**



3/8" Flat Tubular Lanyard Specifications

Color	End Attachment & Item #				
3/8" Non-Breakaway					
Black	N/A	N/A	2135-3501	2135-3651	2135-3551
Royal Blue	N/A	N/A	2135-3502	2135-3652	2135-3552
Navy	N/A	N/A	2135-3503	2135-3653	2135-3553
Red	N/A	N/A	2135-3506	2135-3656	2135-3556
White	N/A	N/A	2135-3508	2135-3658	2135-3558
Yellow	N/A	N/A	2135-3509	2135-3659	2135-3559
Green	N/A	N/A	2135-3504	2135-3654	2135-3554
Purple	N/A	N/A	2135-3513	2135-3663	2135-3563
Forest	N/A	N/A	2135-3514	2135-3664	2135-3564
Teal	N/A	N/A	2135-3516	2135-3666	2135-3566
Orange	N/A	N/A	2135-3505	2135-3655	2135-3555
Maroon	N/A	N/A	2135-3517	2135-3667	2135-3567
3/8" Breakaway					
Black	2137-4035	2137-4744	2137-5001	2137-3651	2137-6001
Royal Blue	2137-4040	2137-4745	2137-5002	2137-3652	2137-6002
Navy	2137-4080	2137-4746	2137-5003	2137-3653	2137-6003
Red	2137-4110	2137-4747	2137-5006	2137-3656	2137-6006
White	2137-4125	2137-4741	2137-5008	2137-3658	2137-6008
Yellow	2137-4130	2137-4742	2137-5009	2137-3659	2137-6009
Green	2137-4060	2137-4748	2137-5004	2137-3654	2137-6004
Purple	2137-4095	2137-4749	2137-5013	2137-3663	2137-6013
Forest	2137-4014	2137-4750	2137-5014	2137-3664	2137-6014
Teal	2137-4120*	2137-4751	2137-5018	2137-3666	2137-6018
Orange	2137-4085*	2137-4743	2137-5005	2137-3655	2137-6005
Maroon	2137-4135	2137-4752	2137-5035	2137-3667	2137-6035
Dimensions:	3/8" wide x 36" long (cut length)				
Orders placed before 1pm ET ship SAME DAY!					
Shipping Weight: 2 lb. per 100 pieces (non-breakaway) / 2.2 lb. per 100 pieces (breakaway).					
WARNING This product can expose you to nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov					

5/8" Microweave Lanyard Specifications

Color	End Attachment & Item #				
5/8" Non-Breakaway					
Black	N/A	N/A	2136-3501	2136-3651	2136-3551
Royal Blue	N/A	N/A	2136-3502	2136-3652	2136-3552
Navy	N/A	N/A	2136-3503	2136-3653	2136-3553
Red	N/A	N/A	2136-3506	2136-3656	2136-3556
White	N/A	N/A	2136-3508	2136-3658	2136-3558
Yellow	N/A	N/A	2136-3509	2136-3659	2136-3559
Green	N/A	N/A	2136-3504	2136-3654	2136-3554
Purple	N/A	N/A	2136-3513	2136-3663	2136-3563
Forest	N/A	N/A	2136-3514	2136-3664	2136-3564
Teal	N/A	N/A	2136-3516	2136-3666	2136-3566
Orange	N/A	N/A	2136-3505	2136-3655	2136-3555
Maroon	N/A	N/A	2136-3517	2136-3667	2136-3567
5/8" Breakaway					
Black	2138-4035*	2138-4780	2138-5001	2138-3651	2138-6001
Royal Blue	2138-4040*	2138-4781	2138-5002	2138-3652	2138-6002
Navy	2138-4080*	2138-4782	2138-5003	2138-3653	2138-6003
Red	2138-4110*	2138-4783	2138-5006	2138-3656	2138-6006
White	2138-4125*	2138-4777	2138-5008	2138-3658	2138-6008
Yellow	2138-4130*	2138-4778	2138-5009	2138-3659	2138-6009
Green	2138-4060*	2138-4784	2138-5004	2138-3654	2138-6004
Purple	2138-4095*	2138-4785	2138-5013	2138-3663	2138-6013
Forest	2138-4014*	2138-4786	2138-5014	2138-3664	2138-6014
Teal	2138-4120*	2138-4787	2138-5018	2138-3666	2138-6018
Orange	2138-4085*	2138-4779	2138-5005	2138-3655	2138-6005
Maroon	2138-4135*	2138-4788	2138-5035	2138-3667	2138-6035
Dimensions:	5/8" wide x 36" long (cut length)				
Orders placed before 1pm ET ship SAME DAY!					
Shipping Weight: 2.7 lb. per 100 pieces (non-breakaway) / 2.9 lb. per 100 pieces (breakaway).					
WARNING This product can expose you to nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov					

White, yellow and orange lanyards come with white components; all others come with black. Breakaway lanyards come with both a Universal Slide Adapter and choice of end fitting (not including Narrow and Wide Plastic Hooks).

*Minimum order quantity: 1,000. Lead time applies.

BREAKAWAY AVAILABLE*



UNIVERSAL SLIDE ADAPTER

Included on Breakaway lanyards with choice of end fitting (not including Narrow and Wide Plastic Hooks)



CUSTOMIZING AVAILABLE

SEE PAGES 4-9 FOR CUSTOM LANYARDS

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Note: products are not shown to scale.



CUSTOMIZING AVAILABLE
ON SLIDERS AND BADGE REELS

ROUND NO-FLIP LANYARDS

MATERIAL COLOR OPTIONS



ATTACHMENT OPTION



Matching "No-Flip" Plastic Hook

1/4" Round No-Flip Lanyards

High-quality, round neck cord with breakaway.* Guaranteed to keep ID facing forward. Includes 3/4" customizable slider and "No-Flip" color-matched plastic hook. **MOQ: 100.**

1/4" Round No-Flip Lanyard Specifications

Color	Item #	Dimensions	Slider Diameter
Black	FF-34H-BLK	1/4" wide x 36" long (total length)	3/4"
Navy Blue	FF-34H-NBLU		
Red	FF-34H-RED		

Orders placed before 1pm ET ship SAME DAY! Lanyards with customized sliders ship 5-7 business days after proof approval. Shipping Weight: 3.4 lb. per 100 pieces.




This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



FF-34H-RED

LANYARD BADGE REEL COMBO

MATERIAL COLOR OPTIONS



ATTACHMENT OPTION



Badge Reel with Clear Vinyl Strap

5/8" Lanyard Badge Reel Combo

Plastic round slotted reel with clear vinyl strap connected to a breakaway* lanyard. **MOQ: 100.**

5/8" Lanyard Badge Reel Combo Specifications

Color	Item #	Breakaway Color	Lanyard Dimensions	Reel Dimensions
Black	2138-7001	Black	5/8" wide x 36" long (total length)	1 1/4" (34" cord length)
Navy Blue	2138-7003	Black		
Royal Blue	2138-7004	Black		
Orange	2138-7005	White		
Red	2138-7006	Black		
Green	2138-7007	Black		
White	2138-7008	White		
Yellow	2138-7009	White		
Maroon	2138-7010	Black		

Orders placed before 1pm ET ship SAME DAY! Lanyards with customized badge reels ship 5-7 business days after proof approval. Shipping Weight: 2.9 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



2138-7010

DOMESTIC PRINTING AVAILABLE!

CAN BE PRINTED POSITIONALLY.

ROUND DTACH LANYARDS

MATERIAL COLOR OPTIONS



ATTACHMENT OPTIONS



DTach Split Ring



DTach Plastic Swivel Snap Hook



DTach Bulldog Clip



DTach Swivel Hook

1/4" Round DTACH Lanyards

Slider is perfect for imprinting your logo! 1/4" (6mm) OptiBraid polypropylene round material with DTACH attachments and your choice of round or diamond slider. Only available with breakaway.* **MOQ: 100.**

1/4" Round DTACH Lanyard Specifications

Color	Swivel Hook DTACH	Plastic Swivel Snap Hook DTACH	Bulldog Clip DTACH	Split Ring DTACH
	End Attachment & Item #			
1/4" OptiBraid DTACH Lanyards with Breakaway & Round Slider				
Black	2135-4573	2135-4581	2135-4589	2135-4613
Royal Blue	2135-4574	2135-4582	2135-4590	2135-4614
Navy Blue	2135-4575	2135-4583	2135-4591	2135-4615
Red	2135-4576	2135-4584	2135-4592	2135-4616

1/4" OptiBraid DTACH Lanyards with Breakaway & Diamond Slider

Black	2135-4501	2135-4509	2135-4517	2135-4541
Royal Blue	2135-4502	2135-4510	2135-4518	2135-4542
Navy Blue	2135-4503	2135-4511	2135-4519	2135-4543
Red	2135-4504	2135-4512	2135-4520	2135-4544

Dimensions: 1/4" wide x 36" long (total length)

Orders placed before 1pm ET ship SAME DAY! Lanyards with customized sliders ship 5-7 business days after proof approval. Shipping Weight: 5.7 lb. per 100 pieces.



WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



2135-4583

SLIDER OPTIONS



Round



Diamond

Imprint area on slider: 3/4"

Note: products are not shown to scale.


*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

5/8" Polyester DTACH Breakaway Lanyards

Our flat, 5/8" wide, polyester lanyard features a trigger snap swivel hook attachment and black DTACH buckle. This sleek, detachable lanyard is only available with breakaway.* **MOQ: 100.**

5/8" Polyester DTACH Breakaway Lanyard Specifications		
Color	Item #	Dimensions
Black	2138-3621	5/8" wide x 36" long (total length)
Royal Blue	2138-3622	
Green	2138-3624	
Navy Blue	2138-3623	
White	2138-3628	
Red	2138-3626	

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 3 lb. per 100 pieces.

 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov




DOMESTIC PRINTING AVAILABLE!
CAN BE PRINTED POSITIONALLY.

2138-3628

5/8" POLYESTER DTACH BREAKAWAY LANYARDS

MATERIAL COLOR OPTIONS



ATTACHMENT OPTION




DTACH Trigger Snap


3/8" Adjustable Breakaway Lanyards

Adjusts from 24" to 44" in length! 3/8" Microweave material with slide adjuster and breakaway.* Wide "no-twist" plastic hook keeps your ID from turning. **MOQ: 100.**

3/8" Adjustable Breakaway Lanyard Specifications		
Color	Item #	Dimensions
Black	2137-2037	3/8" wide x 24-44" long (adjustable)
Royal Blue	2137-2038	
Green	2137-2034	
Navy Blue	2137-2033	
White	2137-2036	
Red	2137-2039	
Orange	2137-2035	
Pink	2137-2040	
Purple	2137-2041	

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 2 lb. per 100 pieces.


 This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov




2127-2040

3/8" ADJUSTABLE BREAKAWAY LANYARDS

MATERIAL COLOR OPTIONS



ATTACHMENT OPTION



Wide Plastic Hook




WHITE, ORANGE AND PINK LANYARDS COME WITH WHITE BREAKAWAYS AND ADJUSTERS. ALL OTHERS ARE BLACK.

5/8" Flat Tubular DTACH Breakaway Lanyards

Keep your ID or keys at your fingertips! 5/8" (16mm) tubular polyester with DTACH attachments. Only available with breakaway.* **MOQ: 100.**

5/8" Flat Tubular DTACH Breakaway Lanyard Specifications				
	DTACH Swivel Hook	DTACH Plastic Snap Hook	DTACH Bulldog Clip	DTACH Split Ring
Color	End Attachment & Item #			
Black	2135-4645	2135-4653	2135-4661	2135-4685
Royal	2135-4646	2135-4654	2135-4662	2135-4686
Navy	2135-4647	2135-4655	2135-4663	2135-4687
Red	2135-4648	2135-4656	2135-4664	2135-4688
Dimensions:	5/8" wide x 36" long (total length)			

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 4 lb. per 100 pieces.

 This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



DOMESTIC PRINTING AVAILABLE!
CAN BE PRINTED POSITIONALLY.

2135-4662

DTACH Attachments
Buckle detaches to allow for easy access.

FLAT TUBULAR DTACH BREAKAWAY LANYARDS

MATERIAL COLOR OPTIONS



ATTACHMENT OPTIONS



DTACH Swivel Hook



DTACH Plastic Swivel Snap Hook



DTACH Bulldog Clip



DTACH Split Ring

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Note: products are not shown to scale.


3/8" OPEN-ENDED LANYARDS

ATTACHMENT OPTION



Two Bulldog Clips

MATERIAL COLOR OPTIONS




3/8" OPEN-ENDED LANYARDS

ATTACHMENT OPTION



Two SlimClips

MATERIAL COLOR OPTIONS



1/8" OPEN-ENDED LANYARDS

ATTACHMENT OPTIONS



Two NPS Hooks

Two NPS Bulldog Clips

MATERIAL COLOR OPTIONS




3-BREAKAWAY LANYARDS

ATTACHMENT OPTION



Wide Plastic Hook

MATERIAL COLOR OPTIONS



3/8" Open-Ended Event Lanyards

Our open-ended polyester lanyards are perfect for conventions and events. Called "open-ended" because there is no full loop, these lanyards feature metal bulldog clips to make attaching a credential easy. **MOQ: 100.**

3/8" Open-Ended Lanyard Specifications

Item #	Color	Dimensions
2140-5301	Black	3/8" wide x 36" long (total length)
2140-5302	Royal Blue	
2140-5303	Navy	
2140-5304	Green	
2140-5306	Red	
2140-5308	White	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2.2 lb. per 100 pieces.

WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



2140-5302

3/8" Open-Ended Lanyard with SlimClips

Designed for events and conventions, this open-ended lanyard features all plastic SlimClips as the end fittings. These end fittings make the lanyard perfect for carrying vinyl badge holders with slots on either side. The open-ended lanyard will keep a credential facing forward. **MOQ: 100.**

Open-Ended Lanyard with SlimClips Specifications

Item #	Color	Dimensions
2140-5401	Black	3/8" wide x 36" long (total length)
2140-5402	Royal Blue	
2140-5403	Navy Blue	
2140-5406	Red	
2140-5408	White	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.8 lb. (per 100 pieces)

WARNING This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



2140-5403

1/8" Open-Ended Event Lanyards

Our 1/8" round polypropylene lanyards with two NPS hooks are perfect for conventions and other events. **MOQ: 100.**

1/8" Open-Ended Event Lanyard Specifications

Item #	Color	Attachment	Dimensions
2140-5801	Black	NPS Hooks	1/8" wide x 36" long (total length)
2140-5802	Royal Blue	NPS Hooks	
2140-6001	Black	NPS Bulldog Clips	
2140-6002	Royal Blue	NPS Bulldog Clips	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces.

This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



2140-5801

3/8" 3-Breakaway Lanyards

The 3-Breakaway Lanyard is meant to release in 3 areas under certain pressure.* It contains no metal and is ideal for high-risk atmospheres such as mental health and correctional facilities. **MOQ: 100.**

3/8" 3-Breakaway Lanyard Specifications

Item #	Color	Dimensions
2137-3001	Black	3/8" wide x 36" long (total length)
2137-3002	Royal Blue	
2137-3006	Red	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2.5 lb. per 100 pieces.

This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



2137-3006

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Bamboo Lanyards

Fast-growing bamboo is one of Earth's most sustainable resources. These are comprised of rayon fibers made from bamboo. Only available with breakaway.* **MOQ: 100, unless otherwise noted.**

100% Recycled P.E.T. Lanyards

These lanyards are made from 100% recycled post-consumer waste. Recycled plastic means less petroleum – a finite commodity – is consumed. Only available with breakaway.* **MOQ: 100, unless otherwise noted.**



2137-2046



2137-2065

Bamboo Lanyard Specifications		
Color	Item #	Dimensions
Black	2137-2045	3/8" wide x 36" long (total length)
Navy Blue	2137-2046	
Forest Green	2137-2047	
Red	2137-2048	
Purple	2137-2049	
Off White	2137-2050	5/8" wide x 36" long (total length)
Black	2137-2051	
Navy Blue	2137-2052	
Forest Green	2137-2053	
Red	2137-2054*	
Purple	2137-2055*	
Off White	2137-2056*	

Orders placed before 1pm ET ship SAME DAY!
 Shipping Weight: 2 lb. (3/8") / 3 lb. (5/8") per 100 pieces.
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

*Minimum order quantity: 1,000, lead time applies.

Recycled P.E.T. Lanyard Specifications		
Color	Item #	Dimensions
Black	2137-2057	3/8" wide x 36" long (total length)
Navy Blue	2137-2058	
Forest Green	2137-2059	
Red	2137-2060	
Purple	2137-2061	
Off White	2137-2062	5/8" wide x 36" long (total length)
Black	2137-2063	
Navy Blue	2137-2064	
Forest Green	2137-2065	
Red	2137-2066*	
Purple	2137-2067*	
Off White	2137-2068*	

Orders placed before 1pm ET ship SAME DAY!
 Shipping Weight: 2 lb. (3/8") / 3 lb. (5/8") per 100 pieces.
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

*Minimum order quantity: 1,000, lead time applies.

5/8" Anti-Microbial Lanyards

Material contains nanoparticle-coated fibers that inhibit the growth of germs and kill odor-causing bacteria. Ideal for food service, healthcare and other industries that need to have clean environments. Only available with breakaway.* **MOQ: 100.**



2136-3407

5/8" Anti-Microbial Lanyard Specifications		
Color	Item #	Dimensions
Black	2136-3405	5/8" wide x 36" long (total length)
Royal Blue	2136-3406	
Red	2136-3407	
Green	2136-3404	
Navy Blue	2136-3403	
White	2136-3408	

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 3 lb. per 100 pieces.
 This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

BAMBOO LANYARDS
 MATERIAL COLOR OPTIONS

BLK PMS 280	NBLU PMS 289	FGRN PMS 5535
RED PMS 200	PUR PMS 268	OFF WHITE

ATTACHMENT OPTION

Wide Plastic Hook

100% P.E.T. RECYCLED PLASTIC LANYARDS
 MATERIAL COLOR OPTIONS

BLK PMS 280	NBLU PMS 289	FGRN PMS 5535
RED PMS 200	PUR PMS 268	OFF WHITE

ATTACHMENT OPTION

Wide Plastic Hook

MADE FROM 100% RECYCLED POST-CONSUMER WASTE!

ALL LANYARDS ON THIS PAGE CAN BE CUSTOMIZED
 SEE PAGES 4-9

5/8" ANTI-MICROBIAL BREAKAWAY LANYARDS
 MATERIAL COLOR OPTIONS

BLACK	RBLU PMS 294	RED PMS 200
GRN PMS 348	WHT	NBLU PMS 289

ATTACHMENT OPTION

Wide Plastic Hook

IDEAL FOR FOOD SERVICE AND HEALTHCARE!

Note: products are not shown to scale.

POLKA DOT LANYARDS
MATERIAL COLOR OPTIONS




ATTACHMENT OPTION



NPS Trigger Hook & Split Ring

Polka Dot Lanyards

Add a fun splash of color to your card-carrying solution with our new polka dot lanyards. The two end fittings allow you to easily carry more than one item. Only available with breakaway.* **MOQ: 10.**

Polka Dot Lanyard Specifications		
Item #	Color	Dimensions
2138-7283	Blue	5/8" wide x 36" long (total length)
2138-7284	Green	
2138-7288	Pink	
2138-7289	Purple	
Orders placed before 1pm ET ship SAME DAY!		
Shipping Weight: 4 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		



2138-72XX

FASHION LANYARDS
MATERIAL COLOR OPTIONS




ATTACHMENT OPTION



NPS Trigger Hook & Split Ring

Fashion Lanyards

Zigzag pattern fashion lanyards with NPS trigger hook and split ring. The two end fittings allow you to easily carry more than one item. Only available with breakaway.* **MOQ: 10.**

Fashion Lanyard Specifications		
Item #	Color	Dimensions
2138-6281	Black	5/8" wide x 36" long (total length)
2138-6283	Monaco Blue	
2138-6284	Emerald Green	
2138-6285	Nectarine	
Orders placed before 1pm ET ship SAME DAY!		
Shipping Weight: 4 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		




2138-6285

FEATURES TWO END FITTINGS!



RHINESTONE LANYARDS
MATERIAL COLOR OPTIONS




ATTACHMENT OPTION



Oval Shaped Metal Hook

Rhinestone Lanyards

Add some bling to your lanyard! Our new stock rhinestone lanyards are available in multiple colors and come with an oval shaped metal hook. **MOQ: 10.**

Rhinestone Lanyard Specifications		
Item #	Color	Dimensions
RHN-CLR	Clear	3/8" wide x 36" long (total length)
RHN-BLU	Royal Blue	
RHN-RED	Red	
RHN-BLK	Black	
Orders placed before 1pm ET ship SAME DAY!		
Shipping Weight: 0.5 lb. per 10 pieces.		
 WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		




RHN-RED

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Note: products are not shown to scale.

Paint Splatter Lanyards

These polyester lanyards feature a "paint splatter" pattern dye-sublimated into the fabric. The splashes and colors help make this lanyard stand out, drawing attention to the attached credential. A nickel-plated steel swivel hook end fitting makes it easy to attach a slotted ID card or badge holder. Only available with breakaway.* **MOQ: 100.**


Paint Splatter Lanyard Specifications		
Item #	Color	Dimensions
2138-5270	Pre-printed Paint Splatter Lanyard	3/4" wide x 36" long (total length)
Orders placed before 1pm ET ship SAME DAY!		
Shipping Weight: 2 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		



2138-5270

PAINT SPLATTER LANYARDS

MATERIAL COLOR OPTION

Paint Splatter 

ATTACHMENT OPTION




NPS Swivel Hook



BLACK BREAKAWAY* INCLUDED!

Rainbow Lanyards

This pre-printed lanyard is perfect for those seeking a fun, colorful solution without the desire to purchase custom lanyards. Made of our soft, silky material, this 3/4" lanyard features a dye-sublimated rainbow pattern guaranteed to stand out. Each lanyard features a white breakaway and a sewn-on swivel hook end fitting for easy card carrying. **MOQ: 100.**


Rainbow Lanyard Specifications		
Item #	Description	Dimensions
2138-5260	Pre-printed Rainbow Lanyard	3/4" wide x 36" long (total length)
Orders placed before 1pm ET ship SAME DAY!		
Shipping Weight: 2 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		



2138-5260

RAINBOW LANYARDS

MATERIAL COLOR OPTION

Rainbow 

ATTACHMENT OPTION




NPS Swivel Hook



WHITE BREAKAWAY* INCLUDED!

Neon Lanyards

These neon lanyards are a fun, eye-catching, card-carrying accessory perfect for use in office buildings, schools or at conventions. Our neon lanyards are made of Microweave and feature a white breakaway tab. A swivel hook end fitting makes it easy to attach your ID badge or badge holder. **MOQ: 100.**




Neon Lanyard Specifications		
Item #	Color	Dimensions
2138-5043	Neon Blue	5/8" wide x 36" long (total length)
2138-5044	Neon Green	
2138-5045	Neon Purple	
2138-5048	Neon Yellow	
2138-5049	Neon Orange	
2138-5050	Neon Pink	
Orders placed before 1pm ET ship SAME DAY!		
Shipping Weight: 2.2 lb. per 100 pieces.		
 WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		



2138-50_

NEON LANYARDS

MATERIAL COLOR OPTIONS

 801C	 802C	 804C
NEON BLUE (43)	NEON GREEN (44)	NEON ORANGE (49)
 806C	 809C	 814C
NEON PINK (50)	NEON YELLOW (48)	NEON PURPLE (45)

ATTACHMENT OPTION



NPS Swivel Hook



WHITE BREAKAWAY* INCLUDED!

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Note: products are not shown to scale.

PRE-PRINTED LANYARDS

MATERIAL
COLOR OPTIONS

VISITOR

Red VISITOR

CONTRACTOR

Blue CONTRACTOR

STAFF

Black STAFF

EVENT STAFF

Orange EVENT STAFF

VOLUNTEER

Purple VOLUNTEER

ATTACHMENT OPTION



NPS Swivel Hook

REFLECTIVE LANYARDS


MATERIAL
COLOR OPTIONS



ATTACHMENT OPTION



NPS Swivel Hook



2135-2526 - Reflects



2135-2511 - Reflects & Glows

Note: products are not shown to scale.

5/8" Pre-Printed Lanyards

When you need to identify staff quickly, our dye-sublimated, breakaway style lanyards do the job with swivel hooks to hold slotted ID cards in place. These Ultraweave lanyards come pre-printed with various identifying titles. **MOQ: 100.**

IDENTIFY
STAFF
QUICKLY!

5/8" Pre-Printed Lanyard Specifications			
Item #	Description	Color	Dimensions
2138-5220	White "VISITOR" Letters	Red	5/8" wide x 36" long (total length)
2138-5215	White "CONTRACTOR" Letters	Blue	
2138-5210	White "STAFF" Letters	Black	
2138-5200	Blue "EVENT STAFF" Letters	Orange	
2138-5230	White "VOLUNTEER" Letters	Purple	

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 2.2 lb. per 100 pieces.

WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



2138-5210

2138-5215

2138-5220

5/8" Reflective Lanyards

These reflective lanyards feature Ultraweave material and a reflective strip overlay with standard white or luminescent silk screen printed "SAFETY FIRST." Swivel hook end attachment and breakaway.* **MOQ: 100.**

5/8" Reflective Lanyard Specifications			
Item #	Description	Color	Dimensions
Reflective Lanyard with Standard Printing			
2135-2525	White Letters on Reflective Material	Black	5/8" wide x 36" long (total length)
2135-2526		Red	
2135-2527		Royal Blue	
2135-2529		Orange	
Reflective Lanyard with Luminescent Printing			
2135-2510	Luminescent Letters on Reflective Material	Black	5/8" wide x 36" long (total length)
2135-2511		Red	

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 4.2 lb. per 100 pieces.

WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



PERFECT
FOR
OUTDOOR
USE!

2135-2511


*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

3/8" Pre-Printed Awareness Ribbon Lanyards

Microweave material with awareness ribbon imprint and swivel hook. Available in non-breakaway only. **MOQ: 100.**

3/8" Pre-Printed Awareness Ribbon Lanyards		
Item #	Color	Dimensions
2138-5288 or AWR-345-PNK	Pink Ribbon on Pink Lanyard	3/8" wide x 36" long (total length)
2138-5290 or AWR-345-PUR	Purple Ribbon on Purple Lanyard	



Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces.

 **WARNING** This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



PRE-PRINTED AWARENESS RIBBON LANYARDS

MATERIAL COLOR OPTIONS

- Pink Ribbon on Pink Lanyard 
- Purple Ribbon on Purple Lanyard 

ATTACHMENT OPTION




5/8" Satin-Like Pre-Printed Pink Awareness Ribbon Lanyards

This lanyard features smooth, satin-like fabric and a dye-sublimated awareness ribbon imprint. It comes with a swivel hook attachment and a white breakaway.* **MOQ: 100.**

5/8" Satin-Like Pre-Printed Pink Awareness Ribbon Lanyards		
Item #	Color	Dimensions
2138-5286	Pink Ribbon on Pink Lanyard	5/8" wide x 36" long (total length)


Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 3 lb. per 100 pieces.

 **WARNING** This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



SATIN-LIKE PRE-PRINTED PINK AWARENESS RIBBON LANYARDS

MATERIAL COLOR OPTIONS

- Pink Ribbon on Pink Lanyard 

ATTACHMENT OPTION




White breakaway included.

Anti-Bullying Lanyards

Our polyester, anti-bullying lanyard is perfect for students, faculty and other education personnel. This breakaway* lanyard is pre-printed with a positive message that reads, "Prevent Bullying - Take a Stand - Lend a Hand." **MOQ: 100.**

Anti-Bullying Lanyard Specifications		
Item #	Color	Dimensions
2138-5240	Orange with White Imprint	5/8" wide x 36" long (total length)


Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 3 lb. per 100 pieces.

 **WARNING** This product can expose you to Antimony Oxide, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



ANTI-BULLYING LANYARDS

MATERIAL COLOR OPTIONS

- Orange with White Imprint 

ATTACHMENT OPTION



White breakaway included.

3/4" Autism Puzzle Lanyards

Support finding the missing piece in the search to cure autism! This soft lanyard features a dye-sublimated awareness imprint, swivel hook and black breakaway.* **MOQ: 100.**

3/4" Autism Puzzle Lanyard Specifications		
Item #	Color	Dimensions
2138-5281	Pink, Blue & Navy	3/4" wide x 36" long (total length)
2138-5282	Red, Yellow, Blue & Navy	



Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces.

 **WARNING** This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



AUTISM PUZZLE LANYARDS

MATERIAL COLOR OPTIONS

- Pink / Blue / Navy 
- Red / Yellow / Blue / Navy 

ATTACHMENT OPTION



Black breakaway included.


*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

Note: products are not shown to scale.


CUSTOM EYEWEAR HOLDERS

CUSTOM OPTIWEAVE LANYARD / EYEWEAR HOLDERS

MATERIAL COLOR OPTIONS



IMPRINT COLOR OPTIONS



IT'S TWO PRODUCTS IN ONE!

Custom Optiweave Lanyard / Eyewear Holders

Transform your neck lanyard into an eyewear holder. Made of 5/8" Optiweave material with "O" ring attachment.

Minimum order quantity: 500 lanyards.



Badge holder sold separately.

EWL-RING



Glasses sold separately.



Custom Optiweave Lanyard / Eyewear Holder Specifications


Item #	Dimensions
EWL-RING	5/8" (16mm) x 36" (914mm) Total Length

Production time is 15 business days after proof approval. PMS color match is not exact. Colors may vary. Shipping Weight: 15 lb. per 500 pieces.


CONVERTS FROM A LANYARD TO AN EYEWEAR HOLDER!

CUSTOM OPTIWEAVE EYEWEAR HOLDERS

MATERIAL COLOR OPTIONS



IMPRINT COLOR OPTIONS



Custom Optiweave Eyewear Holders

Made of 5/8" Optiweave material with surgical tube ends that fit the majority of frame sizes. Wooden bead adjusts for secure fit.

Minimum order quantity: 500 eyewear holders.



EWL-BEAD



ADJUSTABLE BEAD

Custom Optiweave Eyewear Holder Specifications

Item #	Dimensions
EWL-BEAD	5/8" (16mm) x 36" (914mm) Total Length

Production time is 15 business days after proof approval. PMS color match is not exact. Colors may vary. Shipping Weight: 15 lb. per 500 pieces.

Secure Closure Dye-Sub Wristbands

A fully-customizable secure wristband for any event

Secure – Once the locking slider is adjusted to the wrist size it cannot be removed unless the material is cut. This prevents transferring the wristband from one attendee to another, keeping event-goers in their designated places.

Customizable – The wristband’s dye-sublimated material allows for full customization with four-color graphics, text and logos. Showcase your brand with vibrant color and clarity.

Comfortable – Lightweight and soft, the secure closure wristband is comfortable to wear all day and won’t get in the way.

WRISTBAND
CANNOT BE
REMOVED
UNLESS THE
MATERIAL
IS CUT



Secure Closure Dye-Sub Wristband Specifications				
Width	Length	Finishing Option	Print Position	MOQ
5/8"	14"	High Security Closure (white or black)	<ul style="list-style-type: none"> • Continuous • Front and back must be the same 	100
Shipping Weight: 0.7 lb. per 100 pieces.				

IMPRINT AND MATERIAL COLORS:



WB-58 Wristband



WW-38 Adjustable Wrist Lanyard Keychain



WK-38 Wrist Lanyard Keychain

Custom Printed Wrist Lanyards

Choose either a Wrist Lanyard Keychain, an Adjustable Wrist Lanyard Keychain or a Wristband. These lanyards are perfect for camps, concerts and events.

Custom Printed Wrist Lanyard Specifications				
Item #	Width	Length(s)	Description	MOQ
Adjustable Wrist Lanyard Keychain				
WW-38	3/8"	16"	Adjustable Wrist Lanyard Keychain	100
Wrist Lanyard Keychain				
WK-38	3/8"	15"	Wrist Lanyard Keychain	100
WK-58	5/8"	15"		
WK-34	3/4"	15"		
Wristband with Breakaway*				
WB-38	3/8"	7 1/4", 7 7/8" or 8 7/8"	Wristband	100
WB-58	5/8"	7 1/4", 7 7/8" or 8 7/8"		
WB-34	3/4"	7 1/4", 7 7/8" or 8 7/8"		

Ships 10 business days after proof approval. Shipping Weight: 3/8" - 2 lb.; 5/8" - 3 lb.; 3/4" - 4 lb. per 100 pieces.

⚠️ WARNING This product can expose you to chemicals, including nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.

WRIST LANYARDS

MATERIAL COLOR OPTIONS*

BLACK	ROYAL PMS 294	NAVY PMS 289
GREEN PMS 348	ORANGE PMS 151	RED PMS 200
WHITE	YELLOW PMS 115	PURPLE PMS 268
TEAL PMS 316	MAROON PMS 195	FOREST PMS 5535

IMPRINT COLOR OPTIONS

BLACK	ROYAL PMS 294	NAVY PMS 289
GREEN PMS 348	ORANGE PMS 151	RED PMS 200
WHITE	YELLOW PMS 115	PURPLE PMS 268
TEAL PMS 316	MAROON PMS 195	FOREST PMS 5535

1+ colors, 1-sided imprint

**Wrist lanyards are available in the following materials (each material has different color options, inquire within).*

- Bamboo Ribbed
- Recycled PET Ribbed
- Antimicrobial Ribbed
- Organic Cotton Ribbed
- Reflective Tape

Note: products are not shown to scale.

Bulldog Clips

MOQ/Inner Pack: See chart below.



Bulldog Clip Specifications			
Item #	Description	Shank Dimension	MOQ
5705-3500	NPS embossed 'U' thumb-grip clip with overlapping jaw	1 3/16" (30mm)	100
5705-3505	NPS embossed 'U' bulldog clip	1 3/8" (35mm)	5,000
5705-3540	NPS embossed 'U' clip with steel shank and overlapping jaw	1 1/16" (27mm)	100
5705-3541	Black oxide steel embossed 'U' clip with steel shank and overlapping jaw	1 1/16" (27mm)	5,000
5705-3542	NPS oval hole embossed 'U'	1 1/16" (27mm)	5,000
5705-3543	Black oxide oval hole embossed 'U'	1 1/16" (27mm)	5,000
5705-3545	NPS Brady Clothing-Friendly clip	Patented 1 1/16" (27mm)	100
5705-3560	NPS shank clip with an overlapping jaw	1 3/16" (30mm)	5,000
5705-3575	Nickel-plated steel 'U' thumb-grip clip with overlapping jaws	1/8" (3mm) diameter with 11mm small ring	500
5705-3576	NPS 2-hole clip featuring large circular opening with an outside diameter of 11/16" (18mm) and an inner opening of 7/16" (11mm)	3/8" (10mm) 5/8" (16mm) 3/4" (19mm)	100
Shipping Weight: 0.30 lb. per 100 pieces (5705-3500, 5705-3540, 5705-3542 and 5705-3545); 30 lb. per 5,000 pieces (5705-3505, 5705-3541, 5705-3543); 35 lb. per 5,000 pieces (5705-3560)			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov			

Swivel Bulldog Clips

MOQ/Inner Pack: 100



Swivel Bulldog Clip Specifications		
Item #	Description	Lanyard Width / Diameter
5705-3580	Nickel-Plated Steel 'U' Thumb-Grip Clip with Small Swivel	1/8" (3mm) dia. 1/4" (6mm) dia. 3/8" (10mm)
5705-3585	Nickel-Plated Steel 'U' Thumb-Grip Clip with Large Swivel	5/8" (16mm) 3/4" (19mm) 1" (25mm)
Shipping Weight: 3.5 lb. per 100 pieces (5705-3575) 0.6 lb. per 100 pieces (5705-3576) 1.4 lb. per 100 pieces (5705-3580 & 3585)		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		

Note: products are not shown to scale.



Lanyard Hooks

MOQ/Inner Pack: 1,000 (100 for 6920-2400 only).



Lanyard Hook Specifications			
Item #	Description	Dimensions	Lanyard Width / Diameter
Hook Only (Non-Swivel)			
6920-2350	Nickel Plated Steel & Textured Thumb Grip	1 1/4" (32mm)	-
6920-2400	Nickel Plated Steel	1 3/4" (44mm)	5/8" (16mm) 3/4" (19mm) 1" (25mm)
Swivel Hooks with Swivel Attachment and Textured Thumb Grip			
6920-2300 or SW-1	Nickel Plated Steel	1 1/4" (32mm)	1/8" (3mm) dia. 1/4" (6mm) dia. 3/8" (10mm)
6920-2305	Nickel Plated Steel	1 7/16" (36.5mm)	5/8" (16mm)
6905-M-289	Nickel Plated Steel	1 7/16" (36.5mm)	3/4" (19mm) 1" (25mm)
6920-2301	Black Oxide	1 1/4" (32mm)	1/8" (3mm) dia. 1/4" (6mm) dia. 3/8" (10mm)
Shipping Weight: 10 lb. per 1,000 pieces (6920-2350) 15 lb. per 1,000 pieces (6920-2305) 16 lb. per 1,000 pieces (6905-M-289) 1 lb. per 100 pieces (6920-2301) 1.1 lb. per 100 pieces (6920-2300 or SW-1) 1.7 lb. per 100 pieces (6920-2400)			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov			

Lobster Claw Swivel Hook

MOQ/Inner Pack: 2,500.



6905-M-520

Lobster Claw Swivel Hook Specifications

Item #	Description	Dimensions
6905-M-520	Nickel Plated Steel	3/4" (19mm)

Shipping Weight: 40 lb. per 2,500 pieces

! WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

No-Twist Plastic Lanyard Hooks

MOQ/Inner Pack: See chart below.



6920-2470

6920-2471

6920-2479

6920-2481

5710-1160

5710-1161

5710-1166

5710-1167

6905-P-125

No-Twist Plastic Lanyard Hook Specifications

Item #	Color	Lanyard Width / Diameter	MOQ
Narrow Hooks			
6920-2470	White	3/8" (10mm)	5,000
6920-2474	Black	3/8" (10mm)	
6920-2471	White	5/8" (16mm)	2,500
6920-2472	White	3/4" (19mm)	
6920-2473	White	1" (25mm)	
6920-2478	Black	5/8" (16mm)	
6920-2479	Black	3/4" (19mm)	
6920-2481	Black	1" (25mm)	
Wide Hooks			
5710-1160	White	3/8" (10mm)	5,000
5710-1161	White	5/8" (16mm)	
5710-1162	White	3/4" (19mm)	
5710-1163	White	1" (25mm)	
5710-1164	Black	3/8" (10mm)	
5710-1165	Black	5/8" (16mm)	
5710-1166	Black	3/4" (19mm)	
5710-1167	Black	1" (25mm)	
6905-P-125	Black	1/8" (3mm) round 1/4" (6mm) round	

Shipping Weight: 7.5 lb. per 2,500 pieces (6920-2478, -2479, -2481, -2471, -2472, -2473)
15 lb. per 5,000 pieces (6920-2474, -2470)
20 lb. per 5,000 pieces (All Wide Hooks)

Trigger Snap Swivel Hooks

MOQ/Inner Pack: 500 (1,000 for 6920-2360 only).



6920-2370

6905-M-415

6920-2360

Nickel-Plated Trigger Snap Swivel Hook Specifications

Item #	Description	Dimensions	Lanyard Width / Diameter
6920-2370	Nickel Plated Steel	1/8" (3mm)	1/8" (3mm) 1/4" (6mm) 3/8" (10mm)
6905-M-415	Nickel Plated Steel	19/32" (15mm)	5/8" (16mm)
6920-2360	Nickel Plated Steel	3/4" (19mm)	3/4" (19mm)

Shipping Weight: 6.5 lb. per 500 pieces (6920-2370 only)
7.5 lb. per 500 pieces (6905-M-415)
17 lb. per 1,000 pieces (6920-2360)

! WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Non Heat-Treated Steel Split Rings with Round Edge

MOQ/Inner Pack: 100 (SKR-1)

1,000 (6920-1000 & 6920-1025).



6920-1000
or SKR-1

Non Heat-Treated Steel Split Ring Specifications

Item #	Description	Dimensions
6920-1000 or SKR-1	Nickel-Plated Steel	1" (25mm)
6920-1025	Nickel-Plated Steel	1 1/16" (28mm)

Shipping Weight: 0.5 lb. per 100 pieces (SKR-1)
5 lb. per 1,000 pieces (6920-1000)
9 lb. per 10,000 pieces (6920-1025)

! WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Heat-Treated Steel Split Rings

MOQ/Inner Pack: 1,000.



6920-0095

6920-1050

6920-1010

Heat-Treated Steel Split Ring Specifications

Item #	Description	Dimensions
6920-0095	Nickel-Plated Steel	15/16" (24mm)
6920-1050	Nickel-Plated Steel	1 1/4" (32mm)
6920-1010	Black-Oxidized Steel	1 1/8" (28mm)

Shipping Weight: 8 lb. per 1,000 pieces (6920-1050 and 6920-1010)
5 lb. per 1,000 pieces (6920-0095)

! WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Note: products are not shown to scale.

Frosted Plastic Key Tag Tab Connector

Plastic key tag tab connector allows you to quickly and easily attach a key ring. **MOQ: 100.**



Frosted Plastic Key Tag Tab Connector Specifications	
Item #	Dimensions
5735-6000 or KTB-1	5/8" (16mm)
Shipping Weight: 0.1 lb. per 100 pieces	

Non-Magnetic Badge Reel with Plastic Clip

Made without ferrous metals, this reel is unaffected by magnets, making them perfect for use around MRI machines or other powerful magnets. Both the plastic clip end-fitting and plastic clamp closure are color-matched to the badge reel for a sleek look.

Reel Size: 1 1/4" (32mm)

Cord Length: 24" (588mm)

Label Size: 4/5" (20mm)




Non-Magnetic Badge Reel with Plastic Clip Specifications		
Item #	Description	Color
2120-900_	Plastic Swivel Clip	Black (1), Royal Blue (2), Red (6), White (8)
Custom-printed reels available 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.75 lb. per 25 pieces.		

LANYARD BADGE REELS

REEL COLOR OPTIONS

BLK
MOQ: 25

ADDITIONAL COLOR OPTIONS



MOQ: 1,000
Lead time applies.



Lanyard Badge Reels

MOQ: See sidebar below.



Lanyard Badge Reel with Clear Vinyl Strap Specifications		
Item #	Color	Dimensions
2120-7501	Black	1 1/4" (32mm)
Shipping Weight: 0.58 lb. per 25 reels		

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Note: products are not shown to scale.

DTACH™ Black Female Attachments

MOQ/Inner Pack: See chart below.



DTACH™ Black Female Attachment Specifications			
Item #	Description	Dimensions	MOQ
6920-1702	Combo Loop	5/8" (16mm)	1,000
6920-1703	Combo Loop	3/4" (19mm)	
6920-1704	Combo Loop	1" (25mm)	
6920-1783	NPS Swivel Hook	5/8" (16mm)	100
6920-1784	NPS Swivel Hook	3/4" (19mm)	1,000
6920-1785	NPS Swivel Hook	1" (25mm)	
6920-1763	Split Ring	5/8" (16mm)	
6920-1764	Split Ring	3/4" (19mm)	2,000
6920-1723	Plastic Swivel Hook	5/8" (16mm)	1,000
6920-1724	Plastic Swivel Hook	3/4" (19mm)	
6920-1725	Plastic Swivel Hook	1" (25mm)	
6920-1743	Bull Dog Clip	5/8" (16mm)	
6920-1744	Bull Dog Clip	3/4" (19mm)	
6920-1745	Bull Dog Clip	1" (25mm)	10,000
6920-1705	Black Gripper 30®	5/8" (16mm)	
6920-1706	Black Gripper 30®	3/4" (19mm)	
6920-1707	Black Gripper 30®	1" (25mm)	
6920-1823	Trigger Hook	5/8" (16mm)	
6920-1824	Trigger Hook	3/4" (19mm)	
6920-1825	Trigger Hook	1" (25mm)	
6920-2022	Black Pen Holder	5/8" (16mm)	10,000
6920-2023	Black Pen Holder	3/4" (19mm)	
6920-2024	Black Pen Holder	1" (25mm)	
6920-2026	Cell Phone Holder	5/8" (16mm)	
6920-2027	Cell Phone Holder	3/4" (19mm)	
6920-2028	Cell Phone Holder	1" (25mm)	
9500-0014*	Lanyard Extension	3/8" (10mm)	
9500-0010	Lanyard Extension	5/8" (16mm)	10,000
9500-0012	Lanyard Extension	3/4" (19mm)	
9500-0016	Lanyard Extension	1" (25mm)	

Shipping Weight: 20 lb. per 1,000 pieces / 1.6 lb. per 100 pieces (6920-1783 only)


WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Note: Black available only. All are swivel except for cell phone cord.

* 3/8" (10mm) lanyard requires lanyard extension.

Breakaway* for Flat Lanyards

MOQ/Inner Pack: See chart below.



6920-2191



6920-2192

Breakaway for Flat Lanyard Specifications		
Item #	Lanyard Width/Diameter	MOQ
Black Breakaway*		
6920-2191	3/8" (10mm)	1,000
6920-2193	5/8" (16mm)	
6920-2207	3/4" (19mm)	
6920-2209	1" (25mm)	3,000
White Breakaway*		
6920-2192	3/8" (10mm)	20,000
6920-2194	5/8" (16mm)	15,000
6920-2206	3/4" (19mm)	5,000
6920-2208	1" (25mm)	3,000
Shipping Weight: 2 lb. per 1,000 Pieces (6920-2191); 3 lb. per 1,000 pieces (6920-2193) 5 lb. per 1,000 pieces (6920-2207); 6 lb. per 3,000 pieces (6920-2209) 40 lb. per 20,000 pieces (6920-2191); 45 lb. per 15,000 (6920-2194) 25 lb. per 5,000 (6920-2206); 24 lb. per 3,000 (6920-2208)		


Note: Every 200 pieces will make 100 lanyards. Sold individually, not as a pair.

Breakaway* for Round Lanyards

MOQ/Inner Pack: 5,000.



6920-2215



6920-2216

Breakaway For Round Lanyard Specifications		
Item #	Color	Lanyard Width/Diameter
6920-2215	Black	1/4" (16mm)
6920-2216	White	1/4" (16mm)
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 20 lb. per 5,000 pieces.		

Note: Every 200 pieces will make 200 lanyards. Sold in pairs.

*Special WARNING for Breakaway Lanyards—Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lb. under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat standard breakaways is 4-10 lb. under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommended for use around moving objects or playgrounds.



6920-2150

Round "O" Ring

MOQ/Inner Pack: 10,000.

Round "O" Ring Specifications		
Item #	Color	Dimensions
6920-2150	Black	3/4" (19mm)
Shipping Weight: 50 lb. per 10,000 pieces.		

Diamond or Round Sliders

MOQ/Inner Pack: 5,000.



2135-4011N



6920-2476

SHOWN WITH OPTIONAL CUSTOM PRINTED LABEL

Diamond or Round Slider Specifications		
Item #	Description	Imprint Area
2135-4011N	Diamond	7/8" x 3/4" (22mm x 19mm)
6920-2476	Round	3/4" (19mm)
Shipping Weight: 45 lb. per 5,000 pieces; 1 lb. per 100 pieces (6920-2477 or LS-3 only).		

Note: Sliders available for OptiBraid only.

Cord Lock

MOQ/Inner Pack: 100.




2135-4001

Adjustable Neck Cord Lock Specifications			
Item #	Description	Color	Dimensions
2135-4001	Spring-Loaded Sliding Adjuster for Round / Flat Lanyard (3/8" material only)	Black	7/10" (17.5mm)
Shipping Weight: 0.6 lb. per 100 pieces.			

Crimp and Bead Finishing Options

MOQ/Inner Pack: See chart below.



6920-6002



6920-6021




2135-4000

Crimp and Bead Finishing Option Specifications		
Item #	Diameter	MOQ
Nickel-Plated Steel Crimp		
6920-6002	1/8" (3mm) and 3/8" (10mm)	3,000
6920-6020	1/4" (6mm), 5/8" (16mm), 3/4" (19mm)	10,000
6920-6004	1" (25mm)	10,000
Black Oxide Crimp		
6920-6003	1/8" (3mm) and 3/8" (10mm)	25,000
6920-6021	1/4" (6mm), 5/8" (16mm), 3/4" (19mm)	10,000
Silver Plastic Bead		
2135-4000	3/16" (5mm)	2,000
6905-M-588	5/6" (8mm)	10,000
Shipping Weight: 6 lb. per 3,000 pieces (6920-6002) 50 lb. per 25,000 pieces (6920-6003) 30 lb. per 10,000 pieces (6920-6020, -6004, -6021) 2 lb. per 2,000 pieces (2135-4000) 20 lb. per 10,000 pieces (6905-M-588).		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		

Note: products are not shown to scale.

Pressure-Sensitive Clips

Clip with ribbed thumb-grip and pressure-sensitive pad. **MOQ: 100.**



Pressure-Sensitive Clip Specifications	
Item #	Description
Nickel-Plated - Clip Size: 1" (25.5mm) Pad Size: 3/4 x 3/4" (19mm x 19mm)	
5735-2000 or 505-AD	1-Hole Ribbed-Face, 3/16" (5mm) Hole Diameter
5735-2100	Embossed "U" Bulldog Clip
5735-2050	1-Hole with Ribbed-Face, 3/16" (5mm) Hole Diameter, 1 1/2" (38mm) Safety Pin Length
Plastic - Clip Size: 1 1/16" (27mm) Pad Size: 15/16 x 1/2" (24mm x 12.5mm)	
5735-3008	White Plastic, Ribbed-Face
Orders placed before 1pm ET ship SAME DAY!	
Shipping Weight: 1 lb. per 100 pieces / 2.5 lb. per 500 pieces (5735-3008 only).	
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov	

Pressure-Sensitive Nickel-Plated Steel Pins

Bar pins with pressure-sensitive plastic ABS base, locking safety catch, tabbed release paper and high-bond adhesive pads. **MOQ: 500 (100 for 5735-2150 only).**



Pressure-Sensitive Nickel-Plated Steel Pin Specifications		
Item #	Pin Size	Pad Dimensions
5730-2620	1" (25mm)	1 1/8 x 1/4" (28.5mm x 6.5mm)
5735-1100	1 1/2" (38mm)	1 5/8 x 1/4" (41mm x 6.5mm)
5735-2155	1" (25mm)	3/4 x 3/4" (19mm x 19mm)
Orders placed before 1pm ET ship SAME DAY!		
Shipping Weight: 2.5 lb. per 500 pieces (5730-2620 & 5735-1100) 0.6 lb. per 100 pieces (5735-2150).		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		

Pressure-Sensitive Plastic Pins

White, all-plastic safety pins with rectangular, pressure-sensitive, polystyrene base, tabbed release paper and high-bond adhesive pads. **MOQ: 100 (1000 for 6920-3655 only).**



Pressure-Sensitive Plastic Pin Specifications		
Item #	Pin Size	Pad Dimensions
6920-3605	1 1/4" (32mm)	1 1/4 x 1/4" (32mm x 6.5mm)
6920-3655	1 1/2" (38mm)	1 1/2 x 1/4" (38mm x 6.5mm)
6920-3657	1 1/2" (38mm)	1 1/2 x 1/4" (38mm x 6.5mm)
Orders placed before 1pm ET ship SAME DAY!		
Shipping Weight: 0.2 lb. per 100 pieces (6920-3605 & 6920-3657) 3 lb. per 1000 pieces (6920-3655).		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		

Note: products are not shown to scale.

Sheet of 50 Adhesive-Backed Pins

An easy way to display your ID even if you don't have a pocket or lapel. Adhesive-backed pins adhere securely to the back of any badge. Allows for quick assembly. Saves money on labor costs! Each sheet contains 50 pins.

MOQ: 20 Sheets.



6920-3860

Sheet of 50 Adhesive-Backed Pin Specifications		
Item #	Pad Dimensions	Pin Size
6920-3860	1 1/2 x 1/4" (38mm x 6.5mm)	1 1/2" (38mm)
Orders placed before 1pm ET ship SAME DAY!		
Shipping Weight: 2 lb. per 20 sheets.		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		

MAGNAPOWER™ Magnetic Badge Findings

With pressure-sensitive foam pad and peel-away liner.

Min Qty/Inner Pack: 50.



5730-3015

5730-3000

5730-3060

5730-3030

5730-3010

5730-3040

Magnetic Badge Finding Specifications			
Item #	Description	Mounting Plate Dimensions	Weight
5730-3015	MAGNAMINI™ - 2 round, rare-earth magnets encased in plastic with 1 zinc-plated steel plate	1 1/4 x 3/8" (32mm x 10mm)	0.3 oz
5730-3030	MAGNADISC™ - 1 zinc-plated, steel-encased disc with 1 round, rare-earth magnet and 1 steel disc	11/16" (18mm)	0.4 oz
5730-3000 or MG-5	MAGNABADGE™ - 1 nickel-plated steel plate with 2 round, rare-earth magnets and 1 zinc-plated steel plate	1 3/4 x 1/2" (45mm x 13mm)	0.5 oz
5730-3010 or MG-7	MAGNALITE™ - 2 round, rare-earth magnets encased in plastic with 1 zinc-plated steel plate	1 3/4 x 1/2" (45mm x 13mm)	0.4 oz
5730-3040	MAGNATRIO™ - 3 round, rare-earth magnets encased in plastic with 1 zinc-plated steel plate	1 3/4 x 1/2" (45mm x 13mm)	0.5 oz
5730-3060	MAGNAUNI™ - 2 rare-earth magnets in plastic housing with 1 zinc-plated steel plate	1 3/4 x 1/2" (45mm x 13mm)	0.4 oz
Orders placed before 1pm ET ship SAME DAY!			
Shipping Weight: 1.3 lb. per 50 pieces.			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov			

Note: Any person wearing a pacemaker should consult a physician before wearing magnet attachments.

Nickel-Free Steel Ball Chain with Connector



2125-2010

Nickel-Free Steel Ball Chain with Connector Specifications

Item #	Length	Bead Size	Min Qty/Inner Pack
2125-2010	36" (762mm)	No.3 (2.3mm)	100

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 1.8 lb. per 100 pieces.

Nickel-Plated Steel Ball Chain with Connector



2125-1500

Nickel-Plated Steel Ball Chain with Connector Specifications

Item #	Length	Bead Size	Min Qty/Inner Pack
2125-1000	24" (610mm)	No.3 (2.3mm)	100
2125-1500 or NC-30	30" (762mm)	No.3 (2.3mm)	
2125-2000 or NC-36	36" (914mm)	No.3 (2.3mm)	

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 2 lb. per 100 pieces.



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P66Warnings.ca.gov

Brass-Plated Steel Ball Chain with Connector



2125-1550

Brass-Plated Steel Ball Chain with Connector Specifications

Item #	Length	Bead Size	Min Qty/Inner Pack
2125-1550	30" (762mm)	No.3 (2.3mm)	100

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 1.8 lb. per 100 pieces



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P66Warnings.ca.gov

Colored Elastic Neck Cords With Nickel-Plated Barbed Ends



2140-1540

Colored Elastic Neck Cords w/ Nickel-Plated Barbed Ends Specifications

Item #	Color	Length	Min Qty/Inner Pack
2140-1500 or EB-1W-WHT	White	30" (762mm)	100
2140-1520	Gray	30" (762mm)	
2140-1530 or EB-1S-SVR	Silver	30" (762mm)	
2140-1540 or EB-1X-BLK	Black	30" (762mm)	
2140-1525	Blue	30" (762mm)	1,000

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 0.3 lb. per 100 pieces.

Neck Chain Strap ID Adapter



2140-1000
(Chain Not Included)

Neck Chain Strap ID Adapter Specifications

Item #	Description	Strap Size	Min Qty/Inner Pack
2140-1000 or 505-NC	Clear Flexible Vinyl Strap or 505-NC Neck Chain Adapter	3 3/8" (86mm)	100

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 0.6 lb. per 100 pieces.

Plastic Ball Chain with Nickel-Plated Connector



2130-1008



2130-4002

Plastic Ball Chain with Nickel-Plated Connector Specifications

Item #	Color	Length	Bead Size	Min Qty/Inner Pack
2130-1008 or NCP-30	White	30" (762mm)	2.5mm	100
2130-1508 or NCP-36	White	36" (914mm)	2.5mm	
2130-4000 or NMPL-36-CLR	Clear	38" (965mm)	4mm	
2130-4001 or NMPL-36-BLK	Black	38" (965mm)	4mm	
2130-4002 or NMPL-36-RBLU	R. Blue	38" (965mm)	4mm	
2130-4008 or NMPL-36-WHT	White	38" (965mm)	4mm	

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 0.4 lb. per 100 pieces (2130-1008 or NCP-30)
0.5 lb. per 100 pieces (2130-1508 or NCP-36)
1.3 lb. per 500 pieces (2130-400_ or NMPL-36-____).




WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P66Warnings.ca.gov

Vinyl Neck Straps



2135-0050



2135-2000

Vinyl Neck Straps Specifications

Item #	Description	Length	Min Qty/Inner Pack
Frosted Vinyl			
2135-0050 or BS-4	Snap Closure	27" (686mm)	100
2135-0100 or BS-5	Snap Closure	37" (940mm)	
Tubular Clear Vinyl			
2135-2000 or NT-36	Plastic Rod Connector	36" (914mm)	100
NT-30	Plastic Rod Connector	30" (762mm)	

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 1.2 lb. per 100 pieces (2135-0050 & 2135-0100)
1.3 lb. per 100 pieces (2135-2000 & NT-30).



WARNING This product can expose you to chemicals, including Diisononyl Phthalate, which is known in the State of California to cause cancer as well as Bi (2-ethylhexyl) phthalate, which is known in the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Note: products are not shown to scale.

STRAP CLIPS

NPS Clips with Reinforced Vinyl Straps



2120-1000

2120-1010

NPS Clips with Reinforced Vinyl Strap Specifications		
Item #	Strap Size	MOQ
Suspender Clip with Reinforced Opaque White Vinyl Strap		
2120-1000	2 3/4" (70mm)	100
2-Hole Clip with Reinforced Opaque White Vinyl Strap		
2120-1010	2 3/4" (70mm)	500
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.4 lb. per 100 pieces.		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		

2-Hole Clips with Clear Vinyl Straps



2105-3100

2105-3250

2105-1310


2105-1991, 2105-1993 or 505-A, 2105-2000

2105-2011

2105-1985 or 505-SD

2-Hole Strap Clips with Clear Vinyl Strap Specifications			
Item #	Description	Strap Size	MOQ
2105-1991	Two-Hole Clip	2 3/4" (70mm)	25
2105-1993 or 505-A	Two-Hole Clip	2 3/4" (70mm)	100
2105-2000	Two-Hole Clip	2 3/4" (70mm)	500
2105-2011 or 505-SDN	Clip w/ "Narrow Middle" for Swipe Cards	2 3/4" (70mm)	100
2105-3100 or 505-SDL	NPS Smooth-Face Clip	3 1/2" (89mm)	100
2105-3250 or 505-SDL5	NPS Smooth-Face Clip w/ Long Strap	5 3/4" (146mm)	100
2105-1310	Stainless Steel Clip with Nickel-Plated Brass Snaps	2 3/4" (70mm)	500
2105-1985 or 505-SD	NPS Clip w/ Larger 7/16" Snap	2 3/4" (70mm)	100
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1 lb. per 100 pieces.			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov			

1-Hole Clips with Clear Vinyl Straps



2105-2100


2105-2230

2105-2550

1-Hole Clips with Clear Vinyl Strap Specifications			
Item #	Description	Strap Size	MOQ
2105-2100	1-Hole NPS Ribbed Face	2 3/4" (70mm)	100
2105-2230	1-Hole NPS Curved Smooth-Face Clip	2 3/4" (70mm)	500
2105-2550	1-Hole NPS Smooth-Face Clip	2 3/4" (70mm)	100
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 0.9 lb. per 100 pieces.			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov			

Note: products are not shown to scale.

2-Hole Clips with Colored Vinyl Straps



2105-2006

2105-2009

2-Hole Clips with Colored Vinyl Strap Specifications				
Item #	Available Colors	Strap Size	MOQ	
2-Hole, Smooth-Face, Nickel-Plated Steel Clip with Colored Vinyl Strap				
2105-200_	BLK - Black (1), RBLU - Blue (2), GRN - Green (4),	2 3/4" (70mm)	100	
or 505-SDC-___	RED - Red (6), WHT - White (8), YLW - Yellow (9)			
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1 lb. per 100 pieces.				
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov				

AVAILABLE COLORS BLK RBLU GRN RED WHT YLW

Embossed "U" Bulldog Clip with Clear Vinyl Strap



2105-3200

Embossed "U" Bulldog Clip with Clear Vinyl Strap Specifications			
Item #	Description	Strap Size	MOQ
2105-3200	NPS "U" Bulldog Clip with Clear Strap	2 3/4" (70mm)	500
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 0.9 lb. per 100 pieces.			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov			

Embossed "U" Bulldog Clip with Clear Vinyl Strap and Permanent Snap



2105-3205

Embossed "U" Bulldog Clip with Strap & Permanent Snap Specifications			
Item #	Description	Strap Size	MOQ
2105-3205 or 505-PS	NPS "U" Bulldog Clip with Clear Vinyl Strap and Permanent Snap	2 3/4" (70mm)	50
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 0.45 lb. per 50 pieces.			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov			

Knurled Thumb-Grip Clip with Clear Vinyl Strap



2105-3000

Thumb Grip Strap Clip with Clear Vinyl Strap Specifications			
Item #	Description	Strap Size	MOQ
2105-3000	NPS Knurled Thumb-Grip Clip	2 3/4" (70mm)	100
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.1 lb. per 100 pieces.			
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov			


2-Hole Clip with DOP-Free Vinyl Strap



2105-2045

2-Hole Clip with DOP-Free Vinyl Strap Specifications		
Item #	Strap Size	MOQ
2105-2045	2 3/4" (70mm)	100
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.1 lb. per 100 pieces.		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		

Colored All-Plastic Strap Clip



2115-2002

2115-2005

Reusable Plastic Clips



5710-1108

08075

08080

Colored All-Plastic Strap Clip Specifications

Item #	Available Colors	Strap Size	MOQ
Colored Plastic, Knurled Thumb-Grip, 2-Hole Clip with Delrin Strap			
2115-200_	Black (1), Blue (2), Green (4), Orange (5), Red (6), White (8), Yellow (9)	3 1/8" (80mm)	100

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 0.7 lb. per 100 pieces.

AVAILABLE COLORS **BLK** **RBLU** **GRN** **ORG** **RED** **WHT** **YLW**
2386C 348C 164C 2348C 136C

Reusable Plastic Clip Specifications

Item #	Description	Size	MOQ
5710-1108 or 505-P	Uni-Clip - one piece, white clip with ribbed thumb-grip.	1 5/8" (41mm)	100
08075	Plastic swivel clip features a "button" design that slides through the slot so badges stay straighter.	1 1/2" (38mm)	500
08080	Plastic card clip slides through the slotted portion of a badge, back of the clip can then be attached to a visitor's shirt.	1 3/4" (44mm)	500

Orders placed before 1pm ET ship SAME DAY!

Shipping Weight: 0.5 lb. per 100 pieces (5710-1108),
 2 lb. per 500 pieces (08075), 2.5 lb. per 500 pieces (08080)

1-Hole NPS Ribbed-Face Clip with Clear Mylar Strap



2110-1213

Clear Vinyl Strap with Brady Clothing-Friendly™ Clip



2105-2093

1-Hole NPS Ribbed-Face Clip with Clear Mylar Strap Specifications

Item #	Strap Size	MOQ
2110-1213	3 1/2" (89mm)	100

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1 lb. per 100 pieces.

! WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov


Clear Vinyl Strap with NPS Brady Clothing-Friendly Clip Specifications

Item #	Strap Size	MOQ
2105-2093	2 3/4" (70mm)	100

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1 lb. per 100 pieces.

! WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

2-Hole NPS Clip with Mylar Strap



2110-1100

2110-1150

Thumb-Grip Clip with Clear Mylar Strap



2110-1255

2-Hole Clip with Mylar Strap Specifications

Item #	Strap Size	MOQ
2110-1100	2 3/4" (70mm)	100
2110-1150	4" (102mm)	100

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1 lb. per 100 pieces.

! WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov


Thumb-Grip Clip with Mylar Strap Specifications

Item #	Description	Strap Size	MOQ
2110-1255	Nickel-Plated Steel, Knurled Thumb-Grip Clip with Mylar Strap	2 3/4" (70mm)	100

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.1 lb. per 100 pieces.

! WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Clear 1-Hole Vinyl Strap



Shown attached to lanyard



2120-1250

2-Hole Smooth-Face Clip with Double Straps for Multiple ID Cards



2105-3050

Clear 1-Hole Vinyl Strap Specifications

Item #	Description	Strap Size	MOQ
2120-1250	Clear 1-Hole Vinyl Strap w/ 3 Metal & 1 Brass Part	2 3/4" (70mm)	100

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.6 lb. per 100 pieces.

! WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

2-Hole Clip with Double Strap Specifications

Item #	Strap Sizes	MOQ
2105-3050	2 3/4" (70mm); 5 7/8" (149mm)	100

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.4 lb. per 100 pieces.

! WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Note: products are not shown to scale.



TRUECOLOR printing allows for **FULL-COLOR CUSTOMIZATION** right on the badge reel for a **MORE PROFESSIONAL LOOK**, bringing custom logos, graphics and text to life!

HIGH QUALITY - TRUECOLOR printing allows custom graphics, logos and text to be printed directly on a select group of badge reels.

VIVID COLOR - Rather than a 1- or 2-color print process or labels, TRUECOLOR digital printing is able to incorporate hundreds of colors for true full-color graphics and text.

LONG-LASTING - TRUECOLOR printing is applied directly to the product surface for a durable and long-lasting solution.



VARIABLE PRINTING on badge reels is a custom label service that allows you to **CHANGE TEXT** on your badge reel orders **FROM ONE PRINTED PIECE** to the **NEXT**.

VARIABLE - While your logo or artwork stays the same, you now have the option to have parts of the custom text be variable from one reel to another.

PERSONALIZED - Print years of service, names, company divisions, or company titles to badge reel labels to create a personalized and unique accessory.

For best results choose badge reels that support a 1-inch label or larger.



Note: products are not shown to scale.

“Value Line” Most Economical Badge Reel

Round plastic pull reel with slide-type belt clip and clear vinyl strap or Card Clamp™. Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)


Label Size: 3/4" (19mm)



Belt Clip



Spring Clip



Card Clamp™

2120-3036

“Value Line” Most Economical Badge Reel Specifications		
Item #	Description	Available Colors
2120-303_ or 525-I-____	Belt Clip / Clear Vinyl Strap	Black - BLK (1), Blue - BLU (2), Green (4), Red - RED (6), White - WHT (8), Yellow (9), Orange - ORG
2120-360_ or 525-TR-____	Belt Clip / Clear Vinyl Strap	Trans. Clear - CLR (0), Trans. Royal Blue - RBLU (2), Trans. Green - GRN (4), Trans. Orange - ORG (5), Trans. Red - RED (6), Trans. Yellow - YLW (9), Trans. Purple - PURP (13)
525-IK6-____	Belt Clip / Card Clamp	Black (BLK), Royal Blue (RBLU)
2120-470_	Spring Clip / Clear Vinyl Strap	Chrome (0), Black (1), Blue (2), Red (6), White (8)

Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.625 lb. per 25 pieces (2120-303_ and 2120-360_). 0.85 lb. per 25 pieces (525-IK6-____ and 525-ISR-____).

⚠️ WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

“Value Line” Most Economical Neon Badge Reel

This reel is the same as our “Value Line” Most Economical Badge Reel but comes in five fun, bright neon colors! Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)

Label Size: 3/4" (19mm)



Belt Clip

2120-3081

“Value Line” Most Economical Neon Badge Reel Specifications		
Item #	Description	Available Colors
2120-308_	Belt Clip	Neon Pink (1), Neon Blue (2), Neon Yellow (3), Neon Green (4), Neon Orange (5)

Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.625 lb. per 25 pieces.

⚠️ WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Round Plastic Swivel Back Badge Reel

Round plastic pull reel with clear vinyl strap and nylon cord.

Metal clip on back swivels to allow for easy wear. Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)

Label Size: 3/4" (19mm)



Swivel Clip



Card Clamp™

529-TR-RBLU

Round Plastic Swivel Back Badge Reel		
Item #	Description	Available Colors
2120-760_ or 529-I-____	Swivel Clip	Black - BLK (1), Royal Blue - RBLU (2), White - WHT (8), Red - RED (6), Dark Gray - DKGRY
529-TR-____	Swivel Clip	Trans. Clear (CLR), Trans. Green (GRN), Trans. Orange (ORG), Trans. Royal Blue (RBLU), Trans. Red (RED)
529-IK6-____	Swivel Clip & Card Clamp	Black (BLK), Royal Blue (RBLU)

Custom printed reels available 5-8 days after proof approval. MOQ: 25. Shipping Weight: 0.85 lb. per 25 pieces.

⚠️ WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Economy Reel with Split Ring

Round plastic badge reel with slide-type belt clip and nickel-plated steel split ring. The slide clip on the back allows for easy attachment to belts or jackets, and it features a key ring to hold both ID cards and keys all in one place, for ultimate organization. Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)

Label Size: 3/4" (19mm)



Belt Clip

525-ISR-BLK

Economy Reel with Split Ring Specifications		
Item #	Description	Available Colors
525-ISR-____	Belt Clip / Split Ring	Black (BLK), Royal Blue (RBLU)

Custom-printed reels ship 5-8 days after proof approval. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.85 lb. per 25 pieces.

⚠️ WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SOLID COLORS



TRANSLUCENT COLORS



NEON COLORS



NOTE: For item numbers ending in ____ substitute the color abbreviations or numbers shown in the color chart.

Note: products are not shown to scale.



Square Plastic Badge Reel

Square plastic, clip-on badge reel featuring a spring clip, clear vinyl strap and nylon cord. Provides easy access for swiping or scanning cards.

Reel Diameter:
1 1/4" (32mm)

Cord Length:
30" (762mm)

Label Size:
3/4" (19mm)



2120-3822



Belt Clip



Spring Clip

Square Plastic Badge Reel Specifications

Item #	Description	Available Colors
2120-382_	Belt Clip, Reinforced Vinyl Strap	Black (1), Blue (2)
2120-3862	Belt Clip, Clear Vinyl Strap	Translucent Royal Blue
2120-57_	Spring Clip, Clear Vinyl Strap	Black (01), Trans. Royal Blue (12)

Custom-printed reels ship 5-8 days after proof approval.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.675 lb. per 25 pieces.

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Logo Reel

Extra-large imprinting surface on this round, solid-colored plastic, badge reel with slide-type belt clip and clear vinyl strap.

Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter:
1 3/8" (35mm)

Cord Length:
36" (915mm)

Label Size:
1 1/4" (32mm)



2124-3032



Available in Chrome or Gold!



Slide-Type Belt Clip



Logo Reel Specifications

Item #	Description	Available Colors
2124-303_	Belt Clip	Black (1), Royal Blue (2), White (8)
2124-302_	Belt Clip	Chrome (8), Gold (9)

Custom-printed reels ship 5-8 days after proof approval.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.9 lb. per 25 pieces.

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Rectangle Badge Reel

The larger imprint area is perfect for displaying logos and custom graphics. The rectangular shape attracts more attention than standard round reels. Cord has a nylon core with a polyester wrap for added durability.

Reel Size: 1 3/4" x 1 1/4"
(44mm x 32mm)

Cord Length: 34" (864mm)

Label Size: 1 1/2" x 1"
(38mm x 25mm)



2120-3906



Swivel Clip

Rectangle Badge Reel Specifications

Item #	Description	Available Colors
2120-390_	Swivel Clip	Chrome (0), Black (1), Royal Blue (2), Red (6), White (8)

Custom-printed reels ship 5-8 days after proof approval.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.8 lb. per 25 pieces.

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

MaxLabel™ Badge Reel

Same features as the round plastic reel with a larger, 1" imprint area.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)

Label Size: 1" (25mm)



905-I-RBLU



Belt Clip



Swivel Clip



Card Clamp™

MaxLabel™ Badge Reel Specifications

Item #	Description	Available Colors
905-I-___	Belt Clip	Black (BLK), R. Blue (RBLU), White (WHT)
909-I-___	Swivel Clip	Black (BLK), R. Blue (RBLU), White (WHT)
905-TR-RBLU	Belt Clip	Translucent Royal Blue (RBLU)
909-TR-RBLU	Swivel Clip	Translucent Royal Blue (RBLU)
905-IK6-BLK	Belt Clip / Card Clamp	Black

Custom-printed reels ship 5-8 days after proof approval.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.75 lb. per 25 pieces.

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SOLID COLORS



TRANSLUCENT COLORS



Note: products are not shown to scale.

NOTE: For item numbers ending in ____, substitute the color abbreviations or numbers shown in the color chart.

Heart-Shaped Badge Reel

Motivate others by expressing passion, encouragement and inspiration! Comes with a clear vinyl strap and swivel back.

Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)

Label Size: 1 7/16" x 1 3/8" (34mm x 35mm)



2120-7638
Shown with Domed EKG Label



580-TR-RED



Swivel Clip



Heart-Shaped Badge Reel Specifications

Item #	Description	Available Colors
2120-761_	Swivel Clip	White (8), Pink (7)
580-TR-RED	Swivel Clip	Translucent Red
2120-76_	EKG Label / Swivel Clip	White (38), Translucent Red (36)

Custom-printed reels ship 5-8 days after proof approval.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.85 lb. per 25 pieces

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Non-Magnetic Badge Reel with Plastic Clip

NEW!

NON-FERROUS, PERFECT FOR MRI ROOM USE

Made without ferrous metals, this reel is unaffected by magnets, making them perfect for use around MRI machines or other powerful magnets. Both the plastic clip end-fitting and plastic clamp closure are color-matched to the badge reel for a sleek look. A plastic clip end fitting makes it easy to slide on a slotted ID card or badge holder.

Reel Size: 1 1/4" (32mm)

Cord Length: 24" (588mm)

Label Size: 4/5" (20mm)



2120-9006



Plastic Swivel Clip



Swivel Clip Shown Open



Non-Magnetic Badge Reel with Plastic Clip Specifications

Item #	Description	Color
2120-9001	Plastic Swivel Clip	Black
2120-9002		Royal Blue
2120-9006		Red
2120-9008		White

Custom-printed reels available 5-8 days after proof approval.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.75 lb. per 25 pieces.

Twist-Free B•Reel™

The B•Reel is the most secure and twist-free reel today. It has a modern shape with new colors and two different clip options- giving you more versatility when wearing it. Features clear vinyl strap for easy attachment to any ID badge.

Reel Size: 1 5/16" (33mm)

Cord Length: 28" (711mm)

Label Size: 1 3/16" x 1" (30mm x 25mm)



CORD EXTRACTS FROM FRONT OF REEL AND CAUSES LESS FRICTION ON THE CORD, EXTENDING THE LIFE OF THE REEL!

PERFECT FOR HEALTHCARE

B•REEL KEEPS BADGE FACING FORWARD



Swivel Belt Clip



Swivel Clip with Teeth



2120-8008

2120-8010

Twist-Free B•Reel™ Specifications

Item #	Description	Available Colors
2120-78_	Clip with Teeth	Black (01), Metallic Blue (02), White (08), Metallic Gray (10)
2120-80_	Belt Clip	Black (01), Metallic Blue (02), White (08), Metallic Gray (10)

Custom-printed reels available 5-8 days after proof approval.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.75 lb. per 25 pieces.

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



BADGE BUDDIES PAGE 71

SOLID COLORS



TRANSLUCENT COLORS



NOTE: For item numbers ending in _ _ _ _ , substitute the color abbreviations or numbers shown in the color chart.

Note: products are not shown to scale.

Premier Carabiner Badge Reel

Our carabiner-style reel with chrome outer frame and clear vinyl strap is both fashionable and versatile.

Reel Diameter:
1 1/4" (32mm)

Cord Length:
30" (762mm)

Imprint Size:
1" H x 1" W
(28.5mm x 25mm)



2120-7021



2120-7121
Belt Clip
on Back

Premier Carabiner Badge Reel Specifications		
Item #	Description	Available Colors
2120-702_	Carabiner	Black (1)
2120-705_	Carabiner	Trans. Clear (0), Trans. Black (1), Trans. Royal Blue (2), Trans. Red (6)
2120-71_	Carabiner with Belt Clip on Backside	Black (21), White (28), Trans. Blue (52), Trans. Red (56)

Custom-printed reels ship 5-8 days after proof approval.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 1.15 lb. per 25 pieces.

Heavy-Duty Ski/Sports Reel


Specially designed zipper attachment reduces risk of losing annual ski pass.

Features customizable hard plastic case, reinforced ring and heavy-duty nylon cord.

Reel Diameter:
1 1/2" (38mm)

Cord Length:
24" (609mm)

Label Size:
1 1/4" (32mm)



750-1

CUSTOMIZE BOTH SIDES!*



Backside



Nylon Cord

Heavy-Duty Ski/Sports Reel Specifications		
Item #	Description	Available Colors
750-1 or 2120-4101	Zipper Attachment	Black

Custom-printed reels ship 5-8 days after proof approval.
Additional lead time applies for customization on both sides.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 1.15 lb. per 25 pieces.

Twist-Free Carabiner Reel

Chrome outer frame. Pressure release latch attaches easily to belt loop or purse strap. Twist-free feature keeps ID facing forward. Optional belt clip on back.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 36" (915mm)

Label Size: 1 1/16" (28mm)



704-TR-RBLU

704-CB-WHT

CUSTOMIZE BOTH SIDES!*



Customization on Back (Carabiner only)
*Available on 704-TR and 704-CB



Belt Clip on Back (Carabiner and Belt Clip)


Twist-Free Carabiner Reel Specifications		
Item #	Description	Available Colors
704-CB-____	Carabiner Only	Black (BLK), Green (GRN), Royal Blue (RBLU), Red (RED), Pink (PNK), White (WHT)
704-TR-____	Carabiner Only	Trans. Purple (PURP), Trans. Red (RED), Trans. Green (GRN), Trans. Royal Blue (RBLU)
704-CLP-____	Carabiner and Belt Clip	Black (BLK), Royal Blue (RBLU), Red (RED), White (WHT)

Custom-printed reels ship 5-8 days after proof approval (one-sided printing).
Additional lead time applies for customization on both sides.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 1.4 lb. per 25 pieces.

SOLID COLORS



TRANSLUCENT COLORS



Note: products are not shown to scale.

NOTE: For item numbers ending in _____, substitute the color abbreviations or numbers shown in the color chart.

Pro-Reel

Get two attachments in one with our carabiner-style reel! It features a chrome outer frame and slide-type belt clip (optional). The no-twist U-shaped bullet helps to keep your ID facing forward.

Reel Diameter:
1 1/4" (32mm)

Cord Length:
34" (864mm)

Imprint Size:
7/8" (22mm)



Pro-Reel Specifications		
Item #	Description	Available Colors
2120-7062	Carabiner with Belt Clip	Translucent Blue
2120-702_	Carabiner with Belt Clip	Black (7), Red (8)
2120-7060	Carabiner Only	Translucent Blue
2120-702_	Carabiner Only	Black (5), Red (6)

Custom-printed reels ship 5-8 days after proof approval.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.775 lb. per 25 pieces.

WARNING This product can expose you to chemicals, including Nickel, which are known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Premium Badge Reel

Large 1" imprint area. Twist-free design keeps ID visible at all times. Cord has a nylon core with a polyester wrap for added durability. Card Clamp™ holds to a pull strength of 10 lb. for standard .030"-thick ID cards (works with thinner cards too).

Reel Diameter: 1 1/2" (38mm)

Cord Length: 34" (864mm)

Label Size: 1" (25mm)



Premium Badge Reel Specifications		
Item #	Description	Available Colors
Clear Vinyl Strap		
605-I-____	Belt Clip	Black (BLK), Royal Blue (RBLU), Red (RED), White (WHT), Dark Gray (DKGRY)
609-I-____	Swivel Clip	Black (BLK), Royal (RBLU), White (WHT)
605-TR-____	Belt Clip	Trans. Green (GRN), Trans. R. Blue (RBLU), Trans. Red (RED)
609-TR-____	Swivel Clip	Trans. Royal Blue (RBLU), Trans. Red (RED)
Card Clamp™ End Fitting		
609-IK6-BLK	Swivel Clip	Black

Custom-printed reels available 5-8 days after proof approval.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.675 lb. per 25 pieces.

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Mini-Bak® Badge Reel

Made in the USA! The Mini-Bak® reel is available with heavy-duty spring or twist-free option.

Reel Diameter:
1" (25mm)

Cord Length:
36" (915mm)

Label Size:
1" (25mm)



Mini-Bak® Badge Reel Specifications		
Item #	Description	Available Colors
Classic Mini-Bak®		
505-MB-____	Slide Clip	Royal Blue (RBLU), Black (BLK), Dark Gray (DKGRY), White (WHT)
509-MB-____	Swivel Clip	Royal Blue (RBLU), Black (BLK)
Twist-Free Mini-Bak®		
505-MF-____	Slide Clip	Royal Blue (RBLU), Black (BLK), Red (RED), White (WHT)
509-MF-____	Swivel Clip	Royal Blue (RBLU), Black (BLK)

Custom-printed reels ship 5-8 days after proof approval.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.725 lb. per 25 pieces.



NOTE: For item numbers ending in ____ substitute the color abbreviations or numbers shown in the color chart.

Note: products are not shown to scale.

Reinforced Strap Badge Reel

Add durability to your solid-color plastic reel with a reinforced vinyl strap. Comes with choice of slide-type belt clip or spring clip.

Reel Diameter:
1 1/4" (32mm)

Cord Length:
34" (864mm)

Label Size:
3/4" (19mm)



Reinforced Strap Badge Reel Specifications		
Item #	Description	Available Colors
2120-300_	Belt Clip	Black (1), Blue (2), Green (4), Red (6), White (8)
2120-475_	Spring Clip	Black (1), Blue (2)
<i>Custom-printed reels ship 5-8 days after proof approval. Digital printing is not available on 2120-475 1 or 2120-4752. MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.625 lb. per 25 pieces.</i>		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		

Badge Reel with Silver Sticker and Reinforced Vinyl Strap

A modern round, plastic badge reel with silver sticker.

Features slide-type belt clip and reinforced vinyl strap.

Reel Diameter:
1 1/4" (32mm)

Cord Length:
34" (864mm)

Label Size:
3/4" (19mm)



Reinforced Strap Badge Reel with Silver Sticker Specifications		
Item #	Description	Available Colors
2120-310_	Belt Clip	Black (1), Blue (2), Green (4), Red (6), White (8)
Orders placed before 1pm ET ship SAME DAY! <i>MOQ: 25 Pieces. Shipping Weight: 0.625 lb. per 25 pieces.</i>		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		

Small Metal Case Badge Reel

A classic chrome finish makes this an appealing, eye-catching badge reel. Durable metal casing will stand up to long-term use.

A swivel-hook end fitting makes it easy to attach a slotted ID badge, while a bulldog clip attachment secures the reel to the wearer.

Reel Diameter:
1" (26mm)

Cord Length:
15" (381 mm)



DURABLE METAL CASING

Small Metal Case Badge Reel Specifications		
Item #	Description	Available Colors
2120-3400 or 480-I	Swivel-Hook End Fitting and Bulldog Clip Attachment	Chrome Finish
Orders placed before 1pm ET ship SAME DAY! <i>MOQ: 25 Pieces. Shipping Weight: 0.85 lb. per 25 pieces.</i>		

Tub-O-Reels

Standard badge reels in a fun and convenient container. Reels feature clear vinyl strap and slide-type belt clip.

Includes multiple colors, giving employees a variety of options when deciding how to wear and display their ID badges.

Reel Diameter: 1 1/4" (32mm)

Cord Length: 34" (864mm)

Container: 8 1/4" L x 5 1/8" W x 8 3/16" H



DO YOU NEED A TUB-O-LANYARDS? SEE PAGE 14!



Tub-O-Reels Specifications		
Item #	Description	Colors (Includes 10 of each)
REELS100	Belt Clip	Black, Royal Blue, Red, Yellow, Green, Trans. Royal Blue, Trans. Orange, Trans. Purple, Trans. Clear, Trans. Red.
Orders placed before 1pm ET ship SAME DAY! <i>MOQ: 1 tub. Shipping Weight: 2.94 lb. per 1 tub.</i>		
WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		



Note: products are not shown to scale.

NOTE: For item numbers ending in ____, substitute the color abbreviations or numbers shown in the color chart.



**Keybak®
Badge Reels**

SecureIt™ - All-weather, all-purpose reel, featuring a rugged and sturdy carabiner that can secure to almost anything. Holds flashlights, GPS and small hand tools. 48" Kevlar® cord and 8 oz. retraction force.

Reel Diameter: 2" (51mm)

Cord Length: 48" (1220mm)

Super48™ - Hold more keys with our exclusive quick-draw extension. Tough KEVLAR® Cord extends to 48" (4 feet of reach)! 8 -10 oz. retraction force. Holds up to 25 keys.

Reel Diameter: 2 3/16" (56mm)

Cord Length: 48" (1220mm)

Proudly made in the USA!

- Guaranteed quality and reliability
- Backed by a Lifetime Service Policy



BR-488-BLK



BR-48-BLK



KeyBak® Badge Reels Specifications		
Item #	Description	Color
BR-48-BLK (Super48™)	Belt Clip	Black
BR-488-BLK (SecureIt™)	Carabiner with Key Ring	Black

Orders placed before 1pm ET ship SAME DAY! MOQ: 1.
Shipping Weight: 0.22 lb. per 1 piece (BR-48-BLK) / 0.18 lb. per 1 piece (BR-488-BLK).



Belt Clip



1. Locks to carry weight
2. Unlock to extend
3. Extends 48"

**Round Plastic
Twist-Free Badge Reel**

Round plastic, solid-color reel with swivel clip or slide-type belt clip and clear vinyl strap.

"No-twist" bullet prevents ID from twisting. Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter:
1 1/4" (32mm)

Cord Length:
34" (864mm)

Label Size:
3/4" (19mm)



2120-3051



Slide-Type
Belt Clip



Swivel Clip



Round Plastic Twist-Free Badge Reel Specifications

Item #	Description	Available Colors
2120-764_	Swivel Clip	Black (0), N. Blue (1), R. Blue (2), Red (4), Trans. R. Blue (6)
2120-305_	Belt Clip	Black (0), N. Blue (1), R. Blue (2), White (3), Red (7)

Custom-printed reels ship 5-8 days after proof approval.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 0.575 lb. per 25 pieces.

WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

**Heavy-Duty
Clip-On Badge Reel**

Chrome or black/chrome combo heavy-duty reels with slide-type belt clip.

Reel Diameter: 1 1/2" (38mm)

Cord Length:
24" (588mm)- 505-HD-CRM,
2120-3310, 2120-3300, 2120-3305

18" (457mm)- 2120-3325,
2120-3375

Label Size: 1 1/2" (38mm)




2120-3310



Black / Chrome
Reel



Belt Clip



Heavy-Duty Clip-On Badge Reel Specifications

Item #	Description	Available Colors
Clear Vinyl Strap		
505-HD-CRM	Nylon Cord	Chrome (CRM)
505-HD-BLK/CRM or 2120-3310	Nylon Cord	Black/Chrome (BLK/CRM)
Reinforced Vinyl Strap		
2120-3325	Chain Cord, Key Ring	Black/Chrome (BLK/CRM)
2120-3300	Nylon Cord	Black/Chrome (BLK/CRM)
2120-3305	Steel Cord	Black/Chrome (BLK/CRM)
2120-3375	Chain Cord	Black/Chrome (BLK/CRM)

Custom-printed reels ship 5-8 days after proof approval.
MOQ: 25 (blank) / 100 (custom). Shipping Weight: 2.325 lb. per 25 pieces.

SOLID COLORS



TRANSLUCENT COLORS



NOTE: For item numbers ending in _ ____, substitute the color abbreviations or numbers shown in the color chart.

Note: products are not shown to scale.

**“Awareness”
Twist-Free
Carabiner Reel**

Features the twist-free chrome carabiner for easy attachment, with the “awareness” ribbon design.


Reel Diameter:
1 3/8" (35mm)

Cord Length:
36" (915mm)

Label Size:
1 1/16" (28mm)



704-CB-PNKRIB



Backside

“Awareness” Twist-Free Carabiner Reel Specifications		
Item #	Description	Color
704-CB-PNKRIB	Chrome Carabiner	Pink
Orders placed before 1pm ET ship SAME DAY! MOQ: 25 pieces. Shipping Weight: 1.4 lb. per 25 pieces.		

**“Awareness”
Twist-Free
Badge Reel**

Twist-free design keeps ID visible at all times. Large imprint of “awareness” ribbon design. Cord has a nylon core with a polyester wrap for added durability.

Reel Diameter:
1 1/2" (38mm)

Cord Length:
34" (864mm)

Label Size:
1" (25mm)



605-L_WHT-PNKRIB



Belt Clip

“Awareness” Twist-Free Badge Reel Specifications		
Item #	Description	Color
605-L_WHT-PNKRIB	Belt Clip	White
Orders placed before 1pm ET ship SAME DAY! MOQ: 25 Pieces. Shipping Weight: 0.68 lb. per 25 pieces.		

**Heart-Shaped
Badge Reel**

Show your care with this heart-shaped reel with swivel clip and clear vinyl strap.


Reel Diameter:
1 1/4" (32mm)

Cord Length:
34" (864mm)


Label Size:
1 7/16" x 1 3/8"
(34mm x 35 mm)



2120-7630



Swivel Clip

Heart Reel with Dome Label Specifications		
Item #	Description	Color
2120-7630 or 580-AWR-PNK	Swivel Clip	Pink
Orders placed before 1pm ET ship SAME DAY! MOQ: 25 Pieces. Shipping Weight: 0.88 lb. per 25 pieces.		
 WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer as well as Bisphenol A (BPA), which is known in the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov		

**Autism
Awareness
Badge Reel**

The new autism awareness badge reel is a great way to show your support. The reel features a multicolored puzzle design and comes with a clear vinyl strap and a lanyard loop attachment.

Reel Diameter:
1 3/8" (35mm)

Cord Length:
36" (915mm)




2124-3050

**LOOP
ALLOWS EASY
ATTACHMENT
TO THE END OF
A LANYARD.**



Belt Clip

Autism Awareness Badge Reel Specifications		
Item #	Description	Color
2124-3050	Belt Clip	Multicolored Puzzle
Orders placed before 1pm ET ship SAME DAY! MOQ: 25 Pieces. Shipping Weight: 0.9 lb. per 25 pieces.		
 WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		

**SHOW YOUR SUPPORT
BY WEARING PINK!**



**AUTISM PUZZLE
LANYARD
SEE PAGE 23**



Note: products are not shown to scale.



Our **TRUECOLOR** digital printing process makes **CUSTOM ARTWORK STAND OUT!**

VIVID COLOR – Capable of full-color printing, with hundreds of colors to choose from.

LONG-LASTING – Ink is applied directly to the surface of the product and cured while printing for added durability.

TRUECOLOR digital printing is currently available on a select group of our best-selling rigid badge holders, badge reels, and luggage tags.



726-T1

B•Holder One- & Three-Card Holders

These card holders keep your card safe from bends and creases while displaying the card's face. A thumb slot on the back makes it easy to remove your badge for swiping or scanning. Top load for additional security. **MOQ: 50.**



B•Holder Specifications		
Item #	Description	Available Colors
One-Card Holders		
1840-664_	Vertical / Top Load	Frosted (0), Black (1), Metallic Blue (2),
1840-665_	Horizontal / Top Load	Metallic Gray (7), White (8)
Three-Card Holders		
1840-666_	Vertical / Top Load	Black (1), Metallic Blue (2),
1840-667_	Horizontal / Top Load	Metallic Gray (7), White (8)
Orders placed before 1pm ET ship SAME DAY!		
Shipping Weight: 2.45 lb. per 50 pieces (One-Card Holders)		
2.80 lb. per 50 pieces (Three-Card holders).		
WARNING This product can expose you to Bisphenol A (BPA), which is known in the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov		

HOLDER COLORS:



COLOR MATCH HOLDER TO OUR B•REEL!
SEE PAGE 37



HOLDS 1 CARD

1840-6642
Data / Credit Card Size
Inside: 2.13" x 3.38"
Slot / Chain Holes



1840-6657
Data / Credit Card Size
Inside: 3.38" x 2.13"
Slot / Chain Holes



HOLDS 3 - 30 MIL CARDS

1840-6668
Data / Credit Card Size
Inside: 2.13" x 3.38"
Slot / Chain Holes



PATENTED LEVER TECHNOLOGY MAKES IT EASY TO SLIDE CARDS OUT FOR SCANNING OR SWIPING.

1840-6671
Data / Credit Card Size
Inside: 3.38" x 2.13"
Slot / Chain Holes

Note: products are not shown to scale.

RIGID BADGE HOLDERS

Access One-Card Dispensers

Slide out your ID or access card with this frosted access card dispenser. Ideal for chip and magnetic stripe cards. Holds one card. Made of polycarbonate material. **MOQ: 50.**

Access Card Dispenser Specifications

Item #	Description
1840-6410	Horizontal / Side Load
1840-6566	Vertical / Top Load
1840-6400	2-Card / Horizontal / Side Load

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 1.9 lb. per 50 pieces.



1840-6566
Credit Card Size
Inside: 2.13" x 3.38"
Standard Slot
(Back of holder is being shown)



1840-6410
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot / Chain Holes



1840-6400
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot / Chain Holes
(Back of holder is being shown)

1840-6400
HOLDS
2 CARDS

Premium Dispensers with Slide Ejectors

Heavy-duty dispensers made of durable, fire-retardant polycarbonate. UV protection prevents print fading for less frequent card replacement. Frosty finish hides scratches and eliminates glare. **MOQ: 20.**



Premium Grade Dispensers with Slide Ejector Specifications

Item #	Description
One-Card Dispensers with Slide Ejectors	
736-N	Vertical / Top Load
736-T1	Horizontal / Side Load
Two-Card Dispensers with Slide Ejectors	
736-T2	Horizontal / Side Load

Custom printed badge holders ship 5-8 days after proof approval.
Shipping Weight: 2 lb. per 50 pieces.



736-N
Credit Card Size
Inside: 2.13" x 3.38"
Standard Slot
(Back of holder is being shown)



736-T1
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot / Chain Holes
(Back of holder is being shown)



736-T2
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot / Chain Holes

Rigid One-Card Holder With Key Ring

Carry ID card, keys and other essentials together on one key ring. Frosty finish hides scratches and eliminates glare. Customize with your own graphics or logos. Made in Germany. **MOQ: 50.**



Rigid One-Card Holder with Key Ring Specifications

Item #	Description
706-RNG	Horizontal

Custom printed badge holders ship 5-8 days after proof approval.
Shipping Weight: 1.9 lb. per 50 pieces.



706-RNG
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot / Key Ring
(Shown with TRUECOLOR printing on holder)




Note: products are not shown to scale.

Economy One-Card Rigid Dispensers

Remove your card with ease using this one-card dispenser. Durable ABS material keeps cards from bending. Added protection for electronics inside proximity and smart cards. Fits credit card-sized inserts up to .040" thick. Personalize front or back with custom graphics or logos. **MOQ: 50.**



Economy One-Card Rigid Dispenser Specifications	
Item #	Description
Clear Finish	
726-CSN	Vertical / Side Load
726-CT1	Horizontal / Side Load
Frosted Finish	
726-SN or 1840-6500	Vertical / Side Load
726-T1 or 1840-6000	Horizontal / Side Load
Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 2.25 lb. per 50 pieces.	



726-CSN
Credit Card Size
Inside: 2.13" x 3.38"
Standard Slot / Chain Holes



1840-6500
Credit Card Size
Inside: 2.13" x 3.38"
Standard Slot / Chain Holes



726-CT1
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot / Chain Holes




1840-6000
Credit Card Size
Inside: 2.13" x 3.38"
Standard Slot / Chain Holes
(Shown with TRUECOLOR printing on holder)

Premium Dispensers with Thumb Notches

Made of durable, fire-retardant polycarbonate. UV protection prevents print fading for less frequent card replacement. Frosty finish hides scratches and eliminates glare. Customize with your own graphics or logos. **MOQ: 50.**



Premium Dispensers with Thumb Notch Specifications	
Item #	Description
One-Card Thumb Notch Dispensers	
706-N	Vertical / Top Load
706-T1	Horizontal / Side Load
Two-Card Thumb Notch Dispensers	
706-N2 or 1840-6550	Vertical / Top Load
Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1.75 lb. per 50 pieces.	



706-N
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot



706-N2
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot



706-T1
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot / Chain Holes

Bank Card Holder

Rigid polypropylene frosted bank card holder with 2 thumb slots. Holds one 30 mil (750 mic) card. **MOQ: 100.**



Bank Card Holder Specifications	
Item #	Description
1840-6070	Horizontal / Vertical
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2 lb. per 100 pieces.	



1840-6070
Credit Card Size
Insert Size: 3.38" x 2.13"
Outside: 3.63" x 2.31"
Thumb Slot

Note: products are not shown to scale.

RIGID BADGE HOLDERS

2-Sided Open-Face Rigid Three-Card Holder

Hold your ID and business cards in this versatile holder. Open face displays inserted cards. Two-sided. Holds one 30 mil (750 mic) ID card on one side and two 30 mil cards or six business cards on the back side. Made of ABS material. **MOQ: 50.**



HOLDS UP TO 3 CARDS




1840-3081
Credit Card Size
Inside: 2.13" x 3.38"
Standard Slot / Chain Holes

Two-Card RigidWear™ Holder

Keep your ID visible and easily accessible with this clear, rigid polycarbonate plastic, two-card vertical badge holder with slot.

Thumb notches on both sides for easy card removal. Holds two 30 mil (750 mic) cards. **MOQ: 50.**



1840-6560
Credit Card Size
Inside: 2.13" x 3.38"
Standard Slot

2-Sided Open-Face Rigid Three-Card Holder Specifications

Item #	Description	Available Colors
1840-308_	Vertical	Clear (0), Black (1), Blue (2), Red (6), White (8), Yellow (9)
1840-305_	Horizontal	Clear (0), Black (1), Blue (2)

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 2.1 lb. per 50 pieces.

HOLDER COLORS:



Two-Card RigidWear™ Holder Specifications

Item #	Description
1840-6560 or 706-NN2	Vertical

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 3.1 lb. per 50 pieces.

WARNING! This product can expose you to Bisphenol A (BPA), which is known in the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

"KEY" Locking Two-Card Holder

Protect your ID card from tampering with our key lock proximity card holder. End piece snaps in to lock cards inside. Guard key (sold separately) opens the lock on proximity card holder. Made of polycarbonate material. **MOQ: 50.**



1840-6615
KEY
(Shown apart from card holder)

1840-6630
Credit Card Size
Inside: 2.13" x 3.38"
Standard Slot
(Holder shown with card locked in)

TAMPER RESISTANT!



1840-6610
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot
(Shown with key and end piece apart from holder)

Perma-Lock Two-Card Proximity Card Holder

Permanent locking proximity card holder with slot/chain holes. End piece snaps permanently into end of card holder to lock cards inside. Holds two cards. Made of .24" thick ABS material. **MOQ: 50.**



1840-6040
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot and Chain Holes

PERMANENT LOCK



1840-6045
Credit Card Size
Inside: 2.13" x 3.38"
Standard Slot and Chain Holes

"KEY" Locking Two-Card Holder Specifications

Item #	Description
1840-6610 or 706-LT1	Horizontal
1840-6630 or 706-LN	Vertical
1840-6615 or OP-706	"KEY" (Key has an MOQ of 5)

Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 1.85 lb. per 50 pieces.

Note: products are not shown to scale.

Perma-Lock Two-Card Prox Card Holder Specifications

Item #	Description
1840-6040 or IDS-92H	Horizontal
1840-6045 or IDS-92V	Vertical

Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 2.75 lb. per 50 pieces.

Slot-Free Holders

No need to slot punch your ID with our Gripper 30® or Card Clamp. Gripper 30® contains a molded plastic outer piece with silicone inner core. Securely holds one 30 mil card with pull strength of up to 7 lb. Card Clamp has gripper pads that securely hold your badge with a pull strength of 10 lb. **MOQ: 100.**



Slot-Free Holder Specifications	
Item #	Description
5710-3050	Black Gripper 30®
5710-3058	White Gripper 30®
K-1	Card Clamp with Clip
K-6	Card Clamp

Orders placed before 1pm ET ship SAME DAY! Custom printed holders ship 5-8 days after proof approval. Shipping Weight: 0.5 lb. per 100 pieces (Gripper); 2.5 lb. per 100 pieces (Card Clamp).



5710-3050 Gripper 30® 5710-3058 Gripper 30® K-1 Card Clamp with Clip K-6 Card Clamp

WITH SLOT-FREE HOLDERS THERE'S NO NEED FOR SLOT HOLE PUNCHES!



Gripper 30® K-1 Card Clamp with Clip Card Clamp with Clip Closed Card Clamp Open

LogoClips™

Combining the custom branding capabilities of a badge reel with the simplicity of a strap clip, LogoClips are ideal for users who don't need to remove their ID cards for scanning or swiping. **MOQ: 25 (100 for custom).**



Round and Square LogoClip Specifications		
Item #	LogoClip Size and Label	Color
Round LogoClip™		
2105-4001	1" Wide (25.4mm)	Black
2105-4002		Metallic Blue
2105-4008		White
Square LogoClip™		
2105-4101	1.20" x 1.00" (30mm x 25mm)	Black
2105-4102		Metallic Blue
2105-4108		White

Orders placed before 1pm ET ship SAME DAY! Custom LogoClips™ ship 5-8 days after proof approval. Shipping Weight: 1.38 lb. per 100 pieces (round); 1.54 lb. per 100 pieces (square).



2105-4102 2105-4008 2105-4001

BADGE REELS PAGES 34-42

Vinyl and Rigid Half-Card Holders

Swipe your card without removing from holder. Vinyl or rigid holder pouch covers only half the card, leaving the magnetic stripe exposed and easy to swipe through card readers. Holds one card securely. Made of .020" thick clear vinyl on front and back. Stretches slightly to grip card. **MOQ: 100 (504-HC1 and HC2) / 50 (1840-8000).**



Vinyl and Rigid Half-Card Holder Specifications	
Item #	Description
.020" Thick Clear Vinyl on Front and Back	
504-HC1	Vertical
504-HC2	Horizontal
Rigid, Frosted with Slot/Chain Holes	
1840-8000	Horizontal

Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 0.8 lb. per 100 pieces (504-HC1 and 504-HC2); 1.1 lb. per 50 pieces (1840-8000).



1840-8000 Credit Card Size
Inside: 3.38" x 1.40"
Outside: 3.63" x 2.14"
Standard Slot / Chain Holes

504-HC2 Credit Card Size
Inside: 3.15" x .61"
Outside: 3.40" x 1.50"
Standard Slot

504-HC1 Credit Card Size
Inside: 3.29" x .75"
Outside: 4.14" x 1.00"
Standard Slot

Note: products are not shown to scale.

SHIELDED BADGE HOLDERS



CardProtectors™ One-Card Open Face Rigid Shielded Holder

This rigid holder protects a smart card from unauthorized data theft known as “skimming” while still displaying the face of your card and allowing for easy removal. Semi-rigid ABS holder protects 13.56 MHz RFID technology smart cards including MIFARE, iClass, PIV, CAC, TWIC and FRAC cards. Card easily slides in and locks in place for a tight fit. Meets BAA (Buy America) and TAA (Trade Agreement) Acts. **MOQ: 50.**



1840-5092
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot / Chain Holes



1840-5091
Credit Card Size
Inside: 2.13" x 3.38"
Standard Slot / Chain Holes

One-Card Open Face Rigid Shielded Holder Specifications

Item #	Description	Color
1840-5091	Vertical / Horizontal	Black
1840-5092	Vertical / Horizontal	Blue

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 1.45 lb. per 50 pieces.

Note: products are not shown to scale.




CardProtectors™ Two-Card Rigid Shielded Holder

2-Card polycarbonate holder protects 13.56 MHz RFID technology smart cards including MIFARE, iClass, PIV, CAC, TWIC and FRAC cards. Thumb notches for easy card removal. Meets BAA (Buy America) and TAA (Trade Agreement) Acts. Slot Pull Strength: 89 lb. **MOQ: 50.**



Customizing Available



HOLDS
2 CARDS

1840-5081 or SH-2R
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot



Two-Card Rigid Shielded Holder Specifications

Item #	Description
1840-5081 or SH-2R	Vertical / Horizontal

Custom printed badge holders ship 5-8 days after proof approval.
Shipping Weight: 2.5 lb. per 50 pieces.



CardProtectors™ Shielded Sleeve

Protect credit and debit cards from ID theft. Lightweight, durable, water and tear resistant. Superior printing capabilities. **MOQ: 100 (500 for custom printed).**



Customizing Available



1840-5084
Credit Card Size
Inside: 2.13" x 3.38"
(Shown with custom imprint)



CardProtectors™ SHIELDED SLEEVES PROTECT CREDIT AND DEBIT CARDS FROM ID THEFT.

Shielded Sleeve Specifications

Item #	Description
1840-5084	Vertical / Horizontal

Unimprinted sleeves ship SAME DAY!
Shipping Weight: .40 lb. per 100 pieces.

Convertible Multi-Directional One-Card Holder

Convertible multi-directional card holder has a rotating clip which allows it to be used in a vertical or horizontal format. Semi-rigid polycarbonate material with slot/chain holes.
MOQ: 50.



1840-3012
Data / Credit Card Size
Inside: 3.38" x 2.13"
Rotating Clip

One-Card Open-Face Semi-Rigid Card Holder

Vertical or horizontal semi-rigid, open-face card holder with slot/chain holes and rails on all four sides. Made of ABS material
MOQ: 50.



1840-8111
Data / Credit Card Size
Inside: 3.38" x 2.13"
Standard Slot / Chain Holes



1840-8162
Data / Credit Card Size
Inside: 2.13" x 3.38"
Standard Slot / Chain Holes

LogoClips™
PAGE 47

Convertible Multi-Directional One-Card Holder Specifications

Item #	Description	Available Colors
1840-301_ or 804-TN-___	Vertical / Horizontal	Frosted (0), BLK - Black (1), RBLU - Royal Blue (2), WHT - White (8)

Orders placed before 1pm ET ship SAME DAY!
Shipping Weight: 1.35 lb. per 50 pieces.

WARNING This product can expose you to Bisphenol A (BPA), which is known in the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

HOLDER COLORS: Frosted Black Royal Blue White

One-Card Open-Face Semi-Rigid Holder Specifications

Item #	Description	Available Colors
1840-816_	Vertical	Frosted (0), Black (1), R. Blue (2), Green (4), Red (6), White (8)
1840-811_ or 806-T2-___	Horizontal	CLR - Clear/Frosted (0), BLK - Black (1), RBLU - Royal Blue (2)

Custom printed badge holders ship 5-8 days after proof approval.
Shipping Weight: 1 lb. per 50 pieces.

HOLDER COLORS: Frosted Black Royal Blue Green Red White

Rigid Two-Card Open Face Holder

This rigid holder is open-faced and holds up to two ID cards. It can be used horizontally or vertically. Made of ABS material. Made in Taiwan. **MOQ: 50.**



1840-3101
Credit Card Size
Inside: 3.38" x 2.13"
Standard Slots

CAN BE USED
VERTICALLY OR
HORIZONTALLY

Rigid Two-Card Open Face Holder Specifications

Item #	Description
1840-3101 or 826-TN-BLK	Horizontal / Vertical

Custom printed badge holders ship 5-8 days after proof approval.
Shipping Weight: 1 lb. per 50 pieces.

Note: products are not shown to scale.



PROXIMITY CARD HOLDERS

S-Series, Soft, Flexible Vinyl Proximity Card Holders

Don't lose your cards - lock them in. Made of soft, flexible vinyl with a thickness of .020" on the front and back. Can handle thicker and multiple cards without splitting. Slot goes through the front and back so a strap clip "locks in" card.

Orders placed before 1pm ET ship same day! Custom printed holders ship 5-8 days after proof approval. Shipping weight: 2.5 lb. per 100 pieces. **MOQ: 100.**

**Available in Anti-Print Transfer (imprint on ID won't stick to holder). To order anti-print transfer material, add a "J" to the stock numbers (Example: 504-NCSJ).*



Customizing Available



WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

LogoClips™
PAGE 47



504-NCS*
Credential / Event Size
Inside: 2.30" x 4.25"
Outside: 3.46" x 4.42"
Standard Slot



504-ES
Credential / Event Size
Inside: 2.50" x 3.75"
Outside: 2.80" x 4.42"
Standard Slot

INSERTING ATTACHMENT INTO SLOT HOLE PREVENTS ID CARD FROM FALLING OUT!

CARD IS "LOCKED IN" WHEN ATTACHMENT IS INSERTED!



SHOWN WITH CUSTOM IMPRINT ON HOLDER

1840-5015 or 504-CHS*
Data / Credit Card Size
Inside: 3.63" x 2.50"
Outside: 3.92" x 2.91"
Standard Slot



1840-5055
Data / Credit Card Size
Inside: 2.31" x 3.80"
Outside: 2.65" x 4.42"
Standard Slot



504-FS*
Event Size
Inside: 3.00" x 4.50"
Outside: 3.25" x 4.75"
Standard Slot

Note: products are not shown to scale.

100'S OF IN-STOCK **BADGE HOLDERS** AVAILABLE!

Heavy-Duty, Clear Vinyl Proximity Badge Holders

Clear vinyl, flexible proximity badge holders. Badge clip strap "locks in" card when attachment is inserted into slot/chain hole.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 3 lb. per 100 pieces. **MOQ: 100.**

**Available in Anti-Print Transfer (imprint on ID won't stick to holder). To order anti-print transfer material, add a "J" to the stock numbers (Example: 504-NCSJ).*



BADGE REELS
PAGE 34-42

LANYARDS
PAGES 4-24



1840-5017
Data / Credit Card Size
Inside: 3.60" x 2.38" / Outside: 3.91" x 3.06"
Standard Slot
Mil Thickness: .011" Front and .031" Back



1840-5060
Data / Credit Card Size
Inside: 2.50" x 3.63"
Outside: 2.82" x 4.53"
Standard Slot
Mil Thickness: .020" Front and Back

CARD IS "LOCKED IN" WHEN ATTACHMENT IS INSERTED!



1840-5000
Data / Credit Card Size
Inside: 3.50" x 2.25"
Outside: 3.80" x 3.00"
Standard Slot / Chain Holes
Mil Thickness: .020" Front and Back



504-QST
Data / Credit Card Size
Inside: 2.25" x 3.00"
Outside: 2.60" x 3.67"
Standard Slot
Mil Thickness: .020" Front and .030" Back



1840-5057 or 504-NCST*
Data / Credit Card Size
Inside: 2.38" x 3.75"
Outside: 2.75" x 4.38"
Standard Slot
Mil Thickness: .020" Front and .030" Back



504-CHST
Data / Credit Card Size
Inside: 3.63" x 2.50"
Outside: 3.92" x 2.91"
Standard Slot
Mil Thickness: .010" Front and Back



1840-5010
Data / Credit Card Size
Inside: 3.60" x 2.50"
Outside: 3.88" x 3.08"
Standard Slot
Mil Thickness: .016" Front and Back



504-EST
Data / Credit Card Size
Inside: 2.38" x 3.75"
Outside: 2.85" x 4.37"
Standard Slot
Mil Thickness: .008" Front and .030" Back



1840-5050
Data / Credit Card Size
Inside: 2.58" x 3.75"
Outside: 2.64" x 4.50"
Standard Slot
Mil Thickness: .020" Front and .030" Back

Note: products are not shown to scale.

Premium Vinyl Hang Holders

Easily attach to lanyards, reels or strap clips. Heavy-duty clear vinyl holders with reinforced edges. Front has .012" thick vinyl and back has .030" thick vinyl. Orders placed before 1pm ET ship same day!

Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2 lb. per 100 pieces; 2.5 lb. per 100 pieces (506-N2 & 506-T2 only). **MOQ: 100.**

**Available in Anti-Print Transfer (imprint on ID won't stick to holder). To order anti-print transfer material, add a "J" to the stock numbers (Example: 504-NCSJ).*



506-J
Convention Size
Inside: 4.00" x 3.00" / Outside: 4.32" x 4.00"
Standard Slot / Chain Holes



BADGE REELS
PAGE 34-42

506-T2
Data / Credit Card Size
Inside: 3.38" x 2.38"
Outside: 3.81" x 3.05"
Standard Slot / Chain Holes



506-N*
Data / Credit Card Size
Inside: 2.38" x 3.38"
Outside: 2.67" x 4.04"
Standard Slot / Chain Holes



506-N2
FEATURES
2 FULL-SIZED
POCKETS

506-N2
Data / Credit Card Size
Inside: 2.38" x 3.38"
Outside: 2.65" x 4.03"
Standard Slot / Chain Holes



506-T1*
Data / Credit Card Size
Inside: 3.38" x 2.38"
Outside: 3.83" x 3.06"
Standard Slot / Chain Holes

Badge Holders with Flap

Keep your ID clean and protected with this clear vinyl badge holder with tuck-in flap and slot/chain holes. Holders have .010" thick vinyl in front and back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 1 lb. per 100 pieces. **MOQ: 100.**



WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



FEATURES
TUCK-IN
POCKET

1840-1000
Data / Credit Card / Military Size
Inside: 3.40" x 2.40" / Outside: 3.60" x 2.60"
Side Load / Tuck-In Flap
Standard Slot / Chain Holes
(Shown with custom imprint)



1840-5150
Data / Credit Card Size
Inside: 2.63" x 3.87" / Outside: 3.00" x 4.88"
Top Load / Fold-Over Flap Closure
Standard Slot / Chain Holes



1815-1600
Credit Card Size
Inside: 3.38" x 2.13" / Outside: 4.27" x 3.05"
Horizontal and Vertical Slots

Multi-Directional Badge Holder

Features both vertical and horizontal slots- the perfect solution for facilities with both horizontal and vertical ID card styles. Flexible vinyl keeps the card safe from damage. Holder has .012" thick vinyl in front and .020" thick vinyl in back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 1.2 lb. per 100 pieces. **MOQ: 100.**

Note: products are not shown to scale.


Textured Back Vinyl Badge Holder

Our badge holders easily attach to any lanyard or badge reel. They feature a clear vinyl front and a textured orange peel back for easy card insertion. Holders have .010" thick vinyl in front and .030" thick vinyl in back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2 lb. per 100 pieces. **MOQ: 100.**




Customizing Available



1815-1100
Data / Credit Card Size
Inside: 2.38" x 3.38"
Outside: 2.60" x 4.06"
Standard Slot / Chain Holes
Mil Thickness: .020" Front



1815-1300
Government / Military Size
Inside: 2.80" x 4.00"
Outside: 3.18" x 4.80"
Standard Slot / Chain Holes
(Shown with custom imprint)



1815-1450
Event Size
Inside: 3.00" x 4.00"
Outside: 3.25" x 4.80"
Standard Slot / Chain Holes

LANYARDS
PAGES
4-24



1815-1000
Data / Credit Card Size
Inside: 3.30" x 2.50"
Outside: 3.60" x 3.05"
Standard Slot / Chain Holes



1815-1200
Government / Military Size
Inside: 4.00" x 2.85"
Outside: 4.30" x 3.56"
Standard Slot / Chain Holes



1815-1400
Event Size
Inside: 4.00" x 3.00"
Outside: 4.30" x 3.90"
Standard Slot / Chain Holes

PureClear™ Holders – PVC-Free, No Harmful Chemicals

These holders are BPA and phthalates-free and meet all the REACH (registration, evaluation, and authorization of chemicals) guidelines set by the European Union. Made of .016" thick, yet soft, flexible vinyl in front and back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2 lb. per 100 pieces. **MOQ: 100.**



Customizing Available

THIS PRODUCT IS MADE WITH EVA, WHICH CONTAINS LESS ENVIRONMENTALLY HAZARDOUS COMPOSITIONS THAN PVC.



1815-1124 or 106-N
Data / Credit Card Size
Inside: 2.38" x 3.38"
Outside: 2.55" x 4.05"
Standard Slot / Chain Holes



1815-1126 or 106-JL
Event Size
Inside: 3" x 4"
Outside: 3.26" x 4.80"
Standard Slot / Chain Holes

NATURALLY ANTI-PRINT TRANSFER DUE TO THE EVA MATERIAL!
(Imprint on ID won't stick to holder)



1815-1123 or 106-T1
Data / Credit Card Size
Inside: 3.38" x 2.38"
Outside: 3.66" x 3.03"
Standard Slot / Chain Holes



1815-1125 or 106-J
Event Size
Inside: 4" x 3" / Outside: 4.29" x 3.89"
Standard Slot / Chain Holes

Note: products are not shown to scale.

Clear Adhesive Vinyl Holders

Clear vinyl badge holders feature an adhesive back allowing the user to attach the badge horizontally or vertically and will hold most standard-size business cards. Holders have .009" thick vinyl in front and back. **MOQ: 100.**



CE-2P
Business Card Size
Inside: 3.38" x 2.13"
Outside: 3.63" x 2.63"
Adhesive Back

Clear Adhesive Vinyl Holder Specifications	
Item #	Description
CE-2P	Pressure-Sensitive Adhesive Back
Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1 lb. per 100 pieces.	



Water-Resistant Multi-Card Case

Made from a durable plastic that is water-resistant and keeps your ID and other valuables dry and out of the elements. Can hold up to 7 standard PVC 30 mil cards. **MOQ: 50.**



1840-9000
Data / Credit Card Size
Inside: 2.13" x 3.38"
Outside: 2.38" W x 3.75" H x 0.44" D
Adjustable Neck Cord

Water-Resistant Multi-Card Case Specifications	
Item #	Description
1840-9000 or WPH-1	Vertical / Cord Length: Up to 18"
Orders placed before 1pm ET ship SAME DAY! Custom printed holders available 5-8 days after proof approval. Shipping Weight: 3.5 lb. per 50 pieces.	

Adhesive Silicone Wallets

Up to 3 cards sit firmly in the holder and will not fall out no matter how hard you shake it! Fits most flat-backed smart phones. Perfect for everyday use such as holding your credit card, contactless hotel key, or driver's license. Imprint size is 2" x 2", 1- or 2-color printing available (if printing 2 colors, colors cannot touch). **MOQ: 100.**



1860-500_
Credit Card Size
Inside: 2.25" x 3.38" / Outside: 2.13" x 3.38"
3M Adhesive Back
(Shown with custom imprint)

Adhesive Silicone Wallet Specifications		
Item #	Description	Available Colors
1860-500_	Vertical	Black (1), Royal Blue (3), Red (6), White (8)
Orders placed before 1pm ET ship SAME DAY! Custom printed wallets ship 5-8 days after proof approval. Shipping Weight: 2.6 lb. per 100 pieces.		

IMPRINT COLORS: BLK PMS 300 PMS 348 PMS 108 PMS 186 WHT

Note: products are not shown to scale.

Resealable Holders

Keep out dirt and moisture with our clear vinyl badge holder with resealable closure and slot/chain holes. 1815-1010, 1815-1110 and 1815-1112 are made of rigid .020" Thick, clear vinyl on front and back.

506-ZS, 506-ZS-CLR, 506-ZHOS, 506-ZHOS-CLR, 506-ZHKR are made of soft, flexible .010" thick vinyl on front and .030" thick vinyl on back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2.8 lb. per 100 pieces. **MOQ: 100.**



WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



506-ZS
Data / Credit Card Size
Inside: 2.50" x 3.63"
Outside: 3.00" x 4.75"
Standard Slot / Chain Holes
(Shown with custom imprint)



506-ZS-CLR
Data / Credit Card Size
Inside: 2.40" x 3.60"
Outside: 3.00" x 4.88"
Standard Slot / Chain Holes



506-ZNS
Data / Credit Card Size
Inside: 2.38" x 3.13"
Outside: 2.68" x 4.43"
Standard Slot / Chain Holes



1815-1112
Event Size
Inside: 3.75" x 6.25" / Outside: 4.25" x 8.25"
Standard Slot / Chain Holes



1815-1010
Data / Credit Card Size
Inside: 3.63" x 2.75"
Outside: 4.25" x 3.70"
Standard Slot / Chain Holes



506-ZHKR
Data / Credit Card Size
Inside: 3.63" x 2.38" / Outside: 4" x 3"
Key Ring



OUR RESEALABLE HOLDERS ARE WATER RESISTANT!

506-ZHOS
Data / Credit Card Size
Inside: 3.63" x 2.50"
Outside: 4.13" x 3.62"
Standard Slot / Chain Holes



506-ZHOS-CLR
Data / Credit Card Size
Inside: 3.63" x 2.50"
Outside: 4.13" x 3.62"
Standard Slot / Chain Holes



1815-1110
Data/Credit Card Size
Inside: 2.38" x 3.88"
Outside: 3.00" x 4.95"
Standard Slot / Chain Holes
(Shown with custom imprint)

Note: products are not shown to scale.

COLORED HOLDERS

Color-Coded Vinyl Badge Holders

Quickly identify your employees by color of badge holder. Horizontal or vertical format. Clear vinyl pocket with top color bar with slot/chain holes. Holders have a mil thickness of .009" in front and back. **MOQ: 100.**



Customizing Available

Color-Coded Vinyl Badge Holder Specifications

Item #	Description	Available Colors
1820-105_	Vertical	Clear (0), Black (1), Blue (2), Green (4), Orange (5), Red (6), White (8), Yellow (9)
406-T-____ or 1820-100_	Horizontal	CLR - Clear (0), BLK - Black (1), RBLU - Blue (2), GRN - Green (4), ORG - Orange (5), RED - Red (6), WHT - White (8), YLW - Yellow (9)
406-J-____	Horizontal	CLR - Clear, BLK - Black, RBLU - Royal, GRN - Green, RED - Red, WHT - White
1820-110_	Horizontal	Clear (0), Black (1), Blue (2), Green (4), Red (6), Yellow (9)
1820-120_	Horizontal	Clear (0), Black (1), Blue (2), Green (4), Orange (5), Red (6), White (8), Yellow (9)

Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1.9 lb. per 100 pieces.



WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

LANYARDS
PAGES
4-24



1820-1050
Data / Credit Card Size
Inside: 2.44" x 3.50"
Outside: 2.66" x 4.25"
Standard Slot / Chain Holes



406-T-RBLU or 1820-1002
Data / Credit Card Size
Inside: 3.75" x 2.63"
Outside: 4.07" x 3.50"
Standard Slot / Chain Holes



1820-1101
Government / Military Size
Inside: 3.81" x 2.63"
Outside: 4.09" x 3.5"
Standard Slot / Chain Holes



406-J-RED
Event Size
Inside: 4.00" x 3.00" / Outside: 4.25" x 3.96"
Standard Slot / Chain Holes



1820-1204
Extra Large Size
Inside: 4.37" x 3.63"
Outside: 4.76" x 4.49"
Standard Slot / Chain Holes

Two-Pocket Vinyl Event Credential Holders

Display your badge and carry personal items in a single holder! This versatile badge holder features double pockets. The large pocket in the back can hold other small items; an added convenience for meeting and event attendees. **MOQ: 100.**



Customizing Available

Two-Pocket Vinyl Event Credential Holder Specifications

Item #	Description	Available Colors
1860-400_	Vertical	Clear (0), Black (1), Blue (3), Red (6)

Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 2.7 lb. per 100 pieces.



WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

HOLDER COLORS: Clear Black Blue Red

Note: products are not shown to scale.

FEATURES
DOUBLE
POCKETS



1860-4003
Credential/Event Size
Large Pocket Inside: 4.12" x 4.75"
Small Pocket Inside: 4" x 3"
Outside: 4.44" x 5.25"
Standard Slot / Chain Holes

Color-Back Vinyl Badge Holders

Horizontal vinyl color-back badge holder. Color code groups for quick identification. Top load with slot and chain holes. Holders have a mil thickness of .009" in front and back. **MOQ: 100.**



Color-Back Vinyl Holder Specifications		
Item #	Description	Available Colors
1820-200_	Horizontal	Black (1), Blue (2), Green (4), Orange (5), Red (6), White (8), Yellow (9)
Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 2 lb. per 100 pieces.		
WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov		



Vinyl Holder with Translucent Bar

Perfect for showcasing a badge with a title at the bottom or adding a custom-printed title right on the holder. **MOQ: 100.**



304-CB-___
Event Size
 Inside: 4.00" x 3.00"
 Outside: 4.35" x 3.38"
 Max Imprint Size: 2.60" x 2.25"
 Standard Slot / Chain Holes

Vinyl Holder with Translucent Bar Specifications		
Item #	Description	Available Colors
304-CB-___	Horizontal	Purple (PUR), Blue (BLU), Green (GRN), Yellow (YLW), Orange (ORG), Red (RED)
Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1.30 lb. per 100 pieces.		



COLOR CODE BY DEPARTMENT OR FUNCTION

1820-2006
Data / Credit Card Size
 Inside: 3.50" x 2.13"
 Outside: 3.75" x 3.00"
 Standard Slot / Chain Holes

Color Frame Vinyl Badge Holder

Vertical color frame vinyl badge holder with slot/chain holes. Front and back have .010" thick vinyl. **MOQ: 100.**



1820-3002
Data / Credit Card Size
 Inside: 2.25" x 3.44"
 Outside: 2.96" x 4.35"
 Standard Slot / Chain Holes

Color Frame Vinyl Holder Specifications		
Item #	Description	Available Colors
407-N-___ or 1820-300_	Vertical	BLK (1), RBLU (2), GRN (4), ORG (5), RED (6), WHT (8), YLW (9)
Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 2 lb. per 100 pieces.		
WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov		



Note: products are not shown to scale.

Vinyl Event Holders

Multiple slot holes ensure your ID is always facing forward. Economy grade holders are great for short-term use at conventions, concerts, sporting venues or other events. Protect and display tickets, passes or other large credentials. Flexible vinyl keeps your credential safe from dirt, water, and other damage. Holders have a mil thickness of .010" in front and .030" in back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2 lb. per 100 pieces. **MOQ: 100.**



1815-1401
Horizontal
 Inside: 4.00" x 3.00"
 Outside: 4.30" x 3.90"
 2 Slot Holes

EVENT LANYARDS
 SEE PAGE 6

1840-1625
Vertical
 Inside: 4.21" x 6.00"
 Outside: 4.41" x 6.16"
 3 Slot Holes

1840-1615
Horizontal
 Inside: 6.00" x 4.00"
 Outside: 6.38" x 4.65"
 3 Slot Holes
 (Shown with custom imprint)

PRESS
 JOHN MILLER
 ID NO : 00 11 22
 Sector : Design
 Expire Date : 01-01-2028

June 24th - 25th

webscience
Annual Tradeshow

 Paul Baker
 Booth 345

1815-1451
Vertical
 Inside: 3.00" x 4.00"
 Outside: 3.25" x 4.80"
 2 Slot Holes

1840-1618
Horizontal
 Inside: 4.25" x 3.75"
 Outside: 4.57" x 4.49"
 3 Slot Holes

EXHIBITOR

 INTERNATIONAL CONFERENCE
 MAY 20-22
 RYAN HUBERMAN

1840-1611
Horizontal
 Inside: 3.00" W x 3.00" H
 Outside: 3.25" x 3.69"
 3 Slot Holes

1840-1612
Horizontal
 Inside: 4.00" x 4.00"
 Outside: 4.31" x 4.69"
 3 Slot Holes


TWIST-FREE
 MULTIPLE SLOTS
 HELP KEEP YOUR
 BADGE FACING
 FORWARD

Event Badge Holder Inserts


8.5" x 11" sheets of perforated printable inserts. 50 sheets per package.

Event Badge Holder Insert Specifications			
Item #	Size	Description	Use With
3934-0200	4.25" x 3.75"	4-up, 200 badges total	1840-1618
3934-0300	4.00" x 6.00"	2-up, 100 badges total	1840-1615 1840-1625

Orders placed before 1pm ET ship SAME DAY!
 Shipping Weight: 1.3 lb. per 50 pieces.



3934-0200



3934-0300

Note: products are not shown to scale.

Event-Size Holders

Perfect for holding a sports ticket, backstage pass, VIP credentials and more. Great for large events!

Custom printed badge holders ship 5-8 days after proof approval.

Shipping weight: 5 lb. per 100 pieces (1840-1600);
3 lb. per 100 pieces (1840-1605 & 1840-1610);
2 lb. per 100 pieces (1840-1700).

MOQ: 100.



FRONT AND BACK POCKETS



1840-1610
Event Size
Inside: 3.00" x 4.25"
Outside: 3.25" x 5.31"
Standard Slot
Front and Back Pockets
Mil Thickness: .010" Front and .016" Back



NEED A LANYARD?
PAGES 4-24

BADGE REELS
PAGE 34-42



TUCK IN FLAP



1840-1605
Event Size
Inside: 3.50" x 5.50"
Outside: 3.90" x 7.80"
Standard Slot / Chain Holes
Tuck-In Flap
Mil Thickness: .010" Front and .016" Back
(Shown with custom imprint)

TUCK IN FLAP



1840-1600
Event Size
Inside: 3.75" x 7.50"
Outside: 4.12" x 8.63"
Standard Slot / Chain Holes
Tuck-In Flap
Mil Thickness: .010" Front and .016" Back
(Shown with custom imprint)



1840-1700
Large Special Event Size
Inside: 4.13" x 8.13" / Outside: 4.44" x 9.00"
Standard Slot / Chain Holes
Mil Thickness: .015" Front and Back

Note: products are not shown to scale.

Economy Grade Badge Holders


Holders are designed for short-term use at conventions, meetings, sporting venues, concerts or other special events. Mil thickness is .010" front and back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 1.9 lb. per 100 (304-JH); 2.4 lb. per 100 (306-357, 306-46, 306-4755); 3.4 lb. per 100 (306-2P46, 306-4258).
MOQ: 100.



**TWO
POCKETS**

306-2P46
Large Special Event Size
Inside: Top pocket: 3.75" x 1.88"
Bottom Pocket: 3.75" x 5.30"
Outside: Overall 4.00" x 6.00"
 Two Pockets
 Standard Slot / Chain Holes



**DESIGNED
FOR
SHORT-TERM
USE**

306-4755
Credential/Event Size
Inside: 4.50" x 5.00"
Outside: 4.75" x 5.75"
 Standard Slot / Chain Holes

**LANYARDS
PAGES
4-24**



304-T1H
Credit Card / Business Card Size
Inside: 3.63" x 2.38"
Outside: 3.80" x 2.63"
 Standard Slot / Chain Holes



304-JH
Convention Size
Inside: 4.00" x 3.00"
Outside: 4.35" x 3.38"
 Standard Slot / Chain Holes



306-46
Credential/Event Size
Inside: 3.31" x 5.06" / Outside: 4.00" x 6.00"
 Standard Slot / Chain Holes



306-357
Credential/Event Size
Inside: 3.25" x 6.25" / Outside: 3.50" x 7.00"
 Standard Slot / Chain Holes



306-4258
Large Special Event Size
One Pocket
Inside: 4.00" x 7.38"
Outside: 4.25" x 8.00"
 Standard Slot / Chain Holes
 (Shown with custom imprint)


Note: products are not shown to scale.

Premium-Grade Vinyl Badge Holders

Perfect for holding a special event ticket or a large credential. These durable vinyl holders have welded edges and chain/slot holes.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 5.5 lb. per 100 pieces. **MOQ: 100.**

 **Customizing Available**


 **WARNING** This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov




PRE-PRINTED LANYARDS PAGE 22



506-46
Credential/Event
Inside: 3.63" x 5.50"
Outside: 4.00" x 6.18"
 Standard Slot / Chain Holes
 Mil Thickness: .008" Front and .030" Back



506-35875
Credential/Event Size
Inside: 3.00" x 8.00" / Outside: 3.50" x 8.75"
 Standard Slot / Chain Holes
 Mil Thickness: .008" Front and .030" Back



506-4258
Credential/Event Size
Inside: 4.00" x 7.50"
Outside: 4.25" x 8.00"
 Standard Slot / Chain Holes
 Mil Thickness: .008" Front and .030" Back
 (Shown with custom imprint)



1840-5052
Credential/Event Size
Business Card Slot Inside: 3.75" x 2.00"
Name Badge Slot Inside: 3.75" x 7.25"
Outside: 4.00" x 8.00"
 Standard Slot / Chain Holes
 Mil Thickness: .010" Front and .020" Back



506-456
Credential/Event Size
Inside: 4.00" x 6.00"
Outside: 4.25" x 6.75"
 Standard Slot / Chain Holes
 Mil Thickness: 10 mil clear Front and 20 mil matte Back

Note: products are not shown to scale.

CLIP-ON BADGE HOLDERS

Clothing-Friendly™ Vinyl Badge Holders

Now featured on a variety of badge holders, our patented Brady Clothing-Friendly™ clip will stay securely fastened without crimping or damaging clothing. Also available as a strap clip, this new design allows badge holders to be left on all day without the need to worry about wrinkles or tears, making it ideal for conventions, large meetings or other events.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2.6 lb. per 100 pieces; 3.1 lb. per 100 pieces (504-T1LB only). **MOQ: 100.**



Customizing Available



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



Clip Detail Front View



Clip Detail Side View

PATENTED CLIP
WILL NOT DAMAGE CLOTHING



1809-1200
Data/Credit Card Size
Inside: 2.38" x 3.50"
Outside: 2.63" x 3.92"
NPS Brady Clothing-Friendly Clip
Mil Thickness: .010" Clear Front and .030" Orange Peel Back



1809-1000
Credit Card Size
Inside: 3.50" x 2.30" / Outside: 3.81" x 2.75"
NPS Brady Clothing-Friendly Clip
Mil Thickness: .010" Clear Front and .030" Orange Peel Back



504-T1LB
Credential/Event Size
Inside: 3.45" x 2.25" (Top Pocket)
3.45" x .50" (Bottom Pocket)
Outside: 3.83" x 3.40"
NPS Brady Clothing-Friendly Clip
Mil Thickness: .012" Front and .030" Back



304-BC
Credential/Event Size
Inside: 4.00" x 3.00"
Outside: 4.25" x 3.13"
NPS Brady Clothing-Friendly Clip / Chain Holes
Mil Thickness: .012" Front and .030" Back

Clear Vinyl Clip-On Badge Holders

Clear vinyl holders attach easily to clothing with a rotating bulldog clip. Front has .010" thick vinyl; back has .030" thick vinyl.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2.4 lb. per 100 pieces. **MOQ: 100.**


†Textured Back for easy card insertion.




Customizing Available



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



Back Side



1810-1100 †
Data/Credit Card Size
Inside: 3.50" x 2.30" / Outside: 3.84" x 2.63"
2-Hole Clip / Horizontal Side Load



1810-1000 †
Data/Credit Card Size
Inside: 3.50" x 2.30" / Outside: 3.81" x 2.75"
2-Hole Clip / Horizontal Top Load



1810-1200 †
Data/Credit Card Size
Inside: 2.38" x 3.50"
Outside: 2.63" x 3.92"
2-Hole Clip / Vertical Top Load



1810-1400
Credential/Event Size
Inside: 3.13" x 3.75"
Outside: 3.30" x 4.30"
2-Hole Clip / Vertical Top Load




1810-1300
Data/Credit Card Size
Inside: 3.94" x 3.03" / Outside: 4.18" x 3.40"
2-Hole Clip / Horizontal Top Load


Note: products are not shown to scale.

Clip-On Badge Holders

Economy Grade Badge Holders are designed for short-term use at conventions and meetings.

Orders placed before 1pm ET ship same day!
Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 1.7 lb. per 100 pieces (304-T1C); 2.1 lb. per 100 pieces (304-JC). **MOQ: 100.**

 **WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



304-T1C
Credit / Business Card Size
Inside: 3.63" x 2.38" / Outside: 3.80" x 2.63"
Clip-On




304-JC
Convention Size
Inside: 4.00" x 3.00" / Outside: 4.25" x 3.13"
Clip-On

Vinyl Badge Holders with Attachment Holes

There are multiple ways you can attach your ID. Holders have a mil thickness of .01" on front and back.

Orders placed before 1pm ET ship same day!
Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2 lb. per 100 pieces; 2.9 lb. per 100 pieces (1815-1405 only). **MOQ: 100.**

 **WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



1815-1405
Name Badge Size
Inside: 4" x 3"
Outside: 4.13" x 3.88"
2-Hole Clip & Slot / Chain Holes



1815-1455
Name Badge Size
Inside: 3" x 4" / Outside: 3.14" x 4.81"
2-Hole Clip and Slot / Chain Holes




1817-1000
Name Badge Size
Inside: 4" x 3"
Outside: 4.33" x 3.35"
Pin / Clip Combo & Attachment Holes

Clip-On Premium Vinyl Badge Holders

Easily attaches to clothing with the rotating bulldog badge clip. Front has .010" thick vinyl and back has .030" thick vinyl with reinforced edges.

Orders placed before 1pm ET ship same day!
Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 2.4 lb. per 100 pieces. **MOQ: 100.**

**Available in Anti-Print Transfer (imprint on ID won't stick to holder). To order anti-print transfer material, add a "J" to the stock numbers (Example: 504-NCSJ).*

 **WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



Note: products are not shown to scale.



504-N
Credential/Event Size
Inside: 2.50" x 3.50"
Outside: 2.66" x 3.68"
1-Hole Clip



Back Side



504-T1*
Credit/Business Card
Inside: 3.40" x 2.25" / Outside: 3.88" x 2.37"
Clip-On Badge



504-J
Credential/Event Size
Inside: 4.00" x 3.00"
Outside: 4.30" x 3.43"
1-Hole Clip

All-In-One Name Tag Holders

Preassembled color-bar badge holders with 36" braided-cord necklace and black plastic cord lock. Coordinated colors (as shown), no mix and match. Inserts sold separately. **MOQ: 100.**




All-In-One Name Tag Holder Specifications		
Item #	Description	Available Colors
1860-280_	Small / Horizontal	Black (1), Royal Blue (2), Green (04), Orange (5), Red (6), White (8), Yellow (9)
1860-290_	Large / Horizontal	Black (1), Royal Blue (2), Green (4), Orange (5), Red (6), White (8), Yellow (9)
1860-270_	Vertical Name Tag Holder	Black (1), Royal Blue (2), Green (4), Orange (5), Red (6), Yellow (9)

Orders placed before 1pm ET ship SAME DAY!
 Custom printed badge holders ship 5-8 days after proof approval.
 Shipping Weight: 2.9 lb. per 100 pieces (1860-280_); 4 lb. per 100 pieces (1860-290_).

WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

HOLDER COLORS: BLK RBLU GRN ORG RED WHT YLW



1860-2706
 Vertical - Event Size
 Inside: 2.44" x 3.50"
 Outside: 2.66" x 4.25"
 Braided-Cord Necklace



1860-2909 (above)
 Large - Event Size
 Inside: 4.38" x 3.75"
 Outside: 4.70" x 4.50"
 Braided-Cord Necklace



1860-2802 (left)
 Small - Credit Card Size
 Inside: 3.85" x 2.68"
 Outside: 4.10" x 3.50"
 Braided-Cord Necklace

**SAVE TIME...
 WITH THE ALL-IN-ONE
 LANYARD/BADGE HOLDER COMBO**


Laser Printer Paper Inserts

LZ-6 inserts for small name tag holders are in packs of 50 and tear out into eight inserts per sheet (400 total). **MOQ: 1 Pack.**


LZ-8 inserts for large name tag holders are in packs of 60 sheets and tear out into six inserts per sheet (360 total). **MOQ: 1 Pack.**

Laser Printer Paper Insert Specifications		
Item #	Size	Description
LZ-6	3.50" W x 2.25" H	Small / Horizontal
LZ-8	3.00" W x 4.00" H	Event / Horizontal

Orders placed before 1pm ET ship SAME DAY!
 MOQ: 1 pack. Shipping Weight: 1.08 lb. per pack.



LZ-6




LZ-8

Note: products are not shown to scale.

Heavy-Duty Vinyl Display Holders with Bulldog Clip

These clip-on badge holders with reinforced edges are made to last. Holders easily attach to clothing with a rotating bulldog clip. The area at the bottom is perfect for custom imprints or a pre-printed insert strip can be easily added. Made of premium heavy-duty vinyl — .012" thick vinyl on the front and .030" thick vinyl on the back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 3.1 lb. per 100 pieces; 4.1 lb. per 100 pieces (504-JL). **MOQ: 100.**

 **WARNING** This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

 Customizing Available



504-T1L
Credit/Business Card Size
Inside: 3.45" x 2.25" (Top Pocket)
3.45" x .50" (Bottom Pocket)
Outside: 3.83" x 3.40"
Badge/Display Combination
(Inserts are not available for sale)



504-JL
Convention Size
Inside: 4.00" x 3.00" (Top pocket)
4.00" x 0.75" (Bottom Pocket)
Outside: 4.32" x 4.45"
Badge/Display Combination
(Shown with custom imprint)



504-NITT
Credit/Business Card Size
Inside: 2.25" x 3.38" (Top Pocket)
2.25" x 0.63" (Bottom Pocket)
Outside: 2.63" x 4.50"
Badge/Display Combination
(Shown with custom imprint)

Premium Vinyl Display Holders with Slot

These flexible vinyl badge holders are perfect for large meetings, conventions and more. Reinforced edges make this a durable, tear-resistant solution. It will display and protect a standard credit card-sized card and features an extra space at the bottom which can be used with an paper insert or pre-printed with a custom graphics or text. Mil thickness is 0.012" in front and 0.030" in back.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 1.4 lb. per 100 pieces. **MOQ: 100.**

 Customizing Available



504-T1LS
Credit/Business Card Size
Inside: 3.45" x 2.25" (Top Pocket)
3.45" x 0.50" (Bottom Pocket)
Outside: 3.83" x 3.40"
Standard Slot
(Inserts are not available for sale)




504-NITTS
Credit/Business Card Size
Inside: 2.25" x 3.38" (Top Pocket)
2.25" x 0.63" (Bottom Pocket)
Outside: 2.63" x 4.50"
Standard Slot
(Shown with custom imprint)

Acetate Holder with Magnet

Easily attach this badge holder, without damaging your clothes. Acetate holder accommodates a 4" x 3" insert size which is perfect for meetings and events.

Orders placed before 1pm ET ship same day! Custom printed badge holders ship 5-8 days after proof approval. Shipping weight: 3.4 lb. per 100 pieces. **MOQ: 100.**

 **WARNING** This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

 Customizing Available



304-MAG
Meeting & Event Size
Inside: 4" x 3"
Outside: 4.33" x 3.35"
Magnet

Note: products are not shown to scale.


VEHICLE ID & ARM BAND HOLDERS

Vehicle ID Holders

Your parking pass or ID is always handy! Display your ID card or parking pass easily from your rear view mirror. Made of .020" thick clear vinyl on front & back. **MOQ: 100.**

Vehicle ID Holder Specifications	
Item #	Description
1840-3600 or VM-1	Vertical, standard-sized cut-out
1840-3650 or VM-3H	Horizontal, standard-sized cut-out
1840-3500	Vertical, larger-sized cut-out
1840-3550	Horizontal, larger-sized cut-out
Orders placed before 1pm ET ship SAME DAY!	
Shipping Weight: 2.6 lb. per 100 pieces.	

**KEEP YOUR PARKING PASS OR ID
VISIBLE AT ALL TIMES!**



1840-3550
Data / Credit Card Size
Inside: 3.75" x 2.00"
Outside: 5.25" x 4.25"
Rear View Mirror Hanger

1840-3500
Data / Credit Card Size
Inside: 2.63" x 3.00"
Outside: 3.00" x 6.69"
Rear View Mirror Hanger



Neon Orange Arm Band Badge Holder

Add extra safety with our reflective and photoluminescent arm band badge holders. Interchangeable adjustable elastic arm band strap sold separately. Ideal for airports. **MOQ: 100.**



Neon Orange Arm Band Badge Holder Specifications	
Item #	Description
Arm Band Badge Holders	
1840-7321	Vertical - Reflective Neon Orange
	WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Arm Band Strap - Adjustable Range 6.50"-10.50"	
2145-2013	Anti-Microbial - Neon Orange
	WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov
Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 2.8 lb. per 100 pieces.	



VM-3H
Data / Credit Card Size
Inside: 3.75" x 2.00" / Outside: 4.19" x 3.90"
Rear View Mirror Hanger

STRAP SOLD SEPARATELY

1840-7321
Data / Credit Card Size
Inside: 2.00" x 3.50"
Outside: 5.00" x 4.30"
Arm Band Strap
(Strap not included)



Horizontal Arm Band Badge Holder

Clear vinyl heavy-duty construction arm band badge holder. Made with .030" thick vinyl on front and back, with "orange peel" texture. Straps are sold separately. **MOQ: 100.**



Horizontal Arm Band Badge Holder Specifications	
Item #	Description
Arm Band Badge Holders	
1840-7000	Horizontal
1840-7010	Vertical
Arm Band Straps - Adjustable Range 6.50"-10.50"	
1840-720_	Black (1), Royal Blue (2), Navy Blue (3), Green (4), Red (6), White (8)
Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 4.8 lb. per 100 pieces (1840-7000 & 1840-7010); 3.4 lb. per 100 pieces (1840-720_).	
	WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



1840-7000
Data / Credit Card Size
Inside: 3.62" x 2.62"
Outside: 6.00" x 3.50" (Horizontal)
5.00" x 4.30" (Vertical)
Arm Band Strap
(Strap not included)

STRAP SOLD SEPARATELY



Note: products are not shown to scale.

METAL FREE!

Vertical Arm Band Badge Holders with Strap

Won't slip off clothing or get lost. Easily adjust strap with one hand without removing. Arm band flexes with arm movements. Made of .020" thick vinyl on front and .030" thick vinyl on back. Strap included. **MOQ: 25.**



Vertical Arm Band Badge Holder Specifications

Item #	Description
Arm Band Badge Holders	
504-ARNB	Vertical - Navy Blue Strap
504-ARNW	Vertical - White Strap
Arm Band Badge Holders with Zipper Closure	
504-ARZB	Vertical - Navy Blue Strap
504-ARZW	Vertical - White Strap
Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1.4 lb. per 25 pieces.	



504-ARNB
Data / Credit Card Size
Inside: 2.38" x 3.38"
Outside: 4.00" x 4.25"
Arm Band Strap

504-ARNW
Data / Credit Card Size
Inside: 2.38" x 3.38"
Outside: 4.00" x 4.25"
Arm Band Strap

504-ARZB
Data / Credit Card Size
Inside: 2.38" x 3.38"
Outside: 4.00" x 4.25"
Arm Band Strap

HealthCare
ELLEN DANIELS
NURSE

504-ARZW
Data / Credit Card Size
Inside: 2.38" x 3.38"
Outside: 4.00" x 4.25"
Arm Band Strap

Reflective Arm Band Badge Holders with Strap

Reflective vinyl material provides extra visibility at night or in low light. Comfortable elastic arm band keeps badge secure and out of the way. Ideal for industrial facilities or nighttime events. **MOQ: 25.**



Reflective Arm Band Badge Holder Specifications

Item #	Description
R504-ARNO	Vertical - Reflective Orange
R504-ARNR	Vertical - Reflective Red
R504-ARNY	Vertical - Reflective Yellow
Orders placed before 1pm ET ship SAME DAY! Custom printed badge holders ship 5-8 days after proof approval. Shipping Weight: 1.4 lb. per 25 pieces.	
<p>WARNING This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov</p>	



R504-ARNO
Data / Credit Card Size
Inside: 2.38" x 3.38"
Outside: 2.45" x 4.40"
Arm Band Strap

R504-ARNY
Data / Credit Card Size
Inside: 2.38" x 3.38"
Outside: 2.45" x 4.40"
Arm Band Strap

EMERGENCY MEDICAL CARE
FIRST RESPONDER
COUNTY OF ROCKMORE
Mark Holmdel
ID: 3335690

R504-ARNR
Data / Credit Card Size
Inside: 2.38" x 3.38"
Outside: 2.45" x 4.40"
Arm Band Strap

IDEAL FOR INDUSTRIAL FACILITIES OR NIGHTTIME EVENTS.

Note: products are not shown to scale.

DigiLine NAME BADGES

DigiLine Name Badges

These eye-catching badges are perfect for use as employee badges at big box stores, hotels, car rental facilities and other retail settings. DigiLine badges allow for a full-color logo and up to two lines of text, perfect for an employee's name and title.

A VARIETY OF OPTIONS - Badges are available in three sizes, three colors, two materials, and with two different attachments.

PROFESSIONAL LOOK - Each DigiLine name badge is customized using our TRUECOLOR digital print process, providing sharp detail and vibrant colors. Badges are coated in a dome layer of clear resin for both protection from damage and for added professionalism.

LOW MOQ - Unlike ID cards, DigiLine name badges can be ordered in small quantities, including batches of 25, 10, or even a single badge.



DIGILINE2X3
PVC - Silver



DIGILINE2X3-MT
Metal - Gold



DIGILINE15X3-MT
Metal - Silver



DIGILINE15X3
PVC - Gold



Backside of Badge with
Magnet Fastener



Backside of Badge with
Pin Fastener



DIGILINE1X3
PVC - White

DIGILINE BADGES

PVC BADGE COLORS




METAL BADGE COLORS



IMPRINT COLORS



FASTENER OPTIONS



Magnet

Pin

Note: products are not shown to scale.

PVC or Metal DigiLine Badge Specifications

Item #	Badge Size (W x H)	Fastener Style
PVC Badges		
DIGILINE1X3	3.00" x 1.00"	Pin Magnet
DIGILINE15X3	3.00" x 1.50"	Pin Magnet
DIGILINE2X3	3.00" x 2.00"	Pin Magnet
Metal Badges		
DIGILINE1X3-MT	3.00" x 1.00"	Pin Magnet
DIGILINE15X3-MT	3.00" x 1.50"	Pin Magnet
DIGILINE2X3-MT	3.00" x 2.00"	Pin Magnet

Production time is 8-10 business days after proof approval.

WARNING: This product can expose you to Nickel, which is known in the state of California to cause cancer. For more information go to www.P65Warnings.ca.gov

CAN BE ORDERED IN SMALL QUANTITIES
INCLUDING BATCHES OF 25, 10, OR EVEN A SINGLE BADGE!

DigiLine Name Badge Printing Guidelines

An Excel spreadsheet containing the variable data must be submitted with all orders. The data on the spreadsheet needs to be clean and accurate as this file is what will be used to print the badges; we do not review for errors/typos.

- Each row of text that you want printed on the badge needs to be in one column (i.e. column A = John Alberston and column B = General Manager). No need to provide column headers.
- All data must be supplied in the appropriate case desired (i.e. JOHN ALBERSTON or John Alberston).
- Font style and size can vary for each row of text (i.e. first row is Times New Roman Bold 18 pt, second row is Times New Roman Italic 14 pt). This will be consistent on all badges unless requested. Please note that a new set-up fee will apply for each change.
- Please note that we only proof 2-3 badges, usually the shortest and longest names and titles. We do not proof all badges.

An order can be as little as one badge, but it must follow the excel guidelines.

Artwork must be in an .AI or .EPS format.

The artwork will be digitally printed using CMYK color breakdown. We can not Pantone/spot color match, so color match will be approximate.

Badges include a dome finish, unless otherwise requested.

Exact reorders will not receive a new proof and a set-up fee will not apply.



**VARIABLE
PRINTING**
GREAT FOR
RETAILERS!



TIMES
NEW ROMAN
BOLD
18PT



TIMES
NEW ROMAN
ITALIC
14PT

DIGILINE2X3
PVC - Gold

Note: products are not shown to scale.

PERMANENT Xpress EVENT BADGES




BG-GT240
Small 2.5" x 4"
with 1 Slot

Front

Back

Back



BG-GT60
Jumbo 4" x 6"
with 2 Slots

Front



FEATURES A
CLEAR
ADHESIVE
POUCH

BG-GT460-P
Mega 4.5" x 6"
with Clear
Adhesive Pouch

Permanent Xpress Event Badges

Perfect for your next event or conference. These high-quality, double-sided, laminated badges have extra space for maps or QR codes. Each Xpress Event Badge can be digitally printed in full-color and individually personalized with variable text. Available in 5 different sizes. Badges are made of .030 thick plastic.

Many custom options available:

- Variable data
- Round hole punch(es) (1 or 2)
- Maps & QR codes
- Slot hole punch(es) (1 or 2)

PERMANENT XPRESS EVENT BADGES

IMPRINT COLORS



SEE PAGES
6-8
FOR CUSTOM
EVENT
LANYARDS

Permanent Xpress Event Badge Specifications

Item #	Description	MOQ
Round - 4" Diameter		
BG-40R	4-Color Front / Blank Back	100
	4-Color Front & Back	
Small - 2.5" x 4"		
BG-GT240	4-Color Front / Blank Back	100
	4-Color Front & Back	
Standard - 3" x 4"		
BG-GT40	4-Color Front / Blank Back	100
	4-Color Front & Back	
Large - 3" x 5"		
BG-GT50	4-Color Front / Blank Back	100
	4-Color Front & Back	
Jumbo - 4" x 6"		
BG-GT60	4-Color Front / Blank Back	100
	4-Color Front & Back	
BG-GT460-P	4-Color Front / Blank Back, 4" x 3" Adhesive Pouch	100
	4-Color Front & Back, 4" x 3" Adhesive Pouch	

Production time is 12-15 business days after proof approval.

Note: products are not shown to scale.

MANY MORE TITLES AVAILABLE!

Standard Badge Buddies

Get instant role recognition at a glance. Badge Buddies™ help identify a person by their job title. Simply place the Badge Buddy behind your existing ID card and clip into place with your lanyard or badge reel for immediate use. Choose from popular styles, or customize your badges to compliment any unique work environment. Modify color coding systems, CPR instructions, RACE notices, etc.

VERTICAL OR HORIZONTAL – Perfect complement to your existing ID program

FULLY-LAMINATED – Durable material will stand up to everyday wear and tear

DUAL-SIDED PRINT – Title remains visible even if the badge flips over

Badge Buddies Specifications			
Item #	Color & Text	Thickness	MOQ
Standard Badge Buddies - Horizontal Format 3 3/32" x 3 3/8"			
BBC-RN	PMS 293 Blue - RN	30mm*	25
BBC-LPN	PMS 355 Green - LPN		
BBC-DOCTOR	PMS 166 Orange - DOCTOR		
BBC-CNA	PMS 129 Yellow - CNA		
BBC-VOLUNTEER	PMS 253 Purple - VOLUNTEER		
Standard Badge Buddies - Vertical Format 2 1/8" x 4 1/2"			
BBV-PHYSICIAN	PMS 166 Orange - PHYSICIAN	30mm*	25
BBV-RN	PMS 293 Blue - RN		
BBV-LPN	PMS 355 Green - LPN		
BBV-NA	PMS 212 Pink - NA		
Pin Buddies			
Custom Pin Buddy	Customizable with your own design!	30mm*	25
*10mm Polyester/Polyethylene, 10mm Teslin® substrate, 10mm Polyester/Polyethylene			

Teslin is a registered trademark of PPG Industries Ohio, Inc.

Custom Badge Buddies

Customize to include additional job descriptions and colors as well as emergency procedures, hospital codes, etc. Provides easy access to safety procedures or information to memorize.

Clear Custom Badge Buddy

Our new Clear Badge Buddy allows you to see the ID card even if it flips!

Badge Buddy Kit

Make your own Badge Buddies! Our kit includes everything you need to get started: color inkjet printer, 1 Pak4 heavy duty 4" desktop laminator, 100 Badge Buddy Inserts and 100 Laminating Pouches.


WHEN YOU RUN OUT OF SUPPLIES, SIMPLY ORDER ONE OF OUR REFILL KITS!

Badge Buddy Kit Specifications		
Item #	Description	MOQ
BBVBUNDLE	Badge Buddy Starter Kit Vertical Format	1
BBVKIT	Badge Buddy Vertical Format Refill Kit	
BBHBUNDLE	Badge Buddy Starter Kit Horizontal Format	
BBHKIT	Badge Buddy Horizontal Format Refill Kit	
Orders placed before 1pm ET ship SAME DAY!		

Note: products are not shown to scale.



BBC-RN



BBV-PHYSICIAN



BBC-LPN



BBC-DOCTOR



BBC-CNA



BBC-VOLUNTEER



BBV-RN




BBV-LPN




BBV-NA



CUSTOM BADGE BUDDY



Back



Front

CLEAR CUSTOM BADGE BUDDY



CONCERNED ABOUT ID CARDS FLIPPING?

CREDENTIAL WALLETS

Two-Pocket Credential Wallet

This wallet features a slotted nylon pouch with one clear pocket on the front, a concealed pocket on the back and a pen holder. Triangular top lays flat. Perfect for trade shows and conventions!

MOQ: 25 (100 for custom).



ADD TO ANY LANYARD!



CW-2-BLK (Pen not included)

Two-Pocket Credential Wallet Specifications

Item #	Overall Size	Insert Size	Imprint Size
CW-2-BLK	3.25" x 6.25" (83 x 159mm)	2.25" x 3.25" (57 x 83mm)	2.6" x 2.25" (66 x 57mm)

Custom printed wallets ship 5-8 days after proof approval.
Shipping Weight: 3.4 lb. per 100 pieces.

Multi-Pocket Credential Wallet

Our multi-pocket nylon wallet features black trim and a 48" neck cord with adjustable cord lock. Main compartment has hook-and-loop closure. Front pocket is clear vinyl to hold an exhibitor badge. Backside has spaces for two pens and a pocket for business cards. Imprintable top flap is made of a leather-like material.

MOQ: 25 (100 for custom).



1860-3001



WALLET COLORS: BLK (1) RBLU (2)

Multi-Pocket Credential Wallet with Black Trim Specifications

Item #	Overall Size	Insert Sizes	Imprint Size
1860-300_	5" x 6.5" (127 x 165mm)	Main Compartment: 4.63" x 6" (117 x 152mm) Clear Pocket: 4.63" x 3" (117 x 76mm)	3" x 1.25" (76 x 32mm)

Custom printed wallets ship 5-8 days after proof approval.
Shipping Weight: 10.8 lb. per 100 pieces.

Note: products are not shown to scale.

Three-Pocket Credential Wallet

Perfect for trade shows! This three-pocket nylon credential holder has a 48" neck cord and adjustable cord lock.

MOQ: 25 (100 for custom).



WALLET COLORS:

BLK (1) RBLU (2)



1860-2602

Three-Pocket Credential Wallet Specifications

Item #	Overall Size	Insert Size	Imprint Size
1860-260_	5" x 4.25" (127 x 108mm)	4" x 3" (102 x 76mm)	2.6" x 2.6" (66 x 66mm)

Custom printed wallets ship 5-8 days after proof approval.
Shipping Weight: 10.8 lb. per 100 pieces.

Credential Wallet with Imprintable Strap

This wallet offers a 3/8" flat tubular adjustable lanyard which can be customized, one large zipper compartment and vinyl pockets on front and back.

MOQ: 500.



PA90



MANY OPTIONS AVAILABLE
Call for more info!

Credential Wallet with Imprintable Strap Specifications

Item #	Overall Size	Insert Sizes	Imprint Size
PA90	5.06" x 6.75" (129 x 171mm)	Front: 4.25" x 4.13" (108 x 105mm) Back: 4.25" x 3.25" (108 x 83mm)	Front: 3.75" x 2.25" (95 x 57mm) Back: 3.75" x 0.75" (95 x 19mm)

Up to 4 imprint colors on holder, 1-color imprint on lanyard. Custom printed wallets ship 5-6 weeks after proof approval. Shipping Weight: 20 lb. per 500 pieces.

Nylon Multi-Pocket Credential Wallet

This nylon pouch features two pouches on one side: a clear vinyl pocket to hold your name badge or event pass and a full-size nylon pocket with fold-over Velcro® flap. The reverse side has one nylon pocket for business cards and 2 pen slots. Includes 48" black nylon neck cord with adjustable cord lock.

MOQ: 25 (100 for custom).



WALLET COLORS:




1860-2502

Nylon Multi-Pocket Credential Wallet Specifications			
Item #	Overall Size	Insert Sizes	Imprint Size
1860-250	5.5" x 7" (140 x 178mm)	Main Compartment: 6" x 4.63" (152 x 118mm) Clear Pocket: 4.63" x 3" (118 x 76mm)	3" x 1.25" (76 x 32mm)
Custom printed wallets ship 5-8 days after proof approval. Shipping Weight: 4 lb. per 100 pieces.			

Three-Pocket Credential Wallet with Zipper

Wallet has a 34" adjustable cord with large clear pocket on front, concealed back pocket and third zipper-closure pocket on back.

MOQ: 25 (100 for custom).



CW-3-BLK

Three-Pocket Credential Wallet with Zipper Specifications			
Item #	Overall Size	Insert Size	Imprint Size
CW-3-BLK	4.875" x 6.188" (124 x 157mm)	Zip Pocket: 4.25" x 6" (108 x 152mm) Front: 4" x 3" (102 x 76mm) Back: 4" x 2.5" (102 x 64mm)	Front: 1.75" x 2.6" (44 x 66mm) Back: 2.13" x 2.6" (54 x 66mm)
Custom printed wallets ship 5-8 days after proof approval. Shipping Weight: 4 lb. per 100 pieces.			

Folding Credential Wallet

Nylon folding wallet has five pockets on a 34" adjustable cord. One large central zipper pocket with two clear pockets inside when folded. Outside has one clear front pocket and one concealed pocket on back.

MOQ: 25 (100 for custom).



CW-5-BLK
(Pen not included)

Folding Credential Wallet Specifications			
Item #	Overall Size	Insert Size	Imprint Size
CW-5-BLK	5.5" x 4.5" (140 x 114mm)	4.63" x 3.5" (118 x 89mm)	2.6" x 2.6" (66mm x 66mm)
Custom printed wallets ship 5-8 days after proof approval. Shipping Weight: 12.8 lb. per 100 pieces.			

Vinyl Credential Wallet

Made with flexible PVC material. One large pocket with zipper stores personal items like passports, cash or credit cards. Two clear vinyl pockets accommodate credential passes or smaller items like business cards.

MOQ: 25 (100 for custom).



CW-6-RBLU
(Pen not included)

WALLET COLORS: BLK RBLU

Vinyl Credential Wallet Specifications			
Item #	Overall Size	Insert Sizes	Imprint Size
CW-6-___ or 1860-3101 (Black) 1860-3102 (Blue)	4.5" x 6" (108 x 152mm)	Front: 4" x 3" (102 x 76mm) Back: 4" x 2.5" (101 x 64mm)	Front: 4.38" x 2.5" (111 x 64mm) Back: 4.38" x 3.25" (111 x 83mm)
Custom printed wallets ship 5-8 days after proof approval. Shipping Weight: 8.8 lb. per 100 pieces.			

Note: products are not shown to scale.

CUSTOM LUGGAGE TAGS


Soft PVC Luggage Tags

Soft PVC luggage tags with hard plastic window and 3D imprint really stand out. Won't stretch or lose shape. Comes with paper insert and plastic luggage strap.

Soft PVC Luggage Tag Specifications

Item #	Description	Dimensions	Max Insert Size	MOQ
1840-6301	Soft PVC Small	4.125" x 2.625"	2.5" x 1.5"	100
1840-6302	Soft PVC Large	5.25" x 2.5"	3.5" x 2"	

Customized with 1 color for the tag and up to 4 imprint colors. Ships 20-25 business days after proof approval. Shipping Weight: 5.29 lb. per 100 pieces (1840-6301), 9.54 lb. per 100 pieces (1840-6302)

 **WARNING** This product can expose you to Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



Customizable Xpress Luggage Tag

Our new Custom Xpress Luggage Tags are durable and customizable. Help your luggage stand out by adding a custom logo or graphic to the front, while the back of the luggage tag offers space for your contact information.

Customizable Xpress Luggage Tag Specifications

Item #	Dimensions	MOQ
GT240-LT	2.5" x 4" / .030" thick	100

Unimprinted Luggage Tag orders placed before 1pm ET ship SAME DAY!

Custom orders ship 10 business days after proof approval.

Shipping Weight per 100 pieces: 1.54 lb.



Dual Post Textured Luggage Strap



2430-2001



2430-2008

Dual Post Textured Luggage Strap Specifications

Item #	Color	Dimensions	MOQ
2430-2001	Black	7 3/8" x 3/8"	500
2430-2008	White		

Note: products are not shown to scale.



1840-6301

COMPLETELY CUSTOM PRODUCT!

Production time is 20-25 days.



CLOSE-UP OF LUGGAGE TAG



STRAP INCLUDED!

MADE OF DURABLE LAMINATED PVC

GT240-LT

FEATURES "WRITE-ON" BACK

Plastic Post & Notch Textured Luggage Strap



2430-2011



2430-2018

Plastic Post & Notch Textured Luggage Strap Specifications

Item #	Color	Dimensions	MOQ
2430-2011	Black	7 3/8" x 3/8"	500
2430-2018	White		

LOOP STRAP SOLD SEPARATELY SEE BELOW

Rigid Plastic Luggage Tag

Color coordinate with this durable luggage tag holder! Clear face plate protects your business/name card, while the strap locks it in. Paper insert included. Back can be custom printed with a full-color TRUECOLOR imprint.



1840-6208
(Shown with 2410-2006 Flexible Plastic Loop Strap.)


TRUECOLOR PRINTING
SHOWN ON EACH TAG



1845-2004

Semi-Rigid Plastic Luggage Tag

Semi-rigid vinyl holder with clear vinyl face. Paper insert included. Back can be custom printed with a full-color TRUECOLOR imprint.

Luggage Tag Specifications				
Item #	Dimensions	Max Insert Size	Imprint Area	MOQ
Rigid Luggage Tags				
1840-620_	4.25" x 2.5"	2.25" x 3.5"	3" x 2"	100
Semi-Rigid Luggage Tags				
1845-200_	4.25" x 2.5"	2.25" x 3.5"	3" x 2"	100
Unimprinted Luggage Tag orders placed before 1pm ET ship SAME DAY! Custom orders ship 10 business days after proof approval. Shipping Weight: 2.4 lb. per 100 pieces (1845-200_), 6.5 lb. per 100 pieces (1840-621_).				
 WARNING This product can expose you to chemicals, including Diisononyl Phthalate, is known in the State of California to cause cancer as well as Di(2-ethylhexyl) phthalate, which is known in the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov				

Colored Flexible Plastic Loop Straps

Flexible plastic loop straps are available in 6 colors: clear, black, blue, green, red or white. Works with luggage tags shown above.



6"


2410-2002*



9"

2410-2102*

*Not shown to scale

Colored Flexible Plastic Loop Strap Specifications		
Item #	Length	MOQ
2410-200_	6"	100
2410-210_	9"	100
Orders placed before 1pm ET ship SAME DAY! Shipping Weight: 0.5 lb. per 100 pieces.		
 WARNING This product can expose you to Diisononyl Phthalate, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov		

RIGID PLASTIC LUGGAGE TAGS

TAG COLORS

FROST (0)	BLACK (1)	BLUE (2)
GREEN (4)	RED (6)	WHITE (8)
YELLOW (9)		



IMPRINT COLORS

TRUE COLOR

SEMI-RIGID PLASTIC LUGGAGE TAGS

TAG COLORS

BLACK (1)	BLUE (2)	GREEN (4)
RED (6)	WHITE (8)	YELLOW (9)



IMPRINT COLORS

TRUE COLOR

FLEXIBLE PLASTIC LOOP STRAPS

STRAP COLORS

CLEAR (0)	BLACK (1)	BLUE (2)
GREEN (4)	RED (6)	WHITE (8)

Note: products are not shown to scale.

BradyPROX™ Cards

BradyPROX™ cards offer similar quality and are comparable to the most popular HID® brand prox cards. They are a smart, affordable card option that can be personalized with any standard PVC printer.

- Faster delivery: usually programmed and shipped within 48 hours**
- Lifetime manufacturer warranty*
- Printable card material (regular or composite) for PVC personalization
- Most industry standard formatting options available for easy integration with door access control systems.

*A BradyPROX card has a limited lifetime warranty due to any manufacturer defect for the lifetime of the card.

**48 hour lead time is for 100-1,000 cards. Lead times vary as volume increases.



BPROX26H

BPROXCLMSH

BradyPROX™ Card Specifications		
Item #	Material	MOQ
BPROX26	PVC	100
BPROX26C	Composite	
BPROX26H	PVC with Mag Stripe	
BPROX26HC	Composite with Mag Stripe	
BPROXCLMSH26	Clamshell	
2-day lead time for up to 1,000 cards. Part numbers shown are for HID compatible 26 bit format H10301. Additional formats available.		

UBand™ PROX

The applications of a card, the convenience of a wristband

Use our UBand wristband as a replacement for an access card in a system that doesn't require visual identification. Unlike cards, which need to be carried in a pocket or on a lanyard, UBand remains attached to the user naturally, increasing the likelihood of use while decreasing the likelihood of loss or theft. UBand is waterproof, sweat-proof and can stand up to the rigors of everyday use.

- Standard UBand Prox Wristbands are available in black and blue.
- Additional colors and customization with a logo, graphic or text are available upon request. MOQ for custom orders is 100 pieces per color, per size, and per design/logo, with a lead time of five weeks.



125 kHz Proximity UBand Specifications			
Item #	Description	HID Compatible Format	MOQ
UBAND-BLK-PRX-26	Black 26 bit UBand	26 bit H10301	100
UBAND-BLU-PRX-26	Blue 26 bit UBand	26 bit H10301	
35 and 37 bit formats are also available. All parts are available in three sizes: small (6"), medium (7") and large (8"). MOQ is 100 per color, within that different sizes can be ordered with a min of 25 per size.			

BradyPROX™ Key Fobs

Same access as big-brand fobs at a lower price!

The BradyPROX™ key fob is a cost-effective solution for access control. This plastic key fob performs the same functions as a standard proximity card, meaning it can serve as a convenient, affordable replacement for proximity cards.

- BradyPROX cards and key fobs are compatible with certain 125 kHz HID®-brand cards and fobs, allowing you to seamlessly switch to BradyPROX and save money in the process.
- Our plastic key fobs ship quickly; orders of up to 1,000 fobs will ship within 5 days!

Note: products are not shown to scale.



BradyPROX™ Key Fob Specifications		
Item #	HID Compatible Format	MOQ
BPROXKFOB26	26 bit H10301	50
BPROXKFOB35	35 bit Corporate 1000	
BPROXKFOB37-2	37 bit H10302	
BPROXKFOB37-4	37 bit H10304	

MIFARE® 1K Smart Cards

MIFARE 1K cards are the convenient and affordable choice in smart card technology.

- Includes memory and read/write capabilities.
- Printable card material for PVC personalization.
- In stock and ready to ship same day.



MIFARE® 1K Smart Card Specifications		
Item #	Description	MOQ
MIFARE1K*	MIFARE 1K PVC	100
MIFARE1KH*	MIFARE 1K with HICO Mag Stripe	
MIFARE1KC	MIFARE 1K Composite	
MIFARE1KCH	MIFARE 1K Composite with HICO Mag Stripe	
*Orders placed before 1pm ET for these SKUs ship SAME DAY!		



MIFARE1K

UBand™

UBand™ is a contactless technology solution that combines multi-faceted MIFARE® technology with the convenience and flexibility of a silicone wristband.

AVAILABLE COLORS



WEARABILITY - Unlike cards, which need to be carried in a pocket or on an attachment, UBand remains attached to the user naturally, increasing the likelihood of use while decreasing the likelihood of loss or theft.

DURABILITY - UBand is waterproof, sweatproof and can stand up to the rigors and wear and tear of daily use. Flexibility - UBand's flexibility is two-fold: material and usage. UBand's silicone rubber construction allows the band to stretch around the hand for easy, comfortable removal. MIFARE technology allows UBand to be customized to whatever uses a facility needs, including access, payments and more. Include the features you need and leave out those you don't.

CUSTOMIZABILITY - 20 color options make it easy to find one to suit any business, while three different wrist sizes (6", 7", 8") mean there is a fit for everyone. With custom printing available in emboss, deboss, or silk screen, it's simple to make the UBand unique.

UBand™ Technical Specifications	
Chip Type:	MIFARE 1K
Operating Frequency:	13.56 MHz
EEPROM Size:	1024 Byte (8192 Bit)
Memory Organization:	16 Sectors, 4 Blocks of 16 Bytes
Unique Serial Number (UID):	4 Byte (32 bit)
RF Interface:	ISA 14443A
Data Retention (Years):	10
Write Endurance (Cycles):	100,000
Read / Write Range:	1.5" / 3.8 cm

UBand™ Specifications		
Item #	Description	MOQ
UBAND1K-6-_____	6" Small	100*
UBAND1K-7-_____	7" Medium	
UBAND1K-8-_____	8" Large	
<i>Substitute the _____'s with the band color (shown above).</i>		
*MOQ is 100 per color, per size, per design/logo.		

Actual wristband colors may vary, especially day glow colors.



Note: products are not shown to scale.

HID® 13.56 MHz iCLASS® Cards


iCLASS® smart card technology was specifically designed to make access control more powerful, more versatile, and more secure. iCLASS 13.56 MHz read/write contactless smart card technology provides versatile interoperability in applications such as access control, network log-on security, cashless vending, time and attendance, event management and biometric identification.

iCLASS smart card technology ensures high security with mutual authentication between smart card and reader, encrypted data transfer, and 64-bit diversified keys for read/write contactless smart card capabilities. Securely separated files enable multiple applications and support future growth.

HID 13.56 MHz iClass Card Specifications			
Item #	Description	Format	MOQ
13.56 MHz HID iClass Cards			
iCLASS Contactless Smart Card, PVC			
2000PGGMN	2k bit with 2 application areas	Several formats available, call for details.	100
2001PGGMN	16k bit with 2 application areas		
2002PGGMN	16k bit with 16 application areas		
2003PGGMN	32k bit (application areas: 16k/2 + 16k/1)		
2004PGGMN	32k bit (application areas: 16k/16 + 16k/1)		
iCLASS Contactless Smart Card, Composite			
2100PGGMN	2k bit with 2 application areas	Several formats available, call for details.	100
2101PGGMN	16k bit with 2 application areas		
2102PGGMN	16k bit with 16 application areas		
2103PGGMN	32k bit (application areas: 16k/2 + 16k/1)		
2104PGGMN	32k bit (application areas: 16k/16 + 16k/1)		
13.56 MHz / 125kHz HID iClass / Prox Combo Cards			
iCLASS Prox Contactless Smart Card, Composite			
2120PGGMN	2k bit with 2 application areas	Several formats available, call for details.	100
2121PGGMN	16k bit with 2 application areas		
2122PGGMN	16k bit with 16 application areas		
2123PGGMN	32k bit (application areas: 16k/2 + 16k/1)		
2124PGGMN	32k bit (application areas: 16k/16 + 16k/1)		

iClass SE and iClass Seos cards available upon request.






1350-1000

Blank and Adhesive-Backed PVC Cards

Blank and Adhesive-Backed PVC Card Specifications			
Item #	Description	Card Size	MOQ
Blank PVC Cards			
1350-1000	Video grade 80/20 PVC/polyester composite card	CR80 30 mil (750mic)	500
1350-1560	Video grade standard PVC card	CR80 10 mil (250mic)	
Adhesive-Backed PVC Cards			
1350-1400	Video grade adhesive paper-back, standard PVC card	CR80 14 mil (350mic)	500
1350-1500	Video grade adhesive back, standard PVC card	CR80 10 mil (250mic)	
1350-1600	Video grade adhesive back, standard PVC card, credit-card size	CR79 10 mil (250mic)	
1350-1610	Mylar adhesive back, standard PVC card	CR80 10 mil (250mic)	
Orders placed before 1pm ET ship SAME DAY!			

1/2" (12.5mm) Magnetic Stripe PVC Cards

1/2" (12.5mm) Magnetic Stripe PVC Card Specifications			
Item #	Description	Card Size	MOQ
1350-1355	Video grade standard PVC card with 1/2" low-coercivity magnetic stripe	CR80 30 mil (750mic)	500



1350-1355



1350-2063

Biodegradable and Recycled PVC Cards

Biodegradable and Recycled Card Specifications			
Item #	Description	Card Size	MOQ
Recycled PVC Cards			
1350-2063	Recycled plastic cards. Alternative to standard PVC plastic cards. Made from 100% recycled plastic. Also available with magnetic stripe.	CR80 30 mil (750mic)	500
Biodegradable PVC Cards			
C60-BIOB	White blank card	CR80 30 mil (750mic)	500
Orders placed before 1pm ET ship SAME DAY!			



C60-BIOB



Our biodegradable PVC cards print and perform **equal to or better** than the best white PVC cards in the marketplace.

These biodegradable cards are priced similarly to our standard PVC cards giving customers an earth-friendly option without having to pay more.


Note: products are not shown to scale.

Adhesive Full-Card Security Overlays

Add a layer of protection to your existing ID cards

Protect your card's graphics. Easy to apply (just remove liner and press on the card!) Available in standard, UV-blocking and anti-counterfeiting holographic. Overlay size is 2 1/16" x 3 5/16" and fits 7 mil (175 mic) sub-credit-card size.

Adhesive Full-Card Security Overlay Specifications		
Item #	Description	MOQ
OV-80P	Standard	500
UV-81P	UV Blocking	
0602-4900	Holographic	



0602-4900

Proximity Card Laminating Pouches and Alignment Guide

Adhesive-backed laminating pouches work with most laminating machines.

This card alignment guide is designed to hold a card in place, making it easier for you to correctly line up the adhesive overlay you're trying to apply. It's a way to ensure that you don't end up with crooked overlays. Alignment Guide aligns adhesive overlays with credit-card size cards. Rubber feet prevent sliding.

Proximity Card Laminating Pouches & Alignment Guide Specifications				
Item #	Description	Dimensions	Pouch Size	MOQ
LP17P	Credit Card	Front: .005" (.127mm) Back: .0015" (.038mm)	2 1/8" x 3 3/8" (54 x 86mm)	500
AG-1	Alignment Guide	N/A	N/A	1

NOTE: Adhesive-Backed Pouches are packed 500/box and each box contains 5 polyester-coated carriers.



AG-1

Note: products are not shown to scale.

Kleer-Lam™ Laminate Specifications					
Description	3 Mil (2/1) Thickness Light Duty	5 Mil (3/2) Thickness Light Duty	7 Mil (4/3) Thickness Medium Duty	10 Mil (7/3) Thickness Heavy Duty	MOQ / Inner Pack
Business Card Size: 2 1/4" x 3 3/4" (57 x 95mm)					
Clear 2-part	—	—	0609-4005 or LP19	0609-2005	500
Credit Card Size: 2 1/8" x 3 3/8" (54 x 86mm)					
Clear 2-part	—	0602-6005 or LP17F	0602-4005 or LP17	0602-2005 or LP17T	500
Butterfly pouch cut from one piece of plastic and scored to form one folded pouch	—	—	—	0602-2015	500
Pressure-Sensitive 2-part	—	0602-6400 or LP17P	—	—	500
Data/IBM Size: 2 21/64" x 3 1/4" (59 x 83mm)					
Clear 2-part	—	0601-6005 or LP15F	0601-4005 or LP15	0601-2005 or LP15T	500
Clear butterfly pouch cut from one piece of plastic and scored to form one folded pouch	—	—	—	0601-2015	500
Driver's License: 2 3/8" x 3 5/8" (60 x 92mm)					
Clear 2-part	—	0608-6005 or LP14F	0608-4005 or LP14	0608-2005 or LP14T	500
Government /Military: 2 5/8" x 3 7/8" (67 x 98mm)					
Clear 2-part	—	0603-6005 or LP23F	0603-4005 or LP23	0603-2005 or LP23T	500
Clear butterfly pouch cut from one piece of plastic and scored to form one folded pouch	—	—	—	0603-2250	500
Fishing/Hunting License					
Clear 2-part Round Corners: 2 15/16" x 4 1/8" (75 x 105mm)	—	—	0612-4005 or LP34	0612-2005 or LP34T	500
Index/File Card: 3 1/2" x 5 1/2" (89 x 140mm)					
Clear 2-part Round Corners	—	0611-6015 or LP35F	0611-4015	0611-2015	500
Clear 2-part Square Corners	—	—	0611-4005	0611-2005	500
Luggage Tag: 2 1/2" x 4 3/16"					
Clear 2-part with Slot	—	0606-6105 or LP415	0606-4105 or LP420	0606-2105 or LP425	500
Clear 2-part without Slot	—	—	0606-4005	0606-2005	500
Other Sizes					
Credential Clear 2-part: 2 3/4" x 5 1/16" (70 x 129mm)	—	0607-6005	—	0607-2005	500
Giant Tag Clear 2-part: 4 1/2" x 6" (114 x 152mm)	—	—	1210-4005	—	500
Jumbo Clear 2-part: 3 3/16" x 4 3/8" (81 x 111mm)	—	0605-6005	0605-4005	0605-2005	500
KeyCard Clear 2-part: 2 1/2" x 3 7/8" (64 x 98mm)	—	0604-6005	0604-4005	0604-2005	500
Legal Clear 2-part: 9" x 14 1/2" (229 x 368mm)	—	1245-6005 or LP814F	1245-4005	—	****
Letter Pouch Clear 2-part: 9" x 11 1/2" (229 x 292mm)	1240-8005 or LP811E	1240-6005 or LP811	1240-4005 or LP811T	1240-2005 or LP811V	****
Memorial Clear 2-part: 2 7/8" x 4 5/8" (73 x 117mm)	—	0615-6005	0615-4005	0615-2005	500
Menu Clear 2-part: 12" x 18" (305 x 457mm)	1205-8005	1205-6005	—	—	****
Photo Pouch Clear 2-part: 6" x 9" (152 x 229mm)	—	—	—	1216-2005	****

The stated thickness of the laminate refers to **one side only**. A 5 mil laminate is 5 mils on each side for a total thickness of 10 mils.

**** The following item numbers come in 100 inner pack with 100 minimum quantity:
1240-8005, 1240-6005, 1240-4005, 1245-6005, 1245-4005

**** The following item numbers come in 50 inner pack with 100 minimum quantity:
1205-8005, 1205-6005, 1216-2005, 1240-2005

Note: products are not shown to scale.

SLOT PUNCHES AND BACKDROPS

Hand-Held Slot Punches



3943-1000

3943-1100

3943-1010

Hand-Held Slot Punch Specifications


Item #	Description	Slot Size	MOQ
3943-1000	Hand Held Punch	1/8 x 1/2" (3 x 12.5mm)	1
3943-1010	Hand-Held Punch with Adjustable Centering Guides	1/8 x 1/2" (3 x 12.5mm)	
3943-1100	Hand-Held Round Hole Punch	3/16" (5mm)	

Orders placed before 1pm ET ship SAME DAY!



WARNING This product can expose you to Nickel, which is known in the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Stapler-Style Slot Punches



3943-2000

3943-1020

Stapler-Style Slot Punch Specifications

Item #	Description	Slot Size	MOQ
3943-2000	Punch with Slot Receptacle	1/8 x 0.550" (3 x 14mm)	1
3943-1020	With Adjustable Centering Guide & Slot Receptacle	1/8 x 0.550" (3 x 14mm)	

Orders placed before 1pm ET ship SAME DAY!

Backdrops

Colored cloth ID backdrop with grommets.



Grommets located on all 4 corners.

Stand not included.



3928-1XXX

Colors shown may vary slightly from actual product color.

Backdrop Specifications


Item #	Dimensions	Color	MOQ
3928-1000	32 x 28" (813 x 711mm)	Blue	1
3928-1100		Green	
3928-1200		Red	
3928-1300		White	

Orders placed before 1pm ET ship SAME DAY!

Note: products are not shown to scale.

3-in-1 Slot Punch

Use this punch to slot or hole punch standard ID cards, and round sharp corners for a great finish on paper and plastic cards, lamination and presentations. The center guide adjusts to 1/8" increments for accurate hole centering.



3943-1520

3-in-1 Slot Punch Specifications

Item #	Description	Slot Size	MOQ
3943-1520	Can punch rounded corners, circle holes or slot holes	3.5mm rounded corner 1/4" circle hole 1/8" x 1/2" slot hole	1

Orders placed before 1pm ET ship SAME DAY!

Manual Table-Top Punches



3943-1510

Manual Table-Top Punch Specifications

Item #	Description	Slot Size	MOQ
3943-1510	Manual Table-Top Slot Punch with Adjustable Centering Guides	9/16" x 1/8" (14 x 3mm)	1

Orders placed before 1pm ET ship SAME DAY!

Electric Table-Top Punches

Electronic table-top slot punches with foot switch and adjustable centering guides.



3943-1601

3943-1600

Electric Table-Top Punch Specifications

Item #	Description	Slot Size	MOQ
3943-1600	Heavy-Duty (110V)	1/8 x 9/16" (3 x 14mm)	1
3943-1601	Standard (110V)	1/8 x 9/16" (3 x 14mm)	

Orders placed before 1pm ET ship SAME DAY!

ID CARD PRINTERS AND SUPPLIES

A reliable printer is key to keeping any badging solution up and running.

We offer printers from several manufacturers and equipment with advanced features such as smart card reading and encoding.

Let us be your guide, we are here to help!



ID CARD PRINTERS



PRINTER SUPPLIES



Note: products are not shown to scale.

CALL TODAY FOR COMPATIBLE SUPPLIES FROM THESE MODELS AND MORE!


TEMPbadge®

Visitor Management Software

TEMPbadge® Visitor Management System

Quick, easy-to-use software for managing your visitor care

- Incredibly fast visitor processing (only 4 clicks and 5 seconds per visitor!)
- Simple, easy-to-navigate interface that requires little to no training
- Customization options for pass types, departments and more
- Reports available based on date, destination, or pass type



CALL US TODAY TO LEARN MORE!

Our TEMPbadge® system includes:

- Professional Visitor Management software
- Durable direct thermal printer
- 1,000 self-expiring badges



TEMPbadge® Visitor Management System Specifications

Bundle Item #	Description
06196	TEMPbadge Visitor Management Software Bundle - Includes TEMPbadge VMS Software V6.1, TEMPbadge BP4 Direct Thermal Printer and 1,000 #T2050 VMS Self-Expiring Tab Badges
Individual Item #	Description
P9050	TEMPbadge BP4 Direct Thermal Printer
T2050	Thermal Printable ONEstep Quick-Tab TIME-badge for use with TEMPbadge VMS System
06171	TEMPbadge VMS Software V6.1





Note: products are not shown to scale.

PassagePoint® Global Software v10 PPG-1

The most comprehensive solution for visitor management

PassagePoint® Global v10 software is the ultimate solution for global, enterprise-level visitor management. This robust system integrates security, communications, badging, multi-language support and advanced reporting into one, easy-to-use software program for visitor care.

- Centralized control center for managing an enterprise-wide visitor system
- Extensive interoperability and advanced functionality
- Customization options for entry screens, field labels, and field visibility (by user, category or policy)
- Auto-fill for faster data entry and reduced errors
- Custom group notifications for emergency or informational purposes



PassagePoint® Global v10's click view

PassagePoint Global Features

Multi-language support
Email notifications
Watch list
Sex offender search
User roles
Hardware setup wizard
Badge printing policy
Web module
Mobile
Kiosk
3-tiered system architecture
Complete customizable reports
And more!

MORE FEATURES. MORE CONTROL.

PassagePoint Global v10 Part Numbers & Add-Ons

Item #	Description
PPG-1	PassagePoint Global v10 - Client License One (1) license required for each workstation.
MA-DL	Directory Link Integration License This add-on links PassagePoint to any ODBC or LDAP directory system. Every time a visitor registers, the system automatically verifies information against the directory to make sure that access levels are authorized and current.
M-PR	Web Pre-Registration Module This advanced system provides pre-registration management of visitors or groups via a web browser. Users can modify and update registration information as needed, specify recurring visits, access levels, and provide special instructions for receptionists.
MA-AC	Access Control Integration License This integrated interface allows real-time activation/deactivation of badges and the ability to designate access by date, time, and area.
MA-SOR	PassagePoint Global - Sex Offender Search Module Unlimited workstations per server; requires SSP/Sex Offender Search annual license.
MA-HL7	PassagePoint Global v10 - HL7 License Functionality allows PassagePoint to use the patient's current location (building, floor, room # and bed #) in the hospital to identify patient tracking for hospital visitors.

PassagePoint EDU for Education Facilities Part Numbers & Add-Ons

Item #	Description
E-EDU-1	PassagePoint EDU - Client License One (1) license required for each workstation.
E-PR	PassagePoint EDU - Pre-Registration Module Unlimited users; enables pre-registration of visitors and groups via browser (one module per server).
E-DM-1	PassagePoint EDU - District Module Enables individual school-level configurations to be managed from a central district administration site.
MA-SOR	PassagePoint Global - Sex Offender Search Module Unlimited workstations per server; requires SSP/Sex Offender Search annual license.

ASK ABOUT OUR OTHER PASSAGEPOINT® SOFTWARE SYSTEMS.

Note: products are not shown to scale.

**STOCK
NON-EXPIRING
VISITOR
BADGES**

Expiring and Non-Expiring Visitor Badge Log Books

Easy, cost-effective solution for recording & badging your visitors

The TEMPbadge™ Visitor Badge Log Book is visitor management, simplified! This innovative sign-in system allows you to keep a record of your visitors and issue them a visitor badge – all in one easy step!

- **Confidential Visitor Documentation.** When a badge is filled out, a duplicate copy is recorded (which cannot be seen by future visitors).
- **Choose from Self-Expiring or Non-Expiring Visitor Badges.**
- **Easy-to-Use, Low-Cost Solution.** This simple sign-in system can serve as a complete Visitor Management solution without any extra equipment or software!

Non-Expiring Visitor Badge Log Book Specifications	
Stock Log Books	
Item #	Description
05751	Stock Visitor Badge Log Book 50 pages x 10 badges per page = 500 badges total <i>(plus duplicate copies of each badge for your records)</i>
MOQ: 1 book. Shipping Weight: 2 lb. per book.	
Custom Log Books	
Item #	Description
C05751	Custom Printed Visitor Badge Log Book 50 pages x 10 badges per page = 500 badges total <i>(plus duplicate copies of each badge for your records)</i>
MOQ: 2 books. Shipping Weight: 2 lb. per book. Pricing is the same for 1, 2, 3 or 4-Color Process.	

**CUSTOM
NON-EXPIRING
VISITOR
BADGES**



05751

C05751



CUSTOMIZE IT!

USE OUR STOCK VERSION OR CALL US TODAY TO START DESIGNING YOUR VISITOR BADGE LOG BOOK WITH YOUR OWN CUSTOM GRAPHICS AND TEXT.

Self-Expiring Visitor Badge Log Book Specifications		
Stock Log Books		
Item #	Expiring Time	Description
05721	1 Day (15 Hrs)	Stock Visitor Badge Log Book 20 pages x 12 badges per page = 240 badges total <i>(plus duplicate copies of each badge for your records)</i>
05741	1 Day (15 Hrs)	Stock Visitor Badge Log Book 40 pages x 12 badges per page = 480 badges total <i>(plus duplicate copies of each badge for your records)</i>
MOQ: 1 book. Shipping Weight: 1 lb. per book (05721); 2 lb. per book (05741).		
Custom Log Books		
Item #	Expiring Time	Description
C05721	1 Day (15 Hrs)	Custom Visitor Badge Log Book 20 pages x 12 badges per page = 240 badges total <i>(plus duplicate copies of each badge for your records)</i>
C05741	1 Day (15 Hrs)	Custom Visitor Badge Log Book 40 pages x 12 badges per page = 480 badges total <i>(plus duplicate copies of each badge for your records)</i>
MOQ: 2 books. Shipping Weight: 1 lb. per book (C05721); 2 lb. per book (C05741). Pricing is the same for 1, 2, 3 or 4-Color Process.		

FOR ADDED SECURITY, THE BADGE WILL DISPLAY A RED-COLORED "VOID" AFTER THE VISITOR HAS BEEN ON SITE FOR THE ALLOTTED TIME.



**STOCK
SELF-EXPIRING
VISITOR
BADGES**

**CUSTOM
SELF-EXPIRING
VISITOR
BADGES**



05721

Expired

C05721

Adhesive Badges should not be applied to delicate materials such as leather, silk, suede, or vinyl.
Note: products are not shown to scale.



Handwritten ONEstep TIMEbadge® Expiring Badges

Badges feature pre-printed titles with area for writing. They come 500 per package and fan-folded. Adhesive, no hardware or software needed. Choose from 3 different titles.

Handwritten ONEstep TIMEbadge® Expiring Badge Specifications			
Item #	Expiring Time	Size	Description
T2003	1 Day (15 Hrs)	1 7/8" x 2 7/8"	Peel Away Liner - "Visitor"
T2004			Peel Away Liner - "Temporary"
T2005			Peel Away Liner - "Contractor"

MOQ: 500 pieces. Shipping Weight: 2 lb. per 500 pieces.



Thermal-Printable ONEstep TIMEbadge® Expiring Badges

Badges come blank, 500 per package and fan-folded. Can print from any direct thermal printer. Use with any visitor management software system. Customize your own layout with text or logo!

Thermal-Printable ONEstep TIMEbadge® Expiring Badge Specifications			
Item #	Expiring Time	Size	Description
T2011	1 Day (15 Hrs)	1 7/8" x 2 7/8"	Peel Away Liner - Blank

MOQ: 500 pieces. Shipping Weight: 2 lb. per 500 pieces (T2011); 2.5 lb. per 500 pieces (T2011L).

Handwritten ONEstep Quick-Tab Expiring TIMEbadges

This single-piece solution doesn't require a separate back or front. Instead, simply write the guest's information on the badge and fold back the expiring tab to activate. After a day's use, "VOID" will appear on the badge, showing that a guest's time is up and preventing the badge from being reused. This badge has an adhesive back, making it easy to issue: just peel and stick! A printed "VISITOR" title makes it clear to all that the wearer is a guest.

Handwritten ONEstep Quick-Tab Expiring TIMEbadge Specifications			
Item #	Expiring Time	Size	Description
T2023	1 Day (15 Hrs)	2 5/16" x 2 13/16"	Quick-Tab - "Visitor"


MOQ: 500 pieces. Shipping Weight: 1.5 lb. per 500 pieces.

Thermal-Printable ONEstep Quick-Tab Expiring TIMEbadges

This tab-expiring badge shows a "VOID" indicator after a visitor's time is up. It is thermal printable, enabling you to quickly add a guest's name, the date and other important information. This is a convenient, single-piece solution: simply fold back the tab to activate the expiration. The adhesive back offered by this badge makes it easy to issue the badge to the wearer as well, eliminating the need for clips or attachments.

Thermal-Printable ONEstep Quick-Tab Expiring TIMEbadge Specifications			
Item #	Expiring Time	Size	Description
T2030	1/2 Day (4 Hrs)	2 5/16" x 2 13/16"	Quick-Tab - Blank
T2031	1 Day (15 Hrs)	2 5/16" x 2 13/16"	Quick-Tab - Blank
T2031L	1 Day (15 Hrs)	2 5/16" x 3 13/16"	Quick-Tab - Large - Blank
T2050	1 Day (15 Hrs)	2 5/8" x 2 13/16"	Quick-Tab for use with TEMPbadge VMS System

MOQ: 1,000 pieces. Shipping Weight: 3 lb. per 1,000 pieces (standard sizes); 4 lb. per 1,000 pieces (large sizes).



Note: products are not shown to scale.

TEMPbadge® TWO-PART EXPIRING BADGES



TWO-PART EXPIRING BADGES
ATTACH THE FRONT PART TO THE BACK PART TO START THE EXPIRATION PROCESS.



T6103



T6205

Handwritten Expiring Badge Front Parts

Pre-printed title with area for writing. Badges come 1,000 per pack and are fan-folded. No hardware or software needed. Excellent for low to moderate visitor traffic!

Handwritten Expiring Badge Front Part Specifications				
Item #	Expiring Time	Size	Description	Use With*
T6403	1/2 Day (4 Hrs)	1 15/16" x 2 7/8"	Handwritten Badge Front - "Visitor"	T5903A
T6404	1/2 Day (4 Hrs)		Handwritten Badge Front - "Contractor"	
T6103	1 Day (15 Hrs)		Handwritten Badge Front - "Visitor"	
T6104	1 Day (15 Hrs)		Handwritten Badge Front - "Temporary"	
T6105	1 Day (15 Hrs)		Handwritten Badge Front - "Contractor"	
T6145	1 Day (15 Hrs)		Handwritten Badge Front - Blank	
T6203	1 Week (7 Days)		Handwritten Badge Front - "Visitor"	
T6205	1 Week (7 Days)		Handwritten Badge Front - "Contractor"	

MOQ: 1,000 pieces. Shipping Weight: 2 lb. per 1,000 pieces.




See chart to the left for item #s and expiration times.

Thermal-Printable Expiring Badge Front Parts

Badges are blank with 1,000 per package (5 rolls of 200). Badges print from any direct thermal printer. Use with any visitor management software system. Customize your own layout with text or logo.

Thermal-Printable Badge Front Part Specifications				
Item #	Expiring Time	Size	Description	Use With*
T6451	1/2 Day (4 Hrs)	1 15/16" x 2 13/16"	Thermal-Printable Badge Front - Blank	T5913A
T6151	1 Day (15 Hrs)	1 15/16" x 2 13/16"	Thermal-Printable Badge Front - Blank	T5913A
T6151L	1 Day (15 Hrs)	2 1/8" x 3 13/16"	Large Thermal-Printable Badge Front - Blank	T5913AL
T6251	1 Week (7 Days)	1 15/16" x 2 13/16"	Thermal-Printable Badge Front - Blank	T5913A

MOQ: 1,000 pieces. Shipping Weight: 3 lb. per 1,000 pieces (standard sizes); 4 lb. per 1,000 pieces (large sizes).



T6151L

T6151

P9021

Inkjet Printable Expiring Badge Front Parts

Sheets print from any inkjet printer. Rolled badges are compatible with the Primera LX500 color label printer.

Inkjet Printable Badge Front Part Specifications				
Item #	Expiring Time	Size	Description	Use With*
T2015	1 Day (15 Hrs)	1 15/16" x 2 13/16"	Inkjet Printable Badge Front, Sheets - Blank	T5903A
T2020		1 15/16" x 2 13/16"	Inkjet Printable Badge Front, Rolls - Blank	
T2020L		2 1/8" x 3 13/16"	Large Inkjet Printable Badge Front, Rolls - Blank	

MOQ: 500 pieces (T2015); 1,000 pieces (T2020 & T2020L).
Shipping Weight: 3 lb. per 500 pieces (T2015); 3 lb. per 1,000 pieces (T2020); 4 lb. per 1,000 pieces (T2020L).



T2020

AH-1024

Note: products are not shown to scale.



ALL THE PRODUCTS ON THESE PAGES ARE
MADE IN THE USA!

TEMPbadge® TWO-PART EXPIRING BADGES

**ACTIVATED
TWO-PART BADGE
SHOWN EXPIRED—
THE VISITOR'S TIME IS UP!**



Badge Back Parts

Choose an Adhesive or Clip-on Badge Back Part. Adhesive Badge Back Parts can expire with red lines or with the word "EXPIRED" running across the badge. Clip-on Badge Back Parts are available in various colors and printed with or without titles.

Adhesive Badge Back Part Specifications				
Item #	Expiring Time	Size	Description	Use With*
T6032A	All Time Frames	2" x 3"	Adhesive Badge Back Part - Red Line Expiration	T6451
T6031A			Adhesive Badge Back Part - "Expired" Expiration	T6403

MOQ: 1,000 pieces. Shipping Weight: 2 lb. per 1,000 pieces.

Horizontal Clip-on Badge Back Part Specifications				
Item #	Expiring Time	Size	Description	Use With*
T5913A	All Time Frames	3" x 3"	Clip-on Badge Back Part - "Visitor" (Red)	T6151
T5913AL		3" x 4"	Large Clip-on Badge Back Part - "Visitor" (Red)	T6151L
T5915A		3" x 3"	Clip-on Badge Back Part - "Contractor" (Green)	T6151
T5915AL		3" x 4"	Large Clip-on Badge Back Part - "Contractor" (Green)	T6151L
T5937A		3" x 3"	Clip-on Badge Back Part - "Vendor" (Yellow)	T6151
T5937AL		3" x 4"	Large Clip-on Badge Back Part - "Vendor" (Yellow)	T6151L
T5938A		3" x 3"	Clip-on Badge Back Part - "Temporary" (Process Blue)	T6151
T5938AL		3" x 4"	Large Clip-on Badge Back Part - "Temporary" (Process Blue)	T6151L
T5902A		3" x 3"	Clip-on Badge Back Part (Yellow)	T6103
T5902AL		3" x 4"	Large Clip-on Badge Back Part (Yellow)	T6151L
T5903A		3" x 3"	Clip-on Badge Back Part (Red)	T6103
T5903AL		3" x 4"	Large Clip-on Badge Back Part (Red)	T6151L
T5904A		3" x 3"	Clip-on Badge Back Part (Reflex Blue)	T6103
T5904AL		3" x 4"	Large Clip-on Badge Back Part (Reflex Blue)	T6151L
T5905A		3" x 3"	Clip-on Badge Back Part (Green)	T6103
T5905AL		3" x 4"	Large Clip-on Badge Back Part (Green)	T6151L
T5906A		3" x 3"	Clip-on Badge Back Part (Process Blue)	T6103
T6027A		3" x 3"	Clip-on Badge Back Part (No Color Bar)	T6103
T6027AL		3" x 4"	Large Clip-on Badge Back Part (No Color Bar)	T6151L

MOQ: 1,000 pieces. Shipping Weight: 3 lb. per 1,000 pieces (standard sizes); 4 lb. per 1,000 pieces (large sizes).


Vertical Clip-on Badge Back Part Specifications				
Item #	Expiring Time	Size	Description	Use With*
T6054A	All Time Frames	2" x 3 1/2"	Clip-on Badge Back Part (No Color Bar)	T6151

MOQ: 1,000 pieces. Shipping Weight: 3 lb. per 1,000 pieces.

PRE-PRINTED TITLE OPTIONS



BLANK TOPS COLOR OPTIONS



See chart above for item #s and expiration times.

*Recommended accompanying part. Many parts are interchangeable. Ask your sales representative for details.

Adhesive Badges should not be applied to delicate materials such as leather, silk, suede, or vinyl.

Note: products are not shown to scale.



T6031A



Example of printed "EXPIRED" adhesive badge backs



T5913A



T5913AL

1 CHOOSE YOUR TIMEtoken® BACK PART

TIMEtoken® Badge Back Parts

These badge backs feature a token expiration area, perfect for those seeking a subtle expiring solution. Most TEMPbadge expiring badges show the expiration indicators on the entirety of the badge; our token expiring badges limit the expiration area to a small section of the badge. These badges are also thermal printable, allowing you to quickly print the visitor's name and other important information.

TIMEtoken Badge Back Part Specifications			
Item #	Size	Description	Use With*
T4102A	2 1/8" x 3 13/16"	Thermal-Printable Back Badge, Adhesive - Blank	T6119
T3983A	3" x 4"	Thermal-Printable Back Badge, Clip-On - Blank (This badge back is slotted, meaning it requires a clip for use.)	T6119

MOQ: 1,000 pieces. Shipping Weight: 3 lb. per 1,000 pieces.



T4102A



T3983A

(Shown without TIMEtoken Expiring Labels)


2 CHOOSE YOUR TimeToken® LABEL

TIMEtoken® Expiring Badge Front Labels

These TIMEtoken front labels combine a printed title with your choice of expiration time frame to become a convenient, effective Visitor Management solution. Choose from several different titles and expiration time frames.

TIMEtoken Expiring Badge Front Label Specifications				
Item #	Expiring Time	Size	Description	Use With*
T6417	1/2 Day (4 Hrs)	1" x 2"	Expiring Badge Front - "CONTRACTOR" (Green)	T3983A
T6418	1/2 Day (4 Hrs)		Expiring Badge Front - "VALID THIS DATE ONLY"	T5595A
T6419	1/2 Day (4 Hrs)		Expiring Badge Front - "VISITOR" (Red)	T3983A
T6118	1 Day (15 Hrs)		Expiring Badge Front - "VALID THIS DATE ONLY"	T5595A
T6119	1 Day (15 Hrs)		Expiring Badge Front - "VISITOR" (Red)	T3983A
T6214	1 Week (7 Days)		Expiring Badge Front - "CONTRACTOR" (Green)	T3983A
T6218	1 Week (7 Days)		Expiring Badge Front - "VALID THRU"	T5595A

MOQ: 1,000 pieces. Shipping Weight: 1 lb. per 1,000 pieces.



See chart to the left for item #s and expiration times.

3 COMBINE BOTH PARTS AND ISSUE!



T4102A being used with a T6119



Expired

T3983A being used with a T6119

*Recommended accompanying part. Many parts are interchangeable. Ask your sales representative for details.
Adhesive Badges should not be applied to delicate materials such as leather, silk, suede, or vinyl.
Note: products are not shown to scale.



ALL THE PRODUCTS ON THESE PAGES ARE
MADE IN THE USA!

1 CHOOSE YOUR TIMEspot® BACK PART

TIMEspot® Badge Back Parts

Looking for an expiring badge solution that's a bit more subtle? These spot expiring badges are perfect for you! For our spot expiring badges, only the coin-sized spot shows the expiration package. You get the same clear indicator of expiration, just in a smaller package.

Handwritten TIMEspot Badge Back Part Specifications

Item #	Size	Description	Use With*
T5812A	1 15/16" x 2 7/8"	Expiring Badge Back, Adhesive - "VISITOR"	T6122

MOQ: 1,000 pieces. Shipping Weight: 2 lb. per 1,000 pieces.

Thermal-Printable TIMEspot Badge Back Part Specifications

Item #	Size	Description	Use With*
T4103A	2 1/8" x 3 13/16"	Expiring Badge Back, Adhesive - BLANK	T6122
T3971A	2 17/16" x 4"	Expiring Badge Back, Clip-On - BLANK (This badge back is slotted, meaning it requires a clip for use.)	T6122

MOQ: 1,000 pieces. Shipping Weight: 2 lb. per 1,000 pieces (T3971A); 3 lb. per 1,000 pieces (T4102A).

2 CHOOSE YOUR TIMEspot® LABEL

TIMEspot® Expiring Badge Front Labels

These expiring spot fronts are required to complete your spot expiration solution. Combine these spots with a badge back with a spot expiration area to create a subtle, but effective, visitor badge solution. Red lines appear when the TIMEspot is expired, making it clear that a guest is no longer welcome on site.

TIMEspot Expiring Badge Front Label Specifications


Item #	Expiring Time	Size	Description	Use With*
T6422	1/2 Day (4 Hrs)	7/8"	Round Expiring Badge Front - "V" (Red)	T4103A
T6429	1/2 Day (4 Hrs)		Round Expiring Badge Front - "V" (Reflex Blue)	
T6426	1/2 Day (4 Hrs)		Round Expiring Badge Front - "V" (Yellow)	
T6427	1/2 Day (4 Hrs)		Round Expiring Badge Front - "C" (Green)	
T6428	1/2 Day (4 Hrs)		Round Expiring Badge Front - "T" (Process Blue)	
T6122	1 Day (15 Hrs)		Round Expiring Badge Front - "V" (Red)	
T6128	1 Day (15 Hrs)		Round Expiring Badge Front - "V" (Reflex Blue)	
T6136	1 Day (15 Hrs)		Round Expiring Badge Front - "C" (Green)	
T6149	1 Day (15 Hrs)		Round Expiring Badge Front - Blank	

MOQ: 1,000 pieces. Shipping Weight: 1 lb. per 1,000 pieces.



T5812A

ADHESIVE BACKS



T4103A


CLIP-ON BACK

T3971A (Shown without TIMEspot Expiring Labels)



See chart to the left for item #'s and expiration times.

3 COMBINE BOTH PARTS AND ISSUE!



BOTH BADGE PARTS SHOWN TOGETHER, VALID AND EXPIRED

Expired T5812A being used with a T6122



Expired T3971A being used with the T6336

Note: products are not shown to scale.

PRINTER COMPATIBILITY CHART



Printer Compatibility Chart

*Note, this list may change as we are always testing the printer compatibility of our TEMPbadge labels. Please call if you do not see the printer you are currently using on the list.

Dymo Label Writer 450 Turbo	TEMPbadge BP4	Zebra GC420d	Primera LX500
			
P9021	P9050	P9042	AH-1024

			P9021	P9050	P9042	AH-1024
ONESTEP	T2011	1-day single-piece adhesive expiring badge (thermal printable)		X	X	
	T2011L	1-day large single-piece adhesive expiring badge (thermal printable)		X	X	
QUICKTAB	T2030	1/2-day single-piece adhesive tab-expiring badge (thermal printable)	X	X	X	
	T2031	1-day single-piece adhesive tab-expiring badge (thermal printable)	X	X	X	
	T2050	1-day single-piece adhesive tab-expiring badge (thermal printable, for TEMPbadge™ VMS and WhosOnLocation™)		X	X	
FRONTPARTS	T6451	1/2-day expiring badge front (thermal printable)	X	X		
	T6451L	1/2-day large expiring badge front (thermal printable)	X	X		
	T6151	1-day expiring badge front (thermal printable)	X	X		
	T6151L	1-day large expiring badge front (thermal printable)	X	X		
	T6351	3-day expiring badge front (thermal printable)	X	X		
	T6351L	3-day large expiring badge front (thermal printable)	X	X		
	T6251	7-day expiring badge front (thermal printable)	X	X		
	T6251L	7-day large expiring badge front (thermal printable)	X	X		
	T2020	1-day expiring badge front (inkjet printable, roll of labels)				X
	T2020L	1-day large expiring badge front (inkjet printable, roll of labels)				X
PRINTABLE BACKPARTS	T3983A	Large slotted badge back (thermal printable) with token expiration area		X	X	
	T3971A	Large slotted badge back (thermal printable) with spot expiration area	X	X		
	T4102A	Adhesive badge back (thermal printable) with token expiration area	X	X		
	T4103A	Adhesive badge back (thermal printable) with spot expiration area	X	X		




1 CHOOSE YOUR BADGE DESIGN

School Badge Back Parts

School-themed badges feature printed titles and work with expiring circles that are designed specifically for schools. This expiring badge back features a handwritten customization area where a guest's name and the date can be added manually. A printed "SCHOOL VISITOR" or "STUDENT" title makes it clear which type of guest the visitor is. An adhesive back makes attaching the badge to the visitor easy.



08106



08107

School Badge Back Part Specifications		
Item #	Size	Description
08106	2" x 3" (51 x 76mm)	Manual School badge "SCHOOL VISITOR" (Red)
08107	2" x 3" (51 x 76mm)	Manual School badge "STUDENT" (Green)

MOQ: 1,000 pieces. Shipping Weight: 2 lb. per 1,000 pieces.

2 CHOOSE YOUR COVER DESIGN

School Half-Day Expiring Circles

This TEMPbadge™ expiring circle combines with our school expiring badge backs to create the perfect school visitor badge solution. Placing this circle on the badge back activates the expiration technology; after a half-day (4 hours), the circle will clearly change colors to show that the badge is no longer valid, providing clear visual indication that a guest's time is up.



08140
Smiley Face
Half-Day
Expiration



08141
Clear
Half-Day
Expiration

School Half-Day Expiring Circle Specifications			
Item #	Expiring Time	Size	Description
08140	1/2 Day (4 Hrs)	1 3/4" (45mm) Round	Expiring Circle SMILEY FACE (Blue)
08141	1/2 Day (4 Hrs)	1 3/4" (45mm) Round	Expiring Circle (Clear)

MOQ: 1,000 pieces. Shipping Weight: 1 lb. per 1,000 pieces.

3 COMBINE BOTH PARTS AND ISSUE!

Adhesive Badges should not be applied to delicate materials such as leather, silk, suede, or vinyl.
Note: products are not shown to scale.



Valid



08106

Expired

NON-EXPIRING BADGES & ACCESSORIES



Dymo-Compatible Labels

These labels are specifically designed to work with DYMO's LabelWriter direct-thermal label printers and are made of the highest-quality direct-thermal material. All rolls are sealed in a black poly bag to protect the sensitive material from damage in shipping and storage. Made in the USA and fully guaranteed.

DYMO-Compatible Label Specifications

Item #	Description
05862	2 1/4" x 4" Adhesive Name Badge Label with Clip Hole - DYMO 30857 Compatible - Blank White
05863	2 1/4" x 3 1/2" Name Tag - DYMO 30296 Compatible - Blank White
05864	2 1/4" x 4" DT Badge with Expiring TIMEspot (Stop Sign)

MOQ: 1 Roll (05862 & 05864 have 250 labels per roll; 05863 has 300 per roll).
Shipping Weight: 2 lb. per 1,000 pieces.



Printable Adhesive Badges

A fast name tag solution that is both professional and affordable. All options can be custom printed to suit your needs (minimums apply).

- Available in 7 colors
- Design your own badge and print
- Compatible with direct-thermal printers

Printable Adhesive Badge Specifications

Item #	Size (W x H)
04101	2 1/8" x 3 13/16" (54 x 97mm)
0408*	2 1/8" x 3 13/16" (54 x 97mm)

* See item numbers next to products for color choices
MOQ: 5 Rolls (1,000 badges per roll). Shipping Weight: 3 lb. per 1,000 pieces.



Printable Clip-on Badges

- Available in 2 sizes
- Easy to use! Print front and back side of badge at the same time, fold together and clip (see #08080 Reusable Plastic Card Clip on page 95)
- Inkjet or color-laser compatible


Printable Clip-On Badge Specifications

Item #	Size (W x H)	Packaging
05513	2 1/4" x 3 1/2" (57 x 89mm)	Pack of 500
05514	2 15/16" x 3 7/8" (75 x 98mm)	(250 per box)

Inkjet and color laser imprintable - sheet size is 4" x 6" (102 x 153mm)
MOQ: Pack of 500. Shipping Weight: 2 lb. per 500 pieces.



Adhesive Badges should not be applied to delicate materials such as leather, silk, suede, or vinyl.
Note: products are not shown to scale.



BUTTON KEEPS YOUR ID STRAIGHT!

08075



INEXPENSIVE AND EASY TO USE!

08080

Reusable Plastic Swivel Clip

This clip features a "button" design that slides through the slot so badges stay straighter and are less prone to twisting and facing the wrong way.

Reusable Plastic Swivel Clip Specifications	
Item #	Description
08075	Reusable Plastic Clip
MOQ: Pack of 500. Shipping Weight: 2 lb. per 500 pieces.	



Reusable Plastic Card Clip

Clip slides easily through the slotted portion of an expiring badge. The back portion of the clip can then be attached to a visitor's shirt or pocket for an easy Visitor Management solution.

Reusable Plastic Card Clip Specifications	
Item #	Description
08080	Reusable Plastic SOFTclip
MOQ: Pack of 500. Shipping Weight: 2.5 lb. per 500 pieces.	

Reusable Cardstock Badge Backs

Reusable Cardstock Badge Backs have a wax surface on the front that allows adhesive badges to be applied and removed many times.

Available in plain white, colored or custom. Sized to fit any 3" x 2" (7.62 x 5.08cm) TEMPbadge adhesive ID badge. Made of sturdy, laminated card stock with easy release coating. Attaches with clip, lanyard or neck chain.

Reusable Cardstock Badge Back Specifications		
Item #	Size (W x H)	Description
05661	4" x 3"	Reusable Badge Back - White - BLANK
08178	4" x 3"	Reusable Badge Back - Red "VISITOR"
08179	4" x 3"	Reusable Badge Back - Blue "VISITOR"
C08178*	4" x 3"	Reusable Badge Back - 2-Sided Custom
C08180*	4 1/2" x 3 1/4"	Reusable Badge Back - 2-Sided Custom
*Custom badge backs can be printed in 1, 2, 3, or 4 colors (front side and back side) for the same price.		
MOQ: Pack of 500 (05661 & 08177); Pack of 200 (08178, 08179, C08178, C08180)		
Shipping Weight: 5 lb. per 500 pieces (05661 & 08177); 2 lb. per 200 pieces (08178, 08179, C08178, C08180).		



05661

TURN ANY ADHESIVE BADGE INTO A CLIP-ON BADGE!



08179



08178



C08178

Note: products are not shown to scale.

Most Popular Material & Imprint Colors Available on all materials. Ships in 10 business days.

PMS Black C	PMS White	PMS 115C	PMS 151C	PMS 195C	PMS 200C	PMS 268C	PMS 289C	PMS 294C	PMS 316C	PMS 348C	PMS 5535C

Additional Material & Imprint Colors Ribbed Polyester material only, applies to PH10, ELSS and 2T10. Ships in 13-15 business days.

Black/White	Red/White	R.Blue/White	Yellow/White	Purple/White	Silver Glitter	PMS White NC	PMS Black 2C	PMS Black 3C	PMS Black 4C	PMS Black 6C	PMS Black 7C
PMS Cool Gray 1C	PMS Cool Gray 3C	PMS Cool Gray 4C	PMS Cool Gray 5C	PMS Cool Gray 6C	PMS Cool Gray 7C	PMS Cool Gray 8C	PMS Cool Gray 9C	PMS Cool Gray 10C	PMS Cool Gray 11C	PMS Warm Gray 1C	PMS Warm Gray 2C
PMS Warm Gray 3C	PMS Warm Gray 4C	PMS Orange 021C	PMS Reflex Blue C	PMS Rubine Red C	PMS Yellow C	PMS 072C	PMS 101C	PMS 102C	PMS 106C	PMS 108C	PMS 109C
PMS 116C	PMS 123C	PMS 124C	PMS 130C	PMS 136C	PMS 137C	PMS 152C	PMS 161C	PMS 165C	PMS 166C	PMS 169C	PMS 171C
PMS 172C	PMS 173C	PMS 176C	PMS 178C	PMS 179C	PMS 183C	PMS 184C	PMS 185C	PMS 186C	PMS 187C	PMS 189C	PMS 190C
PMS 191C	PMS 193C	PMS 199C	PMS 204C	PMS 206C	PMS 207C	PMS 210C	PMS 211C	PMS 218C	PMS 219C	PMS 226C	PMS 227C
PMS 230C	PMS 232C	PMS 233C	PMS 236C	PMS 237C	PMS 243C	PMS 255C	PMS 272C	PMS 279C	PMS 282C	PMS 286C	PMS 287C
PMS 290C	PMS 291C	PMS 292C	PMS 296C	PMS 301C	PMS 303C	PMS 306C	PMS 314C	PMS 319C	PMS 321C	PMS 322C	PMS 332C
PMS 335C	PMS 341C	PMS 349C	PMS 350C	PMS 355C	PMS 356C	PMS 365C	PMS 366C	PMS 368C	PMS 375C	PMS 376C	PMS 377C
PMS 381C	PMS 382C	PMS 388C	PMS 389C	PMS 400C	PMS 401C	PMS 403C	PMS 405C	PMS 406C	PMS 407C	PMS 409C	PMS 410C
PMS 412C	PMS 413C	PMS 414C	PMS 417C	PMS 418C	PMS 419C	PMS 421C	PMS 422C	PMS 423C	PMS 424C	PMS 426C	PMS 428C
PMS 429C	PMS 432C	PMS 433C	PMS 439C	PMS 440C	PMS 443C	PMS 445C	PMS 446C	PMS 447C	PMS 449C	PMS 452C	PMS 461C
PMS 463C	PMS 467C	PMS 476C	PMS 478C	PMS 481C	PMS 482C	PMS 483C	PMS 495C	PMS 496C	PMS 508C	PMS 512C	PMS 513C
PMS 514C	PMS 531C	PMS 532C	PMS 533C	PMS 534C	PMS 542C	PMS 553C	PMS 556C	PMS 563C	PMS 565C	PMS 574C	PMS 577C

Colors are approximate and may appear slightly lighter or darker depending on printing conditions. A PANTONE® book should be used for more accurate color matching.

Additional Material & Imprint Colors Cont. Ribbed Polyester material only, applies to PH10, ELSS and 2T10. Ships in 13-15 business days.

PMS 584C	PMS 600C	PMS 628C	PMS 635C	PMS 646C	PMS 653C	PMS 654C	PMS 655C	PMS 657C	PMS 659C	PMS 661C	PMS 672C
PMS 675C	PMS 688C	PMS 693C	PMS 698C	PMS 710C	PMS 801C	PMS 802C	PMS 804C	PMS 806C	PMS 809C	PMS 812C	PMS 814C
PMS 1215C	PMS 1235C	PMS 1395C	PMS 1495C	PMS 1505C	PMS 1545C	PMS 1585C	PMS 1635C	PMS 1645C	PMS 1665C	PMS 1765C	PMS 1767C
PMS 1785C	PMS 1895C	PMS 1905C	PMS 1915C	PMS 1925C	PMS 2060C	PMS 2115C	PMS 2123C	PMS 2139C	PMS 2143C	PMS 2163C	PMS 2241C
PMS 2276C	PMS 2287C	PMS 2299C	PMS 2308C	PMS 2322C	PMS 2333C	PMS 2425C	PMS 2562C	PMS 2567C	PMS 2572C	PMS 2577C	PMS 2582C
PMS 2627C	PMS 2635C	PMS 2645C	PMS 2655C	PMS 2665C	PMS 2695C	PMS 2706C	PMS 2717C	PMS 2728C	PMS 2747C	PMS 2756C	PMS 2757C
PMS 2758C	PMS 2766C	PMS 2767C	PMS 2768C	PMS 2915C	PMS 2925C	PMS 2945C	PMS 2985C	PMS 2995C	PMS 3115C	PMS 3155C	PMS 3165C
PMS 3255C	PMS 3282C	PMS 3288C	PMS 3395C	PMS 3405C	PMS 4625C	PMS 4685C	PMS 4695C	PMS 4975C	PMS 4985C	PMS 5225C	PMS 5255C
PMS 5275C	PMS 5285C	PMS 5295C	PMS 5395C	PMS 5415C	PMS 5467C	PMS 5487C	PMS 5523C	PMS 5615C	PMS 5747C	PMS 5753C	PMS 5767C
PMS 7403C	PMS 7407C	PMS 7408C	PMS 7421C	PMS 7427C	PMS 7443C	PMS 7451C	PMS 7452C	PMS 7453C	PMS 7454C	PMS 7461C	PMS 7462C
PMS 7478C	PMS 7479C	PMS 7482C	PMS 7485C	PMS 7490C	PMS 7499C	PMS 7501C	PMS 7502C	PMS 7504C	PMS 7505C	PMS 7507C	PMS 7509C
PMS 7511C	PMS 7528C	PMS 7529C	PMS 7531C	PMS 7532C	PMS 7533C	PMS 7534C	PMS 7535C	PMS 7536C	PMS 7537C	PMS 7538C	PMS 7540C
PMS 7542C	PMS 7544C	PMS 7545C	PMS 7546C	PMS 7553C	PMS 7558C	PMS 7561C	PMS 7564C	PMS 7567C	PMS 7574C	PMS 7575C	PMS 7579C
PMS 7580C	PMS 7582C	PMS 7595C	PMS 7596C	PMS 7668C	PMS 7678C	PMS 7682C	PMS 7684C	PMS 7686C	PMS 7692C	PMS 7693C	PMS 7725C
PMS 7726C	PMS 7727C	PMS 7732C	PMS 7734C	PMS 7735C	PMS 7748C	PMS 7753C	PMS 7757C	PMS 7764C	PMS 7771C		

Additional colors can apply to Smooth Polyester, Flexible Tubular, Flat Tubular and Woven Lanyards for an additional charge.

Customization Information

ARTWORK: The following computer files are acceptable:

- Adobe Illustrator version 6.0 or less– all fonts converted to “OUTLINES” and saved as an .ai or .eps file.
- Adobe Photoshop version 6.0 or less– files saved as .tiff, .bmp, .jpg, .psd or .gif (minimum DPI 150, logos from websites are **NOT** acceptable).
- Adobe InDesign version 6.0 or less– all fonts converted to “OUTLINES” and package the links when sending the file.

Please specify the name and type of the files being sent. DO NOT embed files in a Microsoft Word® file. Include a color copy for color breakdown only. Pre-production, custom-imprinted samples are available for an additional charge. Modifications to artwork will be quoted on a per order basis. A minimum charge applies. (No photocopies or faxes.)

SET-UP CHARGES: A set-up charge may apply to orders. Call for details.

RUSH CHARGES: Additional charges may apply. Call for details.

CANCELLATION: Orders may be subject to a cancellation charge to compensate for any costs incurred prior to cancellation (i.e. artwork charges, printing plates, etc.).

PAD PRINTING: For plastics, metals, neck lanyard sliders, snap buckles, badge reels and detachable attachments. Provides a quality, durable imprint. Exact color matches cannot be guaranteed.


CLEAR DOMING RESIN: Provides permanent protection for a multi-color label. Available on round and diamond sliders, detachable attachments and badge reels.

DYE-SUBLIMATION: A permanent transfer process used on our neck lanyards and select wristbands. A digital image is transferred onto a white base allowing for fine, photo-realistic detail. Any color can be used for a base color.

CONTINUOUS PRINTING AND POSITIONAL PRINTING: Many lanyards come in either a continuously printed imprint or a positionally printed imprint. See diagram below for examples of printing styles.



CONTINUOUS PRINTING
IMPRINT CONTINUES THROUGH SEAM AND BREAKAWAY



POSITIONAL PRINTING
IMPRINT STOPS BEFORE SEAM AND BREAKAWAY

Production & Shipping

PRODUCTION TIME: Timetables for shipping are based on credit approval, receipt of camera-ready art and proof approval. Production timetable is valid for all catalog products in catalog quantities. No guarantees are made as to arrival dates. Please specify and authorize special shipping which may be required to meet exact event dates or deadlines.

PACKAGING: Lanyards are bundled in quantities of 100. Additional charges may apply for other quantities or special requests. Call for quote.

DAMAGED SHIPMENTS: All merchandise is inspected, weighed, and carefully packed for shipment before leaving any of our warehouses. The freight company accepts liability when the shipment leaves our facility. Upon delivery of your shipment, promptly check the number and condition of cartons against the Bill of Lading totals before signing the freight Bill of Lading.

LIABILITY: The products become the customer's property upon delivery to the carrier. If damage or loss is discovered—either visible or concealed—you must file a claim with the freight carrier within 14 days of the delivery date.

Breakaway Information

SPECIAL WARNING FOR BREAKAWAY LANYARDS: Breakaway performance will vary and lanyards will not break away under all conditions. The male/female part pull force specification for round breakaways is 3-11 lbs under tested conditions per M-3-QA-0167. The male/female part pull force specification for flat breakaways is 4-10 lbs under test conditions per M-3-QA-0167. A full description of the M-3-QA-0167 test procedure can be provided upon request. Not recommend for use around moving objects or playgrounds.

LIMITED BREAKAWAY WARRANTY: Breakaway performance will vary and lanyards will not break away under all conditions. Customers should test the breakaway feature for suitability for their use and environment. This product is subject to a limited warranty. Seller warrants to the original purchaser for use that the goods or any component thereof will be free from defects in workmanship for a period of one year from the date of purchase. Seller's sole liability and the purchaser's sole remedy for a failure of goods under this limited warranty, and for any and all claims arising out of the purchase and use of the goods, shall be limited to the repair or replacement of the goods that do not conform to this warranty. There are no express or implied warranties covering these goods other than as set forth above.

General Information

We reserve the right to change pricing of products or services without notice. Imprints, logos or trademarks displayed in this catalog are for purpose of showing printing capabilities only. Use of such does not constitute an endorsement of the product, nor does it indicate that the product has been used or purchased by the person or company whose name or logo appears on the product.

PAGE
74-75

Luggage
Tags

Color coordinate and keep track of personal items with this durable luggage tag holder!



PAGE
68-69

DigiLine
Badges

Perfect for use as employee badges at big box stores, hotels, car rental facilities and other retail settings.



PAGE
58

Vinyl Event
Holders

These badge holders feature multiple slots for convenience and flexibility.



PAGES
4-9

Custom
Lanyards

Multiple materials and end fittings available— customize with your logo, graphic or text!



Note: products are not shown to scale.



YOUR SINGLE SOURCE FOR IDENTIFICATION PRODUCTS

LANYARDS | BADGE REELS | BADGE HOLDERS
ID CARDS | VISITOR MANAGEMENT | AND MORE